Zoological Record

Vol. 87, Sect. 18, 1950

MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON SOLD AT THEIR HOUSE IN REGENT'S PARK LONDON, N.W.S.

PRICE SEVEN SHILLINGS AND SIXPENCE

March, 1952

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:-

								s.	d.	
1.	Comprehens	ive Zo	ology					2	6	
2.	Protozoa						•••	7	6	
3.	Porifera							2	0	,
4.	Coelenterata	a .						4	0	
5.	Echinoderm	a				•••		2	6	
6.	Vermes	• • •				•••	***	10	0	
7.	Brachiopoda	a,			٠			3	0	
8.	Bryozoa	•••		•••				2	0	
9.	Mollusca	•••		•••	•••		• • •	10	0	
10.	Crustacea				•••			5	0	
11.	Trilobita							3	0	
12.	Arachnida							7	6	
*13.	Insecta				***			30	0	
14.	Protochorda	ata			•••			2	0	
15.	Pisces		***					7	0	
16.	Amphibia a	nd Re	ptilia			***		7	6	
17.	Aves					•••		7	6	
18.	Mammalia		<u>.</u>					7	6	
19.	List of New	Gene	ra and	Subger	nera.			3	0	
		7 0		~						

^{*} Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

18. MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S.

CONTENTS

		PAGE
I.	Titles	2
II.	SUBJECT INDEX	66
	General Literature and History, p. 66; Structure, p. 66; Physiology, p. 69; Reproduction and Sex, p. 73; Development, p. 74; Evolution and Genetics, p. 74; Ecology and Habits, p. 75; Distribution and Faunas, p. 79; Geological (Fossil Faunas), p. 82.	
III.	Systematic Index	84
	Monotremata, p. 84; †Triconodonta, p. 84; †Symmetrodonta, p. 84; Marsupialia, p. 84; Insectivora, p. 85; Dermoptera, p. 86; Chiroptera, p. 86; Primates, p. 88; Edentata, p. 90; Pholidota, p. 91; Lagomorpha, p. 91; Rodentia, p. 91; Cetacea, p. 97; Carnivora, p. 98; †Litopterna, p. 103; †Notoungulata, p. 103; †Astrapotheria, p. 103; Tubulidentata, p. 103; Proboscidea, p. 103; Hyracoidea, p. 104; Sirenia, p.104; Perissodactyla, p. 104; Artiodactyla, p. 106.	

I.—TITLES

- 1.—Anon. Bats at Lancaster Hole. Cave Science 1 1948 p. 99.
- 2.—Anon. Bats at Jug Holes, Snitterton, Matlock, Derbyshire. Cave Science 1 1948 p. 184.
- 3.—Anon. Four-tusked elephant. Sudan Wild Life 1 1 1949 p. 12 1 fig.
- 4.—Anon. An animal that can dig faster than a gang of men: the Aardvark. Ill. London News 216 1950 p. 55 4 figs.
- **5.—Anon.** Saved on the verge of extermination: sea-otters, once hunted for their pelts. Ill. London News **217** 1950 p. 367 5 figs.
- **6.—Anon.** "Bats are friendly": photographs of tamed bats feeding and in flight. Ill. London News, **217** 1950 pp. 616-617 12 figs.
- 7.—Anon. Stranded whales: photos. Ill. London News 216 1950 p. 789 2 photos.
- 8.—Anon. The Antarctic season 1949/50. The pelagic catch. Norsk Hvalf-Tidende pp. 1–2.
- 9.—Anon. Regulations for the taking of Baleen Whales and Sperm Whales, etc. (Cont.). Norsk Hvalf.-Tidende Sandefjord 39 1950 pp. 16–20.
- 10.—Anon. The summer season 1948. Norsk. Hvalf.-Tidende Sandefjord 39 1950 p. 23.
- 11.—Anon. The Antarctic season 1949/50. The pelagic catch. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 49–51.
- 12.—Anon. Catch statistics—the summer season 1948 (cont.). Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 60–68.
- 13.—Anon. Catch statistics—Antarctic pelagic whaling in the season 1948/49. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 68–72.

- 14.—Anon. The Antarctic season 1949/50. Pelagic operations closed. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 97–99.
- 15.—Anon. Blue Whale stocks in the Antarctic. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 106–115.
- 16.—Anon. Catch statistics. Antarctic whaling in the season 1948/49 (cont.). Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 116–120.
- 17.—Anon. Antarctic catch 1949/50. Norsk Hvalf-Tidende Sandefjord 39 1950, pp. 193–202.
- 18.—Anon. The Antarctic season 1949/50. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 297–298.
- 19.—Anon. International Whaling Commission. Second meeting in Oslo, 17th–21st July, 1950. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 349– 364.
- 20.—Anon. Catch statistics. The summer season 1949. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 455–463.
- 21.—Anon. World catch 1949. Norsk Hvalf-Tidende Sandefjord 39 1950 pp. 559–565.
- 22.—Anon. A National Park in Northern Rhodesia. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 15–16 map.
- **23.—Anon.** The 1950 Tanganyika Game Bill. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 24–26.
- 24.—Anon. The Kafue National Park. African Wildlife, Johannesburg 4 1950 pp. 93–94.
- 25.—Anon. The extinct Cape Lion. African Wild Life, Johannesburg 4 1950 p. 125.
- **26.—Anon.** More Sea Otters. Nat. Hist. N.Y. **59** 1950 pp. 236–237 2 photos.
- 27.—Anon. Nature with a camera. Texas J. Sci. 2 1950 pp. 335-348 14 pls.
- 28.—Abadie, R. d'. Le Minioptere de Schreibers dans le Nord de la Haute-Vienne. Mammalia, Paris 14 1950 pp. 181-182.

- 29.—Abel, G. Ringing of bats in Salzburg. Cave Science 1 1948 pp. 142–147 map.
- 30.—Achaya, K. T. and Hilditch, T. P. A study of the component glycerides of cow and buffalo milk fats with reference to the possible mechanism of their production during lactation. Proc. Roy. Soc. London 137B 1950 pp. 187–211 2 figs.
- 31.—Acosta y Lara, E. F. Quiropteros del Uruguay. Com. Zool. Mus. Hist. Nat. Montevideo 3 1950 58 pp. 1–72 1 pl.
- 32.—Adams, D. A. Myotis subulatus leibii in North Carolina. J. Mammal. Baltimore 31 1950 pp. 97–98.
- 33.—Adams, F. W. and Hillemann, H. H. Morphogenesis of the vitelline and allantoic placentae of the Golden Hamster (*Cricetus auratus*). Anat. Rec. Philadelphia 108 1950 pp. 363–383 pls.
- 34.—Addis, T. and Gray, H. Body size and organ weight. Growth 14 1 1950 pp. 49–80 8 figs.
- 35.—Addis, T. and Gray, H. Body size and suprarenal weight. Growth 14 1 1950 pp. 81-92 2 figs.
- 36.—Addis, T. and Gray, H. Body size and gonad weight. Growth 14 1 1950 pp. 93–103 3 figs.
- 37.—Adrian, E. D. The control of nerve-cell activity. Symposia Soc. exp. Biol., Cambridge 1950 No. 4 pp. 85–91.
- 38.—Aellen, V. Un mégachiroptère nouveau: Epomophorus reii n. sp. Rev. suisse Zool. Genève 57 1950 pp. 559–563 1 fig.
 - Afra, D. vide Botar.
- 39.—Aguayo, C. G. Observaciones sobre algunos mamiferos Cubanos extinguidos. Bol. Hist. Nat. Habana 1 3 1950 pp. 121-134.
- 40.—Aitken, J. T. Growth of nerve implants in voluntary muscle. J. Anat. London 84 1950 pp. 38-49 3 pls. 3 figs.
- 41.—Akiba, T., Tsuchiya, T., Umehara, M. and Natsume, Y. Bacteriological studies on freshness of whale meat. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 63-70.

- 42.—Albrecht, C. B. Toxicity of sea water in mammals.—Amer. J. Physiol. 163 2 1950 pp. 370–385 3 figs. [N.V.]
- 43.—Alexandrowicz, St. The accumulation of fat in the subcutaneous tissue of Pig embryos. Bull. int. Acad. Cracovie. Cl. Sc. Math. Nat. 1949 1950 (BII) pp. 261–274 3 pls. 2 figs.
- 44.—Ali, S. The Great Indian Onehorned Rhinoceros (Rhinoceros unicornis Linn.) in Assam Province, India. Proc. & Pap. Internat. Tech. Conf. Protect Nature, Paris 1949 1950 pp. 470–472.
- 45.—Ali, H. A. Longevity in elephants. J. Bombay Nat. Hist. Soc. 49 1950 pp. 113–117.
- 46.—Allen, D. E. The Mammals, Reptiles and Amphibians of the Rugby district. Rep. Rugby Sch. Nat. Hist. Soc. 1950 No. 83 pp. 18–24.
- 47.—Allen, R. Notes on the Florida panther, Felis concolor coryi Bangs. J. Mammal Baltimore 31 1950 pp. 279–280 1 fig.
- 48.—Allen, E. R. and Neill, W. T. Cleaning mammal skeletons with meal worms. J. Mamm. Baltimore 31 1950 p. 464.
- 49.—Allin, A. E. European hare introduced into the district of Thunder Bay, Ontario. Canad. Field Nat. 64 1950 pp. 122–124.
- 50.—Anciaux de Faveaux, F. Quelques particularités physiologiques et éthologiques des Cheiroptères. Nat. Belg. 31 1950 pp. 222–231.
- 51.—Anderson, A. B. Small mammals of the southern Sudan. Sudan Notes 30 2 1949 pp. 252–259.
- 52.—Anderson, A. B. Seasonal game migration. Sudan Wild Life 1 No. 1 1949 pp. 16–18 3 figs.
 - Andjus, R. vide Giaja.
- 53.—Anna, M. Notes sur la presence du Rhinoceros dans la region de l'Ouham (Oubangui—Chari). Mammalia, Paris 14 1950 pp. 26-28.
- 54.—Ansell, W. F. H. The Yellow-backed Duiker—elusive and secretive. African Wild Life, Johannesburg 4 1950 pp. 151–153 1 fig.

- 55.—Anthony, J. Note complémentaire sur la morphologie externe du cerveau dans le genre *Alouatta*. Bull. Mus. Hist. Nat. Paris (2) 22 1950 pp 60-62 1 fig.
- **56.—Anthony,** J. Le pli felin chez le Renard. Mammalia Paris **14** 1950 pp. 95–98 1 fig.
- 57.—Antonius, O. Beobachtungen an Einhufern in Schonbrunn. Zool. Garten, Leipzig 17 1950 pp. 204–210 12 figs.
- 58.—Appleyard, H. M. and Greville, C. M. The cuticle of mammalian hair. Nature, London, 166 1950, p. 1031, 1 fig.
- 59.—Arambourg, C. and Arnould, M. Note sur les fouilles paléontologiques exécutées en 1947-1948 et 1949 dans le gisement villafranchien de la Garaet Ichkeul. Bull. Soc. Sc. Nat. Tunis 2 1950 pp. 149-158 3 pls. 1 fig.
- 60.—Arauz, J. Nueva historia de los mastodontes ecuatorianos. Bol. Inform. Cient. Nac. Quito 3 1950 26–27 pp. 419–425, 3 figs.
- 61.—[Arbuzov, G. Y.] [Influence of partial sympatheetomy and vagotomy on hibernation in heterothermic animals.] C. R. Acad. Sci. Moscow N. S. 73 1950 pp. 1305–1308 [In Russian].
- 62.—Archibald, E. E. A. The unique Addo Elephants. African Wildlife Johannesburg 4 1950 pp. 234–236 2 figs.
- **63.—Arkell,** A. J. An introduction to African prehistory. African Affairs London 49 1950 pp. 56-67.
- 64.—Armstrong, R. A. Fetal development of the Northern White-tailed Deer (Odocoileus virginianus borealis Miller). Amer. Midl. Nat. Notre Dame 43 1950 pp. 650-666, 3 pls. 4 figs.

Arnould, M. vide Arambourg.

- 65.—Arvey, M. D. and Glass, B. P. The Black-footed Ferret in Oklahoma. J. Mamm. Baltimore 31 1950 p. 460.
- 66.—Ashton, E. H. and Pardoe, W. J. A craniostat and projector for the measurement of mammalian skulls. Man. London 50 1950 pp. 103–106 4 figs.

- 67.—Ashton, E. H. and Zuckerman, S. Some quantitative dental characteristics of the Chimpanzee, Gorilla and Orang-outang. Phil. Trans. Roy. Soc. London 234 (B) 616 1950 pp. 471–484 1 pl.
- 68.—Ashton, E. H. and Zuckerman, S. Some quantitative dental characters of fossil anthropoids. Phil. Trans. Roy. Soc. London 234 (B) 617 1950 pp. 485–520.
- 69.—Ashton, E. H. and Zuckerman, S. The influence of geographic isolation on the skull of the green monkey (Cercopithecus aethiops sabaeus). 1. A comparison between the teeth of the St. Kitts and the African green monkey. Proc. R. Soc. London 137 B 1950 pp. 211–238.
- 70.—Asling, C. W. and others. Differences in the skeletal development attained by 60-day-old female rats hypophysectomized at ages varying from 6 to 28 days. Anat. Rec. Philadelphia 106 1950 pp. 555–569 8 figs.
- 71.—Astley Maberley, C. T. The African bush-pig. African Wild Life Johannesburg 4 1950 pp. 14-17.
- 72.—Astre, G. Le vison des Landes. Mammalia, Paris 14 1950 pp. 40-42.

Atkinson, W. B. vide Raven.

- 73.—Atwood, E. L. Life history studies of nutria or coypu, in coastal Louisiana. J. Wildlife Man. Menasha Wis. 14 3 1950 pp. 249–265 figs [N.V.]
- 74.—Aubry, J. Deux pièges pour la capture de petits rongeurs vivants. Mammalia Paris 14 1950 pp. 174–177 2 figs.
- 75.—Audas, J. W. The Australian Bushland, Melbourne, 1950, pp.1–712 8 pls. 186 figs 5 maps. [Mammals pp. 582–592 6 pls.]
- 76.—Audy, J. R. A visit to Jarak Island in the Malacca Straits. Malay Nat. J. 5 1950 pp. 38-46 3 pls.
- 77.—Audy, J. R., Harrison, J. L. and others. A survey of Jarak Island, Straits of Malacca. Bull. Raffles Mus. No. 23, 1950 pp. 230-261 2 pls. 5 figs. 6 tabs.

- 78.—Austin, C. R. Fertilization of the rat egg. Nature London 166 1950 p. 407.
- 79.—Ayer, A. A. and Mariappa, D. External characters of three foetuses of the Indian elephants. Proc. Indian Acad. Sci. 31B 1950 pp. 193–209 2 pls. 11 figs.
- 80.—Ayzenberg-Terentieva, E. I. Cytomorphological investigations of the bone marrow. C. R. Acad. Sci. Moscow N.S. 70 1950 3 pp. 501-504 9 figs. [In Russian.]

Bacelar, A. vide Frude.

- 81.—Baer, J. G. Etude critique des helminthes parasites de l'Okapi. Acta Tropica Basel 7 1950 pp. 164–186 5 pls.
- 82.—Baeta-Neves, C. M. La cabra del Gerez. Montes (Madrid) 5 27 1949 pp. 217–218 figs. [N.V.]
- 83.—Bagnall, O. Can Animals Taste? Country Life, London 108 1950 p. 382.
- 84.—Bairati, A. and Contu, P. Ricerche sulla glioarchitettonica dei vertebrati. III. Roditori e insettivori pp. 56–58. IV. Carnivori, pp. 59–61. Monit Zool. Ital. 58 Suppl. 1950.
- 85.—Baird, J. A. and Robb, J. S. Study, reconstruction and gross dissection of the atrioventricular conducting system of the dog heart. Anat. Rec. 108 1950 pp. 747-762 2 pls.
- 86.—Baker, M. L., Blumm, C. T. and Oloufa, M. M. Stumpy, a recessive achandroplasia in Shorthorn cattle. J. Hered. 41 1950 pp. 243-245 1 fig.

Baker, R. F. vide Granger.

- 87.—Baker, R. H. The taxonomic status of *Geomys breviceps texensis* Merriam and *Geomys bursarius llanensis* Bailey. J. Mammal. Baltimore 31 1950, pp. 348–349.
- 88.—Baker, R. H. and Hankins, R. M. A new subspecies of Snowshoe Rabbit from Wyoming. Proc. Biol. Soc. Washington 63 1950 pp. 63-64.

Baker, R. H. vide Cockrum.

89.—Baldelli, B. Forme larvali di tipo "Multiceps" in Mus musculus v. albinus. Rio. Biol. Perugia N.S. 42 1950 pp. 371–376 l pl. l fig. [English summary]

- 90.—Baldwin, P. H. Occurrence and behavior of the Hawaiian bat. J. Mamm. Baltimore 31 1950 pp. 455-456.
- 91.—Balinsky, B. I. On the developmental processes in mammary glands and other epidermal structures.—Trans. roy Soc. Edinb. 62 1950 pp.1-31 3 pls. 1 fig. tables.
- 92.—Balinsky, B. I. On the prenatal growth of the mammary gland rudiment in the mouse. J. Anat. London 84 1950 pp. 227-235 1 pl. 1 fig.
- 93.—Baltazard, M. and Mofidi, C. Sur la peste inapparente des rongeurs sauvages. C.R. Acad. Sci. Paris 231 1950 pp. 731-733.

Bane, A. vide Haggqvist.

- 94.—Banfield, A. W. F. A further note on the longevity of the Big Brown Bat. J. Mammal. Baltimore 31 1950 p. 455.
- 95.—Banks, E. Cecil Boden Kloss. Bull. Raffles Mus. No. 23 1950 pp. 336–346.
- 96.—[Bannikov, A. G.] [Contributions to the knowledge of Mongolian mammals. IV. Cricetinae.] Bull. Soc. Nat. Moscow Biol. 55 3 1950 pp. 3–16 maps. [In Russian.]
- 97.—[Barabash-Nikiforov, I. I.] [Materials to the knowledge of the biotic relations of beaver with its burrow inhabitants.] C. R. Aead. Sci. Moscow N.S. 70 1950 pp. 1057–1059. [In Russian.]
- 98.—[Barabash-Nikiforov, I. I.] [Fauna of the burrow of desman as a factor surrounding influencing on its life.] C. R. Acad. Sci. Moscow N.S. 71 1950 pp. 933–936 [In Russian.]

Barber, H. N. vide Sharman.

- 99.—Barbour, R. W. Notes on banded Bats. J. Mammal. Baltimore 31 1950 p. 350.
- 100.—Barbour, R. W. The Roof Rat, Rattus rattus alexandrinus (Geoffroy) in West Virginia. J. Mammal. Baltimore 31 1950 pp. 461–462.
- 101.—Barbour, R. W. and B. L. Some mammals from Hart County, Kentucky. J. Mammal. Baltimore 31 1950 pp. 359–360.

- 102.—Barisson Villares, J. L. Climatologia zooteenica. X. Contribuicao para o estudo dos habitos dos Bovinos nas pastagens tropicais. Bol. Industr. Animal. S. Paulo N.S. 11 1–2 1950 pp. 3–22.
- 103.—Barnicot, L. A. The local action of vitamin A on bone. J. Anat. London 84 1950 pp. 374–387 2 pls. 9 figs.

Barr, M. L. vide Douglas.

- 104.—Barryford, J. P. Red Squirrels in Warwickshire. Country Life London 107 1950 p. 1893.
- 105.—Barth, F. On the relationships of early Primates. Amer. J. Phys. Anthrop. Philad. 8 1950 pp. 139-150.
- 106.—Bartholomew, G. A. Jr. Reoccupation by the Elephant Seal of Los Coronados Islands, Baja California, Mexico. J. Mammal. Baltimore 31 1950 p. 98.
- 107.—Bartholomew, G. A., Jr. A male Guadalupe Fur Seal on San Nicolas Island, California. J. Mammal. Baltimore 31 1950 pp. 175–180 l pl.

Bartholomew, P. S. vide Cronemiller.

- 108.—Bartlett, V. Wild Dogs of Tanganyika. Country Life London 108 1950 p. 1595.
- 109.—Bartz, J. Das Jungpliozän im nördlichen Rheinhessen. Notizbl. hess. Landesamt 6 1950 pp. 201–243 3 figs.
- 110.—Bate, D. M. A. The fauna of Esh Shaheinab. Archaeol. News Letter 2 1950 pp. 128–129.
- 111.—Bate, D. M. A. A Fossil Vole from Cyrenaica. Ann. Mag. Nat. Hist. (12) 3 1950 pp. 981–985, 1 fig.
- 112.—Bates, G. H. Track making by man and domestic animals. J. Animal Ecol. 19 1950 pp 21-28, 4 figs.
- 113.—Bayol, J. and Paulus, M. Grotte de la Balauzière. Bull. Soc. Etud. Sci. Nat. Nimes 48 [1947], pp. 79-90
- **114.—B.,** C. E. Pine Marten and Polecat. Field London **196** 1950 p. 1137.
- 115.—Beaton, A. C. Baboon poisoning. Sudan Wild Life 1 2 1949 pp. 19–20.

- H. H. Osteogenesis in the Golden Hamster. J. Mammal Baltimore 31 1950 pp. 121-134 3 pls. 2 figs.
- 117.—Beatty, R. A. and Fischberg, M. "Polyploidy in Rabbits." Nature London 166 1950 pp. 238-239.
- 118.—Bedford, Duke of. Black Squirrels. Field London 196 1950 p. 28.
- 119.—Bedford, Duke of. The Years of Transition. [N.V. Review in Field London 196 1950 p. 37.]
- 120.—Bedford, Duke of. European Bison. Field London 196 1950 p. 68.
- 121.—Bedford, Duke of. Albino Deer Calf. Field London 196 1950 p. 382.
- 122.—Bedford, Duke of. Bison in Britain. Field London 195 1950 p. 806.
- 123.—Bedford, Duke of. The Woburn Collection. Field London 195 1950 pp .830-831 10 figs.
- 124.—Bedford, Duke of. Deer in Britain. Bedford Nat. No. 4 1950 pp. 12-20 1 pl.
- 125.—Beebe, W. Home life of the Bat Falcon, Falco albigularis albigularis Daudin. Zoologica New York 35 1950 pp. 69-86.
- 126.—Beemblossom, M. A. Introduction of the Belgian Schipperke dog into the United States. Proc. Iowa Acad. Sci. 54 1947 pp. 301–302 1 fig.
- 127.—Beer, J. R. The Least Weasel in Wisconsin. J. Mammal. Baltimore 31 1950 pp. 146-149.
- 128.—Behre, E. H. Annotated list of the fauna of the Grand Isle region. Occas. Pap. mar. Lab. Baton Rouge, La. No. 6 1950 pp. 1–66.
- 129.—Beidleman, R. G. The Cinereous Shrew below 6,000 feet in north-central Colorado. J. Mamm. Baltimore 31 1950 p. 459.
- 130.—Beidleman, R. G. Status of the Cinereous Shrew in north central Colorado. J. Colo-Wyo. Acad. Sci. 4 1950, pp. 75–76.
- 131.—[Belayev, D. K.] [Role of light in mammal biology.] J. Gen. Biol. 11 1 1950 pp. 39-51. [In Russian.]

- 132.—]Belishev, B. F.] Breeding of Sable in Barguzin Reserve.] Zool. J. Moscow 29 1950 pp. 559-561. [In Russian.]
- 133.—Bemmel, A. C. U. Ouder-domsbepaling bij herten van het genus Rusa (voorlopige mededeling). Bijdr. Dierk. 28 1949 pp. 26-31 6 figs. 1 tab.
- 134.—Bemmelen, J. F. van. Arm en been van mensch en anthropomorphen. Proc. K. ned. Akad. Wet. Amsterdam 53 1950 pp. 1021–1024.
- 135.—Bence-Jones, P. Mongoose feasting on frogs. Country Life London 107 1950 p. 1559.
- 136.—Bennejeant, C. Sur la nature des matières organiques de l'ivoire dentaire chez les Vertébrés. C.R. Acad. Sci. Paris 231 1950 pp. 189–190.
- 137.—Benzon, B. Freak Deer heads. Field London 196 1950 p. 968 1 fig.

Bergersen, B. vide Jahn.

- 138.—Berlioz, J. L'Histoire des collections de mammifères et d'oiseaux du Muséum. (Leçon inaugurale du cours de Zoologie des mammifères et des oiseaux, prononcé le 1er Mars 1950.) Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 166–180.
- 139.—Bertram, G. C. L. Pribilof Fur Seals. Arctic 3 1950 pp. 75-85 10 figs.
- 140.—Bertram, G. C. L. The present status of the marine mammals. J. Soc. Preserv. Faun. Empire London 1950 Pt. 61 pp. 10-14 3 pls.
- 141.—Bertrand, D. Survey of contemporary knowledge of biogeochemistry. 2. The biogeochemistry of vanadium. Bull. Amer. Mus. nat. Hist. 94 7 1950 pp. 403–455 tables.
- 142.—Berwick, E. J. H. A note on the common dog-faced fruit-bat (*Cynopterus brachyotis* (S. Mull.)). Malayan Nature J. 5 1950 p. 34 1 pl.
- 143.—B., H. J. Squirrels eating gooseberries. Country Life London 108 1950 p. 684.
- 144.—[Bibikova, V. I.] [Some biological peculiarities of the primitive bison.] Bull. Soc. Nat. Moscow Biol. 55 5 1950 pp. 35-43 4 figs. [In Russian.]

- 145.—Bierens de Haan, J. A. Training a young Chimpanzee to attend to acoustic stimuli. Bijdr. Dierk. 28 1949 pp. 32-40 2 figs.
- 146.—Bigalke, R. The Cape Mountain Zebra (*Equus zebra zebra*). Proc. & Pap. Internat. tech. Conf. Protect. Nature, Paris 1949 1950 pp. 475–478.
- 147.—Bigalke, R., Steyn, T., De Vos, D., and Waard, K. Observations on a juvenile female square-lipped or white rhinoceros (Ceratotherium simum simum (Burch.)) in the National Zoological Gardens of South Africa. Proc. Zool. Soc. London 120 1950 pp. 519–528 3 pls.
- 148.—Billingham, R. E. and Medawar, P. B. Pigment spread in mammalian skin; serial propagation and immunity reactions. Heredity London 4 1950 pp. 141-164 4 pls. 4 figs.
- 149.—Billingham, R. E. and Medawar, P. B. A note on the specificity of the corneal epithelium. J. Anat. London 84 1950 pp. 50-56 2 pls.

Bischoff, A. I. vide Herman.

- **150.—Blair,** W. F. Ecological factors in speciation of *Peromyscus*. Evolution Lancaster Pa. **4** 1950 pp. 253–275 1 fig.
- 151.—Blakley, R. L. and Coop, I. E. The metabolism and toxicity of cyanides and cyanogenetic glucosides in sheep: II. Detoxication of hydrocyanic acid. N.Z. J. Sci. Tech. 31A 3 1950 pp. 1-16.

Blanchard, B. D. vide McCabe.

Blanchard, W. E. vide Halloran.

- 152.—Blank, O. E. A histological study of the alimentary canal of the Cotton Rat, Sigmodon hispidus. Anat. Rec. Philadelphia 108 1950 pp. 421–439 16 figs.
- 153.—Block, I. A. Ueber das Vorkommen und die Verbreitung des Schwarzwildes (Sus scrofa L.) im Kanton Solothurn und in der übrigen Schweiz in Vergangenheit und Gegenwart. Mitt. naturf. Ges. Solothurn No. 15 [1948] pp. 1–51.

Blumm, C. T. vide Baker.

154.—Boardman, W. The hair tracts in Marsupials. Part IV. Direction characteristics of whorls and meristic repetition of radial fields. Proc. Linn. Soc. N.S.W. 75 1950 pp. 89-95 1 fig.

- 155.—Boardman, W. The hair tracts in marsupials. Part V. A contribution on causation. pp. 254-266. Part VI. Evolution and genetics of tract pattern pp. 267-272. Part VII. A system of nomenclature. pp. 273-278, 2 figs. Proc. Linn. Soc. N.S.W. 75 1950.
- 156.—Bolognari, A. Ancora sulla comparsa del Capodoglio (*Physeter macrocephalus* L.) nel Mediterraneo. Boll. Zool. 17 1950 pp. 29–37.
- **157.—Bolin, L.** Spanish Big Game. Field London **196** 1950 p. 107 3 figs. —
- 158.—Bondi, C. Ricerche sulla catalasi (ossifero di Spirito) nel sangue di varie specie animali. Riv. Biol. Perugia N.S. 42 1950 pp. 357–364 2 graphs. [English summary.]
- 159.—Bonnevie, K. New facts on mesoderm formation and proamnion derivatives in the normal mouse embryo. J. Morph. Philadelphia 86 1950 pp. 495–545 25 figs.
- 160.—Borger, R. Order of genes in the fifth linkage group of the House Mouse. Nature London 166 1950 p. 697.
- 161.—Borghese, E. The development in vitro of the submandibular and sublingual glands of Mus musculus. J. Anat. London 84 1950 pp. 287–302 2 pls. 3 figs.
- 162.—Borghese, E. Explantation experiments on the influence of the connective tissue capsule on the development of the epithelial part of the submandibular gland of *Mus musculus*. J. Anat. London 84 1950 pp. 303–318 3 pls. 1 fig.
- 163.—Borghese, E. Morfogenesi di ghiandole salivari di *Mus musculus* coltivate in vitro. Rend. Ist. Lombardo Cl. Sci. mat. nat. 82 1949 pp. 280–286.
- **164.**—Borghese, E. Processi morfogenetici nello sviluppo di ghiandole salivari di *Mus musculus*. Monit. zool. Ital. **58** Suppl. 1950 pp. 71–73.
- 165.—Borissiak, A. A. Review of the Tertiary terrestrial mammals of U.S.S.R. Acad. Sci. U.S.S.R. (25th Anniv. Soviet Paleontology) Kirgizosidat 1943 pp. 1–42.
- 166.—Bormans, M. ? Record Elephant tusk. Zooleo, Leopoldville N.S. 5 1950 p. 8 fig.

- 167.—Borsetto, P. Lo stroma del sistema di conduzione cardiaco nei bovini e suo comportemento nelle varieeta. Riv. Biol. N.S. 42 4 1950 pp. 461-470 2 pls. [English summary.]
- 168.—Boschma, H. Absorption of tooth tissue in the Sperm Whale. Proc. K. ned. Akad. Wet. Amsterdam 53 1950 pp. 289–293 3 figs.
- 169.—Boschma, H. Maxillary teeth in specimens of *Hyperoodon rostratus* (Muller) and *Mesoplodon grayi* Von Haast stranded on the Dutch coasts. Proc. K. ned. Akad. Wet. Amsterdam 53 1950 pp. 775–786 3 pls. 3 figs.
- 170.—Boswell, K. The Burmese Wild Dog and other matters canine. J. Bombay nat. Hist. Soc. 49 1950 pp. 301–303.
- 171.—Botar, J., Afra, D., Moritz, P., Schiffmann, H. and Scholz, M. Die Nervenzellen und Ganglien des N. Vagus. Acta Anat. Basel 10 1950 pp. 284–314 24 figs.
- 172.—Botar, J., Vilaghi, M. and Sere, G. Die gemischten Rami communicantes beim Affen. Acta Anat. Basel 9 1950 pp. 235–250 10 figs.
- 173.—Bouchud, J. Le dimorphisme sexuel cranien chez les carnivores. Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 438-442 6 figs.
- 174.—Bourdelle, E. and Deziliere, M. La valeur de la capacité de la cavité cranienne dans les rapports avec la systematique chez les mammifères. Mammalia Paris 14 1950 pp. 165–173.
- 175.—Bourdelle, E. and Frechkop, S. La classification des Equidés actuels. Mammalia Paris 14 1950 pp. 126-139.
- 176.—Bourdelle, E. and Petter, F. Note relative à un Eléphant nain du Gabon. Mammalia Paris 14 1950 pp. 145–153 1 pl. 6 figs.
- 177.—Bouveignes, O. de Les éléphants a l'Inkisi en 1652. Zooleo, Leopoldville 1950 N.S. No. 4 pp. 17–24.
- 178.—Bouveignes, O. de. Le périple d'Hannon et les gorilles. Zooleo. Leopoldville N.S. No. 8 1950 pp. 7–18 4 figs. 1 map.
- 179.—Boyden, A. and Gemeroy, D. The relative position of the Cetacea

- among the Orders of Mammals as indicated by precipitin tests. Zoologica New York 35 1950 pp. 145–151.
- 180.—Boyer, J. Les moutons d'Algerie. Nature Paris 1950 No. 3178 pp. 55-56 2 figs.
- 181.—Brambell, F. W. R., Hemmings, W. A., Henderson, M. and Rowlands, W. T. The selective admission of antibodies to the foetus by the yolk-sac splanchnopleur in rabbits. Proc. roy. Soc. London 137B 1950 pp. 239-252.
- 182.—Brander, T. Faunistiska iakttagelser i Kwijarvi-trokten i Urdiala (Ta). Memoranda Soc. Fauna fenn. Helsingfors 25 1950 pp. 121-135.
- 183.—Brauer, R. Anatomisch-histologische und pathologische Untersuchungen an Zähnen der ersten tertiären Längetierfauna Deutschlands. Nova Acta Leop. Carol M.S. 13 1943 pp. 59–127 76 figs.
- 184.—Braun, A. Der segmentale Feinbau des Rückenmarks des Pferdes. Acta Anat. Basel Suppl. 12 1950 pp. 1-76 38 figs. 3 tabs.
- 185.—Brazenor, C. W. The Mammals of Victoria and the dental characteristics of Monotremes and Australian Marsupials. Nat. Mus. Vict. Australia, Handbook 1 1950 pp. 125 figs.
- **186.—Bresse**, G. Les Mammifères. Sciencès d'Observation. Classe de Sixième. Zoologie Paris [1947] pp. 65–189.
- 187.—Bressou, C. Etat actuel de la question de l'insemination artificielle. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 487-490.
- 188.—Bressou, C. Le pied des Tapirides. Mammalia Paris 14 1950 pp. 140-144 5 figs.
- 189.—Bretschneider, L. H. Die elektronenoptische Untersuchung von Gewebeschnitten; die Technik der Untersuchung erläutert um Beispiel des Mamma-carcinoma der Maus. Proc. K. ned. Akad. Wet. Amsterdam 53 1950 pp. 675-684 6 pls.
- 190.—Brightwell, L. R. House to house at the Zoo: Antelopes. Zoo Life London 5 1950 pp. 61-63 1 fig.

- 191.—Broom, R. The genera and species of the South African fossil apemen. Amer. J. phys. Anthrop. Philad. 8 1950 1 pp. 1-13 5 figs.
- 192.—Broom, R. Finding the missing link. London 1950 pp. vi and 104. [N.V. Review Nature London 166 1950 pp. 839-840]
- 193.—Broom, R. Summary of a note on the Piltdown skulls. Adv. Sci. London 6 1950 p. 343.
- 194.—Broom, R. Some further advances in our knowledge of the Cape Golden Moles. Ann. Transv. Mus. 21 1950 pp. 234–241 3 figs.
- **195.—Broom**, R. and **Robinson**, J. T. Ape or Man? Nature London **166** 1950 pp. 843-844 4 figs.
- 196.—Broom, R. and Robinson, J. T. Man contemporaneous with the Swart-krans ape-man. Amer. J. Phys. Anthrop. Philad. 8 1950 pp. 151-1556 figs.
- 197.—Broom, R. and Robinson, J. T. Note on the skull of the Swartkrans ape-man Paranthropus crassidens. Amer. J. phys. Anthrop. Philad. 8 1950 pp. 295-303 2 pls. 4 figs.
- 198.—Broom, R. and Robinson, J. T. Notes on the pelves of the fossil apemen. Amer. J. phys. Anthrop. Philad. 8 1950 pp. 489–494, 3 figs.
- 199.—Broom, R. and Robinson, J. T. One of the earliest types of man. S. Afr. J. Sci. Johannesburg 47 1950 pp. 55-57 3 figs.
- 200.—Broom, R. and Robinson, J. T. Ape or human? S. Afr. J. Sci. 47 1950 pp. 142-143 2 figs.
- 201.—Broom, R. and Robinson, J. T. A new sub-fossil Baboon from Kromdraai, Transvaal. Ann. Transv. Mus. 21 1950 pp. 242–245 5 figs.
- 202.—Broom, R., Robinson, J. T. and Schepers, G. W. H. Sterkfontein Ape-Man Plesianthropus. Part I. Further evidence of the structure of the Sterkfontein Ape-Man Plesianthropus. Broom and Robinson, pp. 1–83 8 pls. 27 figs. Part II. The brain casts of the recently discovered Plesianthropus skulls. Schepers. pp. 87–117 7 figs. Mem. Transvaal Mus. 4 1950.

- 203.—Brown, Sir George T. Dentition as indicative of the age of the animals of the farm. London 1949 (Roy. Agric. Soc. England) pp. 62–60 figs.
- **204.—Browne,** C. A thrill in every mile. Field London **196** 1950 pp. 921–923 6 figs.
- 205.—Brownlee, A. Studies in the behaviour of domestic cattle in Britain. Bull. Animal Behaviour London 8 1950 pp. 11-20 8 figs.
- 206.—Bruckner, R. Das Auge des Okapi. Acta Tropica Basel 7 1950 pp. 123–132 9 figs.
- 207.—Bruhin, H. Okapi Bibliographie. Acta Tropica Basel 7 1950 pp. 188-192.
- 208.—Brunner, G. Postglaziale Faunen aus dem "Guntherstaler Loch" bei Velden a. Pegnitz (Mfr.). Z. deutsch. gèol. Ges. Berlin 101 1950 pp. 70–78 5 figs.
- **209.—Bryant,** J. Value of Otters. Field London **196** 1950 p. 833.

Buchanan, M. L. vide Klosterman.

Buck, P. D. vide Tryon.

- 210.—Buddenbrock, W. v. Vergleichende Physiologie, 4, Hormone. Basel 1950 pp. 492 134 figs.
- 211.—Budker, P. Sur un Rorqual de Rudolphi ou "Sei-Whale" (Balaenoptera borealis, Lesson) capturé au Cap Lopez (Gabon). Mammalia Paris 14 1950 pp. 154-158 l pl. l fig.
- 212.—Budker, P. Compte-rendu sommaire d'une mission a la Station Baleinière du Cap Lopez (Gabon). Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 549-552.
- 213.—Buechner, H. K. Life history, ecology and range use of the Pronghorn Antelope in Trans-Pecos Texas. Amer. midl. Nat. Notre Dame 43 1950 pp. 257–354 11 figs.
- 214.—Bullerman, R. Note on kidnapping by Bonnet Monkey. J. Mammal. Baltimore 31 1950 pp. 93–94.

Bullier, P. vide Urbain.

215.—Bullough, W. S. and Eisa, E. A. The diurnal variations in the tissue glycogen content and their relation to

- mitotic activity in the adult male mouse. J. exp. Biol. 27 1950 pp. 257–263 2 figs.
- 216.—Bundy, R. E. A search for some effects of the "short-ear" gene on behaviour in mice. Amer. Nat. 84 1950 pp. 393–399.
- 217.—Buno, W., Ferreira, R. V. and Franchi, C. M. Observationes sobre la histologia del tracto genital feminino de Otaria flavescens (Shaw). Arch. Soc. Biol. Montevideo 17 1950 pp. 6-14 12 figs.

Bunting, F. vide Duran-Reynals.

- 218.—Bunting, H. The distribution of acid mucopolysaccharides in mammalian tissues as revealed by histochemical methods. Ann. N.Y. Acad. Sci. 52 1950 pp. 977–982.
- 219.—Burkl, W. Untersuchungen über die Pylorus—und Duodenaldrüsen. Z. mikr.-anat. Forsch. 56 1950 pp. 327-414 25 figs.
- 220.—Burns, M. and Clarkson, H. Some observations on the dimensions of follicles and of other structures in the skin of sheep. J. agric. Sci. London 39 1950 pp. 315-334, 4 pls. 4 figs.
- 221.—Burr, M. Plucky mother. Field London 195 1950 p. 601.
- 222.—Burr, M. Filming the Bison. Field London 195 1950 p. 681.
- 223.—[Burtchak-Abramovitch, N.]
 [A new find of fossil cattle in the Hipparion fauna of Maraga (Urmiabos azerbaidzanicus Bur. gen. et sp. nov.).]
 C.R. Acad. Sci. Moscow N.S. 70 1950 pp. 875–878 1 fig. [In Russian.]
- 224.—Burton, H. P. German Roebuck. Field London 196 1950 p. 422 l fig.
- 225.—Burton, M. Recent knowledge of hibernation. Ill. London News 216 1950 p. 64 2 figs.
- 226.—Burton, M. Humane rabbit trapping: the end of a thirty-year quest. Ill. London News 216 1950 p. 184 3 figs.
- 227.—Burton, M. Kodiaks and other Brown Bears. Ill. London News 216 1950 p. 260 2 figs.
- 228.—Burton, M. Something in favour of Zoos. Ill. London News 216 1950 p. 426 2 figs.

- 229.—Burton, M. Muscle and movement. Ill. London News 216 1950 p. 980 3 figs. 1 pl.
- 230.—Burton, M. Some mammals discovered during the last century. Ill. London News 217 1950 pp. 28, 31 2 figs. 1 pl.
- 231.—Burton, M. Recent light on the legend of the Shrew. Ill. London News 217 1950 p. 68 2 figs.
- 232.—Buxton, M. Mole populations, and deep nesting. Ill. London News 217 1950 pp. 785–787 2 figs. 1 pl.
- 233.—Burton, M. Porcupines of East and West. Ill. London News 217 1950 p. 960 6 figs.
- 234.—Burton, M. Rats: public enemy No. 1. Ill. London News 217 1950 p. 1006 2 figs.
- **235.—Burton**, R. W. Scent. J. Bombay nat. Hist. Soc. **49** 1950 pp. 116–117.
- 236.—Burton, R. W. A bibliography of big game hunting and shooting in India and the East. J. Bombay nat. Hist. Soc. 49 1950 pp. 222-241.
- 237.—Burton, R. W. The Burmese Wild Dog. J. Bombay nat. Hist. Soc. 49 1950 p. 300.
- 238.—Burton, R. W. Death cry of Tiger. J. Bombay nat. Hist. Soc. 49 1950 p. 538.
- 239.—Burton, R. W. Rabies in Tiger—two proved instances. J. Bombay nat. Hist. Soc. 49 1950 pp. 538-541.
- 240.—Burton, R. W. The "dewclaws" of the Hunting Leopard or Cheetah [Acinonyx jubatus (Schreber)], J. Bombay nat. Hist. Soc. 49 1950 pp. 541-543.
- 241.—Burtsal, K. F. An occurrence of Leisler's Bat in Essex. Naturalist London 1950 No. 832 pp. 19–20.
- 242.—Buss, I. O. and Harbert, F. H. Relation of moon phases to the occurrence of Mule Deer at a Washington salt lick. J. Mammal. Baltimore 31 1950 pp. 426-429 l fig.
- 243.—Butler, H. The development of the azygous veins in the albino rat. J. Anat. London 84 1950 pp. 83-94 5 figs.

- 244.—Butler, L. and Metrakos, J. D. A study of size inheritance in the House Mouse. 1. The effect of milk source. Canad. J. Res. Ottawa 28D 1950 pp. 16-34 11 figs.
- 245.—Buxton, A. Roe Deer—the problem of the "Rings." Trans. Norfolk Norw. Nat. Soc. 17 1950 pp. 55-61 l pl.
- 246.—Buxton, A. More light on Roe Deer and their fairy rings. Country Life London 108 1950 p. 2225 2 figs.
- 247.—Buxton, J. and Lockley, R. M. Island of Skomer, London 1950 pp. 1-164 20 pls. 3 maps.
- 248.—Byron, W. B. The way to game abundance, New York and London 1949 pp. xxiii and 365 22 pls. [N.V. Review J. Mamm. Baltimore 31 1950 pp. 467–468.]
- 249.—Cagle, F. R. A Texas colony of bats, *Tadarida mexicana*. J. Mammal. Baltimore 31 1950, pp. 400–402.
- 250.—Cahalane, V. H. Badgercoyote "partnerships." J. Mammal. Baltimore 31 1950 pp. 354-355.
- 251.—Cain, A. J. and Harrison, R. G. Cytological and histochemical variation in the adrenal cortex of the albino rat. J. Anat. London 84 1950 pp. 196–226 2 pls. 6 figs.
- 252.—Caldwell, K. Antrycide and African Game. Proc. & Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 pp. 388–389.
- 253.—Calhoun, J. B. Population cycles and gene frequency fluctuations in Foxes of the genus *Vulpes*, in Canada. Canad. J. Res. Ottawa 28D 1950 pp. 45–57.
- 254.—Calhoun, J. B. The study of wild animals under controlled conditions. Ann. N.Y. Acad. Sci. 51 1950 pp. 1113–1122 2 figs.
- 255.—Callery, R. Congenial relationship between Raccoon and white rat. J. Mammal. Baltimore 31 1950, p. 354.
 - Camburn, F. L. vide Hamerstrom.
- 256.—Cameron, A. W. A new Chipmunk (*Tamias*) from Ontario and Quebec. J. Mammal. Baltimore 31 1950 pp. 347–348.

257.—Cameron, A. W. Arctic Fox on Cape Breton Island. Canad. Field Nat. 64 1950 p. 154.

12

- 258.—Cameron, A. W. and Orkin. P. A. Mammals of the Lake St. John region, Quebec. Bull. nat. Mus. Ottawa 1950 No. 118 pp. 95–108.
- 259.—Cameron, T. W. M. Parasitology and evolution. Trans. roy. Soc. Can. (3) 44 5 1950 pp. 1–20.
- **260.—Campbell**, I. L. and Flux, D. S. Thyroid weights of cattle. N.Z. J. Sci. Tech. **31A** 3 1950 pp. 29–33.

Camphyn, R. vide Wanson.

- 261.—C[ansdale], G. S. Henry Gascoyen Maurice, C.B. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 50-52 1 pl.
- 262.—Cantuel, P. Sur trois musaraignes de France. Contribution à l'étude du genre *Sorex* Linné 1758. Mammalia Paris 14 1950 pp. 14–19.
- 263.—Cantuel, P. Quand le Surmulot "singe" le Rat noir. Mammalia Paris 14 1950 pp. 179–181 2 figs.
- 264.—Cantuel, P. and Didier, R. Un cas de polygnathie chez une Crossope. Mammalia Paris 14 1950 pp. 37–39 1 fig.
- 265.—Carette, S. Sur la gyrencephalie relative de certains rongeurs. Mammalia, Paris 14 1950 pp. 20–25 4 figs.
- 266.—Carne, P. H. Deer of Cranborne Chase. Country Life London 108 1950 pp. 932-935.
- 267.—Carr, A. F. Jr. Outline for a classification of animal habitats in Honduras. Bull. Amer. Mus. nat. Hist. 94 1950 pp. 563-594 22 pls. 6 figs. tables.
- **268.—Carr,** G. Black Squirrels. Field London **196** 1950 p. 28.
- 269.—Carrington, R. W. The Squirreltailed Dormouse. J. Assoc. Sch. nat. Hist. Soc. 1950 No. 3 pp. 27-29 map.
- 270.—Carter, T. C. and Gruneberg, H. Linkage between fidget and agouti in the house mouse. Heredity London 4 1950 pp. 373-376.
- 271.—Carter, T. C. and Phillips, R. S. Three recurrences of mutants in the house mouse. J. Hered. 41 1950 p. 252.

- 272.—Carter, T. C. and Phillips, R. S. Ichthyosis, a new recessive mutant in the house mouse. J. Hered. 41 1950 pp. 297-300 2 figs.
- 273.—Carter, T. D. On the migration of the Red Bat, Lasiurus borealis borealis, J. Mammal. Baltimore 31 1950 pp. 349-350.
- 274.—Carver, J. E. King of the kraals. Zoo Life London 5 1950 pp. 59-60 l fig.
- 275.—Caspary, H. Einige Bilder vom Antwerpener Okapi, Okapia johnstoni Sclater. Zool. Gart. Lpz. 16 1950 pp. 180–182 5 figs.
- 276.—Caspers, H. Beobachtungen über das Vorkommen der Mönch-robbe (Monachus albiventer Bodd.) im Schwarzen Meer. (Untersuchungen über die bulgarische Küstentierwelt [2].) Neue Ergebnisse und Probleme der Zoologie (Klatt-Festschrift) Leipzig 1950 pp. 91-105 3 figs.
- 277.—Cassell, R. L. How bats fly. Nat. Hist. N.Y. **59** 1950 pp. 460–463 11 figs.
- 278.—Catel, W. Aus der Jugendentwicklung einer kunstlich aufgezogen Schimpansin. II Anatomische und physiologische Befunde während der ersten 10 lebensmonate mit vergleichenden Hinweisen auf entsprechende Verhältnisse beim menschlichen Säugling. Zool. Gart. Lpz. (N.F.) 16 1950 pp. 244–262 20 figs. 2 pls. 1 tab.
- 279.—Caubere, B. Rhinolophus euryale Blasius (1853) dans l'Yonne. Feuille Nat. Paris N.S. 5 1950 p. 66.
- 280.—Cave, A. J. E. On the liver and gall-bladder of the Giraffe. Proc. zool. Soc. Lond. 120 1950 pp. 381–393 5 figs.
- 281.—Cei, A. Il valore evolutivo di certe modificazioni a caratteré filetico dell'apparecchio della vista nei Mammiferi. Historia Nat. Roma 2 1947 pp. 1–9 3 figs.
- **282.—Chalmers,** A. G. Wild Dogs of the veld. Country Life London **108** 1950 pp. 1885–1886.
- 283.—Chance, N. R. A. and Yaxley, D. C. Central nervous function and changes in brain metabolite concentra-

- tion. 1. Glycogen and lactate in convulsing mice. J. exp. Biol. 27 1950 pp. 311-322 3 figs.
- 284.—Chang, M. C. Development and fate of transferred rabbit ova or blastocyst in relation to the ovulation time of recipients. J. exp. Zool. Philadelphia 114 1950 pp. 197–225 13 figs. 2 tabs.
- 285.—Chang, M. C. Cleavage of unfertilized ova in immature Ferrets. Anat. Rec. Philadelphia 108 1950 pp. 31-43 3 pls.
- 286.—Chang, T. K. and Landauer, W. Observations on the skeleton of African dwarf Goats. J. Morph. Philadelphia 86 1950 pp. 367–376 1 pl. 2 figs.
- 287.—Chanudet, F. Sur l'ecologie des Pipistrelles. Mammalia Paris 14 1950 p. 182.
- 288.—Charles, R. P. Essai de paleontologie humaine. Bull. Mus. Hist. nat. Marseille 9 1949 pp. 125–164 17 figs.
 - Chase, H. B. vide Montagna.
 - Chatelain, E. F. vide Scott.
 - Chatfield, P. O. vide Lyman.
- 289.—Chattin, J. E. Breeding season and productivity in the Interstate Deer Herd. Calif. Fish Game 34 1948 pp. 25-31.
- 290.—Chattin, J. E. and Lassen, R. California antelope reproductive potentials. Calif. Fish Game 36 1950 pp. 328–329.
- 291.—Chitty, H. The Snowshoe Rabbit enquiry, 1946-48. J. Anim. Ecol. 19 1950 pp. 15-20 2 figs.
- 292.—Chitty, H. Canadian Arctic wild life enquiry, 1943–49: with a summary of results since 1933. J. Anim. Ecol. 19 1950 pp. 180–193.
- 293.—Chochod, L. La faune Indochinoise. Vingt-cinq années de chasses au Tonkin et en Annam. Paris (Payot) 1950 pp. 200 58 figs.
- 294.—Christensen, S. Method for determination of the mitotic activity in haemopoietic tissues. Acta Anat. Basel 10 1950 pp. 233–237 1 fig.
- 295.—Christian, J. J. A field method of determining the reproductive status

- of small male mammals. J. Mammal. Baltimore 31 1950 pp. 95–96.
- 296.—Christian, J. J. A precocious male *Microtus pennsylvanicus*. J. Mammal. Baltimore 31 1950 pp. 195–196.
- 297.—Christian, J. J. Polyovular follicles in the Woodchuck (*Marmota monax*). J. Mammal. Baltimore 31 1950 p. 196.
- 298.—Christian, J. J. The adrenopituitary system and population cycles in mammals. J. Mammal. Baltimore 31 1950 pp. 247–259.
- 299.—Christian, J. J. Behavior of the Mole (Scalopus) and the Shrew (Blarina). J. Mammal. Baltimore 31 1950 pp. 281–287.
- 300.—Chung, P. W. Evolution morphologique de la Chine du Nord depuis la fin du Miocène. Historia Nat. Roma 2 1947 pp. 32–36 3 figs.
- 301.—Chur, C. A doe Chectal with horns. J. Bombay nat. Hist. Soc. 49 1950 p. 547.
- 302.—Ciric, A. Mastodon penteliei Gaud. et Lart. Bull. Mus. Hist. Nat. Pays. Serb (A) 3, 1950 pp. 109-117 2 pls. [French rés.]
- 303.—Clapham, R. Pine Marten in Lakeland. Field London 195 1950 p. 277 l fig.
 - Clarkson, H. vide Burns.
- 304.—Cock, A. G. A case of incomplete twinning in the rabbit. J. Genetics London 50 1950 pp. 59-66 3 figs.
- 305.—Cockrum, E. L. and Baker, R. H. A new Jumping Mouse (genus Zapus) from Kansas. Proc. Biol. Soc. Washington 63 1950 pp. 1-4.
- 306.—Colam, J. B. and Hill, A. V. The horsepower of a whale. Discovery Norwich 11 1950 p. 374.
 - Coles, J. vide Glees.
- 307.—Coleman, E. Save the seals—part I. Vict. Nat. 67 1950 pp. 153-160 2 figs.
- 308.—Coleman, R. H. The status of Lasiurus borealis seminolus (Rhoads). J. Mammal. Baltimore 31 1950 pp 190-192.

- 309.—Coleman, R. H. D.D.T. protects bait from ants. J. Mammal. Baltimore 31 1950 p. 199.
- 310.—Collias, N. E. Some variations n grouping and dominance patterns among birds and mammals. Zoologica New York 35 1950 pp. 97-119.

Collins, R. L. vide Gazin.

Conaway, C. H. vide Wright.

- 311.—Connolly, C. J. The external morphology of the primate brain, Springfield, Ill. (Charles C. Thomas) 1950 378 pp. 337 figs.
- 312.—Contu, P. and Maccagnani, F. Ricerche sulla glioarchitettonica dei vertebrati. V. Ungulati. Monit. zool. ital. 58 Suppl. 1950 pp. 98-110.

Contu, P. vide Bairati.

- 313.—Cooke, H. B. S. A critical revision of the Quaternary Perissodactyla of Southern Africa. Ann. S. Afr. Mus. 31 1950 pp. 393-479 31 figs.
- 314.—Coolidge, H. J. Emergency action for the preservation of vanishing species. Proc. & Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 pp. 479–489.

Coop, I. E. vide Blakley.

- 315.—Cooper, J. E. Maryland moles and shrews. Maryland Nat. 20 1950 pp. 51-54 7 figs.
- 316.—Cooreman, J. Liste des Suctoria (Aphaniptera) récoltés en Belgique. Bull. Mus. Hist. nat. Belg. 26 57 1950 pp. 1–12.
- 317.—Copley, H. Small Mammals of Kenya. Highway Nature Guides Nairobi 1950 pp. 96 4 pls. 32 figs.
- 318.—Coquoin-Carnot, M. Greffes de muqueuse gastrique de souris. Conditions de la différenciation. Arch. Anat. micr. Morph. expér. 39 1950 pp. 152–177 11 figs. tables.
- 319.—Couto, C. de P. Novas observações sobre a paleontologia e geologia do deposito calcareo de Sao José de Itaborai. Notas Prelim. Est. Serv. Geol. e Min. Brasil 49 1949 pp. 1–13 6 figs. 1 map.
- 320.—Couto, C. de P. Carnivoros fosseis do Brasil. Rev. Acad. Colombiana Cienc. Bogota 7 1950 pp. 462–467 1 pl.

- Couto, C. de P. vide Price.
- 321.—Cowan, I. McT., Hoar, W. S. and Hatter, J. The effect of forest succession upon the quantity and upon the nutritive values of woody plants used as food by moose. Canad. J. Res. Ottawa 28D 5 1950 pp. 249–271 2 pls. 1 fig.
- 322.—Cowan, I. McT. and Mackay, R. H. Food habits of the marten (Martes americana) in the Rocky Mountain region of Canada. Canad. Field Nat. 64 1950 pp. 100-104.
- 323.—Cozens, A. B. The Otter Shrew. Nigerian Field 15 1950 pp. 76–83 figs. map.
- 324.—Crabb, W. D. and Watson, G. W. Black-footed Ferret in Montana. J. Mammal. Baltimore 31 1950 p. 99.
- 325.—Criddle, S. The Peromyscus maniculatus bairdii complex in Manitoba. Canad. Field Nat. 64 1950 pp. 169–177.
- **326.—Crisler**, L. The true mountaineer. Nat. Hist. N.Y. **59** 1950 pp. 422–428 10 figs.
- 327.—Cronemiller, F. P. and Bartholomew, P. S. The California Mule Deer in chaparral forests. Calif. Fish Game 36 1950 pp. 343–365 7 figs.
- 328.—Cross, B. A. and Harris, G. W. Milk ejection following electrical stimulation of the pituitary stalk in rabbits. Nature London 166 1950 pp. 994–995.
- 329.—Crusafont Pairo, M. La cuestion del llamado meotico espanol. Arrahona Rev. Mus. Sabadell 1–2 1950 pp. 1–10.
- 330.—Crusafont Pairo, M. Datos para la biogeografia del Mioceno del Vallés— Penedés. I. Los mamiferos terrestres. Arrahona Rev. Mus. Sabadell 1–2 1950 pp. 3–9.
- 331.—Crusafont Pairo, M. Cuestiones zoogeograficas en la paleomastologia del neogeno de España. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 554–555.
- 332.—Crusafont Pairo, M. Paleomammalogie du néogène Espagnol: problémes zoogéographiques. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 564–565.
- 333.—Crusafont Pairo, M. Limnonyx, un nuevo Lutrido del Mioceno espanol.

Notas Comm. Inst. Geol. Min. Esp. 20 1950 pp. 129–147 1 pl. 1 fig.

334.—Crusafont Pairo, M. El primer representante del género *Canis* en el Pontiensé eurasiatico (*Canis cipio* nova sp.). Bol. Soc. esp. Hist. nat. 48 Geol. 1 1950 pp. 43-51 Î pl.

335.—Crusafont Pairo, M. and Villalta Comella, J. F. Sobre un interesante rinoceronte (*Hispanotherium* nov. gen.) del Mioceno del valle del Manzanares. Las Ciencias, Madrid 12 4 1947 p. 867. [N.V. Review, Bol. Soc. esp. Hist. Nat. 47 1950 p. 537.]

Crusafont Pairo, M. vide Villalta.

336.—Curry-Lindahl, K. Zoologiska studer pa Bea Jungfrun. Fauna och Flora Uppsala 5-6 1950 pp. 208-234 6 figs. 1 map. [English summary.]

337.—Czyzewski, J. A. A comparative method of determining the ability of rats to scent poison in bait. Zool. Polon. 5 1950 pp. 43-55 3 tabs.

338.—Czyzewski, J. A. A relative census method for black rats (*Epimys rattus* L.). Zool. Polon. 5 1950 pp. 119–122 1 chart.

339.—Dabczewski, Z. Studies on a teratological form of the newly born Pulawska (Golebska) swine. Bull. int. Acad. Cracovie. Cl. Sci. Math. Nat. 1949 1950 (BII) 4–6 pp. 241–260 7 pls.

Daele, J. M. vide Delattre.

340.—Dahlberg, A. A. The evolutionary significance of the protostylid. Amer. J. phys. Anthrop. Philad. 8 1950 1 pp. 15-24 4 figs.

341.—Dahlberg, G. Thymus und Fettleibigkeit bei Mäusen. Moderne Biologie Festschr. 60 Geburtstag H. Nachtsheim Berlin 1950 pp. 23–38 1 fig.

342.—Dale Smith, R. Studies on rigor mortis. Part II. Qualitative observations on the post mortem shortening of muscles. Anat. Rec. Philadelphia 108 1950 pp. 207–216 2 figs.

343.—Dalquest, W. W. The genera of the Chiropteran family Natalidae. J. Mamm. Baltimore 31 1950 pp. 436-443 1 fig.

344.—Dalquest, W. W. Records of mammals from the Mexican State of

San Luis Potosi. Occ. Pap. Mus. Zool. Louisiana State Univ. 23 1950 pp. 1–15.

345.—Dalquest, W. W., Frum, W. G. and Hall, E. R. A northern record for Centronycteris maximiliani centralis with a key to the skulls of the North American emballonurine bats. An. Inst. Biol. Mexico 21 1950 pp. 431–433.

Dalquest, W. W. vide Hall.

Dalquest, W. W. vide Werner.

346.—**Dalton**, D. N. Grey Squirrels. Field London **195** 1950 p. 930.

347.—Dam, A. J. van. Der abweichende Verlauf des Ductus arteriosus Botalli eines neugeborenen Hirsches. Bijdr. Dierk. 28 1949 pp. 108–117 10 figs.

348.—Dammerman, K. W. Voorkomen en verspreiding der zoogdieren in de noordoostpolder. Bijdr. Dierk. 28 1949 pp. 118–126 1 fig.

349.—Daniell, J. P. S. Red Forest Buffalo of Equatoria. Sudan Wild Life 1 No. 3 1950 pp. 8–9 2 pls.

350.—[Danilov, D. N.] [Numbers and distribution of elks in Gorkov District.] Zool. J. Moscow 29 1950 pp. 466—472. [In Russian.]

351.—Danneel, R. Phänogenetik der Kaninchenfärbung. Ergebn. Biol. Berlin 18 1941 pp. 55–87 23 figs.

352.—Danneel, R. Phänogenetische Untersuchungen über die Haar und Fellzeichnung des Wildkaninchens, Biol. Zbl. Leipzig 66 1947 pp. 330–343 12 figs.

353.—Danneel, R. Haarzeichnung und Fellmuster des Wildkaninchens. Remane and others, Verh.-Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 36–41 5 figs.

354.—Dantchakoff, V. Sur les mécanismes différentiels dans la réalisation des sexes chez les vertébrés supérieurs (singe, *Macacus rhesus*). Bull. biol. 84 4 1950 pp. 311–340 7 figs.

355.—Darling, F. F. Seals of the world. Zoo Life London 5 1950 pp. 2-7 5 figs.

356.—Dathe, H. Hermeline, Mustela erminea L., als Katzenbeute. Zool. Gart. Lpz. 16 1949 p. 140.

- 357.—Dathe, H. Neuerliche Beobachtung einer Känguruhgeburt. Herre. Ve h. Deuts. Zoologen in Mainz 1949 Leipzig (Geest & Portig) 1950 pp. 341–343 2 figs.
- 358.—Dathe, H. Der Haarstrich bei einer Rinderzwillingsmissbildung. Neue Ergeb. Prob. Zool. (Klatt-Festschr.) Leipzig 1950 pp. 106–114 7 figs.
- 359.—Daver, S. R. A novel method of destroying man-eaters and cattle-lifters without firearms. J. Bombay nat. Hist. Soc. 49 1950 pp. 52-66 1 pl. 11 figs.
- 360.—Davies, D. H. Cape Fur Seals find sanctuary. African Wild Life Johannesburg 3 1950 pp. 281–286, 293 6 figs.
- 361.—Davies, J. The blood supply of the mesonephros of the sheep. Proc. zool. Soc. London 120 1950 pp. 95–112 2 pls. 5 figs.
- 362.—Davies, J. and D. V. The development of the mesonephros of the sheep. Proc. zool. Soc. London 120 1950 pp. 73-93 3 pls. 5 figs.
- **363.—Davis,** D. E. The Rat population of New York, 1949. Amer. J. Hyg. Baltimore **52** 1950 pp. 147–152 2 figs.
- 364.—Davis, D. E. The mechanics of rat populations. Trans. N. Amer. Wildlife Conf. 15 1950 pp. 461-466. [N.V.]
- 365.—Davis, D. E. and Fales, W. T. The Rat population of Baltimore, 1949. Amer. J. Hyg. Baltimore 52 1950 pp. 143-146 1 fig.
- 366.—Davis, D. E. and Hall, O. Polyovuly and anovular follicles in the wild Norway rat. Anat. Rec. Philadelphia 107 1950 pp. 187–192 2 figs.
 - Davis, D. E. vide Spencer.
- 367.—Davis, D. H. S. Notes on the status of the American Grey Squirrel (Sciurus carolinensis Gmelin) in the south-western Cape (South Africa). Proc. 2001. Soc. Lond. 120 1950 pp. 265–268 1 fig.
- 368.—Davis, M. Hybrids of the Polar and Kadiak Bear. J. Mamm. Baltimore 31 1950 pp. 449–450.

- 369.—Davison, E. The home of the Situtunga—a maze of reeds. African Wild Life Johannesburg 4 1950 pp. 57-59 3 figs.
- 370.—Dawe, F. S. Notes on recent work on human evolution. Trans. Torquay N.H. Soc. 10 1950 pp. 111-118.
- 371.—Dawson, F. L. M. The microbial content and morphological character of the normal bovine uterus and oviduct. J. agric. Sci. 40 1–2 1950 pp. 150–156 l pl.
- 372.—Dawson, R. M. C. and Richter, D. The phosphorus metabolism of the brain. Proc. roy Soc. London 137B 1950 pp. 252-267 3 figs.
- 373.—Dean, H. J. Porcupine swims for food, J. Mammal. Baltimore 31 1950 p. 94.
 - Deane, H. W. vide Van Dorp.
 - de Beer, G. R. vide Hill.
- 374.—Decary, R. La faune Malgache, son rôle dans les croyances et les usages indigenes. Paris (Payot) 1950 p. 236 22 figs. (Mammals pp. 13–52).
- 375.—Decesiry, J.-L. Les artères du bulbe et de la protubérance chez certains singes du Nouveau Monde. Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 431-437 4 figs.
- 376.—Dechambre, E. Relations entre l'adaptation physiologique et la morphologie chez quelques mammifères domestiques et sauvages. Mém. Mus. nat. Hist. nat. Paris N.S. 26 1948 pp. 75-241 24 figs.
- 377.—Dechaseaux, C. Quelques précisions sur le genre *Trechomys* Lartet. Bull Soc. geol. Fr. 5 20 1–3 1950 pp. 3–8 1 pl. 3 figs.
- 378.—Dehm, R. Die Nagetiere aus dem Mittel-Miocän (Burdigal.um) von Wintershof West bie Eichstätt in Bayern. Abhandl. Neues Jahrb. Min. Geol. Pal. 91 (B) 1950 pp. 321–428 137 figs.
- 379.—Dehm, R. Eine kleine Palaeotherium—Fauna am Ostrand des Nordlinger Rieses. Monatsh. Neues Jahrb. Geol. Pal. 6 (B) 1950 pp. 253–256 3 figs.

380.—Dehm, R. Die Raubtiere aus dem Mittel-Miccän (Burdigalium) von Wintershof - West bei Eichstatt in Bayern. Abh. bayer. Akad. Wiss. N.F. No. 58 1950 pp. 1–141 240 figs. tables.

381.—Dehnel, A. Studies on the genus Neomys Kaup. Ann. Univ. M.C.-Sklodowska Lublin 5C 1 1950 pp. 1-63 3 pls. tables. [Polish with English summary.]

382.—Della Serra, O. Le tubercule intermediaire posterieur des molaires superieures, ou metaconule, dans le genre Alouatta Lac. (Singes platyrhiniens). Mammalia Paris 14 1950 pp. 159–164 3 figs.

383.—Della Serra, O. Considerações acerca da posicao generica de Calhithrix melanoleuca (Miranda Ribeiro), Eladio Lima, 1944. Pap. Avulsos Dept. Zool. S. Paulo 9 1950 pp. 285–294 16 figs.

384.—Della Serra, O. Sobre as variacees das osas do vomer nos Macacos do genero Cebus. Pap. Avulsos Dept. Zool. S. Paulo 9 1950 pp. 351–359 9 figs.

Denison, R. H. vide Zangerl.

385.—Denizot, G. Coordination du Quaternaire du France. Bull. Soc. géol. Fr. 5 19 1949 pp. 223-244 4 figs.

386.—Deraniyagala, P. E. P. The Elephant of Asia. Proc. 5th Ann. Sess. Ceylon Ass. Sci. March, 1950 sep. pag. pp. 1–18 2 figs.

D'Errico, A. A. vide Paiva.

387.—Devocht, J. Overzichtelijke studie der huidige kennis vande Afrikaanse Olifant. Bull. Agric. Congo Belge 41 2 1950 pp. 442–462.

388.—de Vos, A. Timber Wolf movements on Sibley Peninsula, Ontario. J. Mammal. Baltimore 31 1950 pp. 169–175.

De Vos, D. vide Bigalke.

Deziliere, M. vide Bourdelle.

389.—Dharmakumarsinhji, K. S. Preservation problems of vanishing and decreasing big game population in India. Proc. & Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 pp. 436-441.

Dharmakumarsinhji, K. S. vide Winter-Blyth.

Vol. 87

390.—Dickie, M. M. and Woolley, G. W. Fuzzy mice. J. Hered. 41 7 1950 pp. 193–196 3 figs.

391.—Didier, R. Etude systematique de l'os penien des Mammifères (suite). Procyonidés. Ursidés. Mammalia Paris 14 1950 pp. 78–94 1 pl. 14 figs.

Didier, R. vide Cantuel.

Diercks, F. H. vide Traub.

392.—Dietrich, W. O. Fossile Antilopen und Rinder aquatorialafrikas (Material der Kohl-Larsen'schen Expeditionen). Palaeontograph. Stuttgart 99 (A) 1950 pp. 1–62 6 pls. 59 figs.

Dietz, D. B. vide Sawin.

Dinusson, W. E. vide Klosterman.

Domanski, A. vide Prawochenski.

393.—Donovan, D. T. Two Hares with one shot. Country Life London 108 1950 p. 1791 1 fig.

394.—Dorst, J. Note sur les chats sauvages (Felis lybica Forster) du Sud-Togo. Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 204–208.

395.—Doucet, J. A propos des glandes de l'onglon des Potamocheres. Nat. Malgache Tananarive 2 1950 pp. 69-70 1 fig.

396.—Douglas, A. S. and Barr, M. L. The course of the pyramidal tract in Rodents. Rev. Canad. Biol. Montréal 9 1950 pp. 118–122 1 fig.

397.—Dowling, D. F. Problems of the transplantation of fertilized ova. J. agric. Sci. London 39 1950 pp. 374– 396 4 pls. 3 figs.

398.—Drake, G. E. and Presnall, C. C. A Badger preying upon carp. J. Mammal. Baltimore 31 1950 pp. 355-356.

399.—Duckert, Dr. Observations de Muscardins en France. Mammalia Paris 14 1950 p. 183.

Dunaeva, T. vide Olsufyev.

400.—**Dunn**, G. A Fox at Hampstead. Field London **195** 1950 p. 763.

401.—Dunn, L. C. and Gluecksohn-Shoenheimer, S. Repeated mutations in one area of a mouse chromosome. Proc. Nat. Acad. Sci. Washington 36 1950 pp. 233-237.

- 402.—Duran-Jorda, F. Secretion of red blood corpuseles as seen in the Camel. Nature London 165 1950 p. 280.
- 403.—Duran-Reynals, F., Bunting, F. and van Wagenen, G. Studies on the sex skin of *Macaca mulatta*. Ann. N.Y. Acad. Sci. 52 1950 pp. 1006-1014 7 figs.
- 404.—Eads, R. B. and Menzies, G. C. Fox ectoparasites collected incident to a rabies control program. J. Mammal. Baltimore 31 1950, pp. 78–80.
- 405.—Eales, N. B. The skull of the foetal narwhal, *Monodon monoceros L*. Philos. Trans. roy. Soc. London 235B 1950 pp. 1–33 15 figs.
- 406.—Eames, F. E. On the age of the fauna of the Bugti Bone Beds, Baluchistan. Geol. Mag. London 87 1950 pp. 53-56 1 geol. map.

Easler, C. vide Fuller.

- 407.—[Eberzin, A. G.] [The stratigraphical position of the sites of the early Hipparions in the Moldavian Soviet Republic.] C.R. Acad. Sci. Moscow N.S. 75 1950 pp. 283–286 [In Russian].
- 408.—Eble, Lt.-Col. Propos de la vitesse du Rhinoceros (*Diceros bicornis* (L.)). Mammalia Paris 14 1950 pp. 178-179.
- 409.—Ecke, D. H. and Johnson, C. W. Sylvatic plague in Park County, Colorado. Trans. N. Amer. Wildlife Conf. 15 1950 pp. 191–197. [N.V.]
- 410.—Eddy, S. and Hodson, A. C. Taxonomic keys to the common animals of the North Central States exclusive of the Parasitic Worms, Insects and Birds. Minneapolis, 1950 pp. 1–123. [Mammals pp. 97–102]
- 411.—Edinger, T. Die Paläoneurologie am Beginn einer neuen Phase. Experientia Basel 6 1950 pp. 250–258 4 figs.
- 412.—Edinger, T. Frontal sinus evolution (particularly in the Equidae). Bull. Mus. Comp. zoöl. Harvard 103 1950 pp. 411–496 9 pls. 6 figs.
- 413.—Egawa, S. and Hirokawa, S. Zur Medulla oblongata des indischen Elefanten. Gegenbaurs Jb. 85 1941 pp. 525-539 3 figs.

Egawa, S. vide Hirokawa.

- 414.—Eggeling, H. V. Mensch und Menschenaffen. Anat. Anz. Jena 96 1947 pp. 38-44.
- 415.—Ehik, G. Neue Angaben zur Kenntnis der Art *Microtus mirhanreini* Schaefer. Sborn. nar. Mus. Praha **5B** Zool. 2 1949 pp. 81–86 2 figs.
- 416.—Eibl-Eibesfeldt, I. Uber die Jugendentwicklung des Verhaltens eines männlichen Dachses (*Meles meles* L.) unter besonderer Berücksichtigung des Spieles. Z. Tierpsychol. Berlin 7 1950 pp. 327–355 10 figs.
- 417.—Eibl-Eibesfeldt, I. Beiträge zur Biologie der Haus und der Ahrenmaus nebst einigen Beobachtungen an anderen Nagern. Z. Tierpsychol. Berlin 7 1950 pp. 558–587 2 figs.
- 418.—Eidmann, H. Anomalien am Gebiss der Cerviden. Zool. Anz. Leipzig 137 1942 pp. 151–162 6 figs.

Eisa, E. A. vide Bullough.

- 419.—Eiseley, L. C. Is man here to stay? Scient. Amer. 183 1950 pp. 52-55 1 fig.
- 420.—Eisentraut, M. Die Bedeutung von Temperatur und Klima im Leben der Chiropteren. Biol. Zbl. Leipzig 66 1947 pp. 236–251.
- 421.—Eisentraut, M. Beobachtung uber Begattung bei Fledermäusen im Winterquartier. Zool. Jahrb. Jena (Syst.) 78 1949 pp. 297–300.
- 422.—Eisentraut, M. Die Ernährung der Fledermäuse (Microchiroptera). Zool. Jahrb. Jena (Syst.) 79 1950 pp. 114–177, 33 figs.
- 423.—Elftman, H. The Sertoli cell cycle in the mouse. Anat. Rec. Philadelphia 106 1950 pp. 381–393 7 figs.

Elftman, H. vide Raven.

424.—Elias, H. Revision der Struktur der Säugerleber. Anat Anz. Jena 96 1948 pp. 454–460 10 figs.

Elkins, W. A. vide Scott.

425.—Ellinger, T. U. H. and others. A report on the occurrence of a median eye in a partially dicephalic cat. Anat. Rec. Philadelphia 107 1950 pp. 67-71 2 figs.

- 426.—Eloff, F. C. The last stronghold of the Sable Antelope in the Northern Transvaal bushveld. African Wildlife Johannesburg 4 1950 pp. 193–195 1 fig.
- 427.—Eloff, F. C. On the relations of the vomer to the ethmoidal skeleton in certain rodents. Ann. Transv. Mus. 21 1950 pp. 217-221 1 fig.
- 428.—Eloff, F. C. On the nasal region of the chondocranium of the Cape Hare, *Lepus capensis*. Ann. Transv. Mus. 21 1950 pp. 222-233 4 figs.
- 429.—Eloff, F. C. The homology of the mammalian pterygoid in the light of some new evidence. Proc. Linn. Soc. Lond. 162 1950 pp. 56-63 3 figs.
- 430.—Elsey, C. A. Abundance of certain mammals of the Geraldton Forest District, Ontario. Canad. Field Nat. 64 1950 pp. 159–163 6 figs.

Emlen, J. T. Jr. vide Young.

- 431.—England, D. Grey Squirrels. Field London 195 1950 p. 721.
- 432.—Ennouchi, E. Les mammifères du Quaternaire de Rabat (Premiers résultats). Bull. Soc. Sci. nat. Maroc. 28 1950 pp. 34–36.
- 433.—Ennouchi, E. Longevité de l'Ordre des Proboscidiens fossiles au Maroc. Bull Soc. Sci. nat. Maroc. 28 1950 pp. 87–99 2 pls.
- **434.**—**Erdbrink**, D. P. Mammoetvondsten uit het Gooi. Geol. Mijnbouw **12** 1950 pp. 151–155 4 figs.
- 435.—Fabiani, R. Sui resti di Odontoceti del Miocene inferiore del Ragusano conservati nel Museo di Geologia del' Universita di Palermo. G. Sci. nat. econ. Palermo 46 Sez. 2 I 1949 pp. 1–9.
- 436.—Falconer, D. S. The estimation of mutation rates from incompletely tested gametes, and the detection of mutations in mammals. J. Genet. Cambridge 49 3 1949 [1950] pp. 226-234.

Fales, W. T. vide Davis.

Falkenbach, C. H. vide Schultz.

437.—Feakes, M. J., Hodgkin, E. P., Strahan, R. and Waring, H. The

- effect of posterior lobe pituitary extracts on the blood pressure of Ornithorhynchus (Duck-billed Platypus). J. exp. Biol. Cambridge 27 1950 pp. 50-58 4 figs.
- 438.—Fekete, E. Polyovular follicles in the C58 strain of mice. Anat. Rec. 108 1950 pp. 699-707 2 pls.
- 439.—Feldman, J. D. Histochemical reactions of adrenal cortical cells. Anat. Rec. 107 1950 pp. 347-358 2 tabs. Rec. 106 1950 pp. 413-427 6 figs.
- **440.—Felten,** H. Die Zwergmaus. Nat. u. Volk **80** 1950 pp. 248–251 5 figs.
- 441.—Felten, H. Zu unseren Bildern vom Iltis. Natur u. Volk 80 1950 pp. 342-344 3 figs.
- 442.—Ferguson, K. S. The Carr Hartley Expedition. Sudan Wild Life 1 2 1949 pp. 27–31 1 fig.
- 443.—Ferianc, O. Fauna Zoolenského okresu so zretel 'om na starovce. Prirod. Sbornik. Bratislava 4 1949 pp. 37–76 tables. [With French résumé.]

Ferreira, R. V. vide Buno.

- 444.—Ferrel, C. M. and Leach, H. R. Food habits of a California deer herd. Calif. Fish Game 36 1950 pp. 235–240.
- 445.—Ferrel, C. M. and Leach, H. R. Food habits of the Pronghorn antelope of California. Calif. Fish Game 36 1950 pp. 21-26 3 tabs.
- 446.—Fichter, E. Watching Coyotes. J. Mammal. Baltimore 31 1950 pp. 66-73.
- 447.—Figula, M. Das Herz des indischen Elefanten. Gegenbaurs Jb. 84 1940 pp. 307–341 15 figs.
- 448.—Findlay, J. O. and Yang, S. H. The sweat glands of Ayrshire cattle. J. agric. Sci. 40 1950 pp. 126–133 7 pls. 1 fig. tables.
- 449.—Finlay, J. Orchard mouse control. Proc. Washington St. hortic. Assoc. 1949 [1950] pp. 67–69.
- 450.—Finlayson, H. H. Note on the cranial and dental characters of a specimen of *Rhinoceros sondaicus* Desm. Proc. zool. Soc. London 120 1950 pp. 151–154.

Fischberg, M. vide Beatty.

- 451.—Fisher, J. The black rat, Rattus rattus (L.), in London. London Nat. No 29 1950 p. 136.
- 452.—Fisher, R. A. Polydaetyly in mice. Nature, London 165 1950 p. 407.
- 453.—Fisher, R. B. and Parsons, P. S. The gradient of mucosal surface area in the small intestine of the rat. J. Anat. London 84 1950 pp. 272–282 4 fig.
- **454.**—Fitch, H. S. A new style live-trap for small mammals. J. Mammal. Baltimore **31** 1950 pp. 364–365.
- Fitch, N. vide Gluecksohn-Schoenheimer.
- **455.**—Fitter, R. S. R. Man's additions to the British fauna. Discovery Norwich **11** 1950 pp. 58–62 9 figs.
- 456.—Fitter, R. S. R. Mammals (Gloucestershire). Proc. Cotteswold Nat. Gloucester 30 1950 pp. 48–49.
- 457.—Fitter, R. S. R. Some additional records of mammals, reptiles and amphibia in the London area. London Nat. No. 29 1950 pp. 133-136.
- 458.—Fleay, D. Australia's Yellowfooted Marsupial Mouse. Animal Kingdom New York 53 1950 pp. 20–24 4 figs.
- 459.—Fleay, D. Experiences with Australia's Brush-tailed Tuan. Animal Kingdom New York 53 1950 pp. 152–157 6 figs.
- **460.—Fleay,** D. Possum of the high ranges. Nat. Hist. N.Y. **59** 1950 pp. 352–355 5 figs.
- 461.—Fleay, D. Further notes on the Badger Creek platypuses. Vict. Nat. Melbourne 67 1950 pp. 81-87 1 fig.
- **462.—Fleay,** D. New facts about the family life of the Australian Platypus. Zoo Life London **5** 1950 pp. 49–51 3 figs.
- 463.—Flexner, J. B. and Flexner, L. B. Biochemical and physiological differentiation during morphogenesis. XI. The effect of growth on the amount and distribution of water, protein and fat in the liver and cerebral cortex of the fetal guinea-pig. Anat. Rec. 106 1950 pp. 413-427 6 figs.

- Flux, D. S. vide Campbell.
- **464.**—Folley, S. J. Physiological mechanism of milk secretion. Nature London **166** 1950 pp. 853–855.
- 465.—Fonton, M. E. de. Les grottes de Riaux (Massif de la Nerthe-Marseille). Bull. Mus. Hist. nat. Marseille 9 1949 pp. 21-63 2 pls. 95 figs.
- 466.—Foran, W. R. Legendary Spotted Lion. Field London 196 1950 p. 535 3 figs.
- 467.—Foran, W. R. Is there a Pygmy Elephant? Field London 196 1950 p. 866.
- 468.—Forbes, A. Vanishing big game herds in Africa. Proc. and Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 pp. 442–443.
- 469.—Frade, F., Bacelar, A. and Goncalves, B. Trabalhos da Missao Zoológica da Guiné I-V. Relatorio da Missao Zoologica e contribuçoes para o conhecimento da fauna da Guiné Portuguesa. An. Junta Miss. Geogr. Invest. Colon. Lisboa 1 1946 pp. 261-415 50 figs. [English summary.]

Franchi, C. M. vide Buno.

- 470.—Frankforter, W. D. The Pleistocene geology of the middle portion of the Elkhorn River Valley. Univ. Nebraska Stud. N.S. No. 5 1950 pp. 1-45 15 figs.
- 471.—Franklin, M. C. The influence of diet on dental development in the sheep. Bull. Commonw. sci. industr. Res. Organ. Aust. No. 252 1950 pp. 1–34 23 pls. tables.
- 472.—Franz, O. Gefangenschaftsbeobachtungen am Marderhund (Nyctereutes procyonoides Gray). Zool. Garten, Leipzig 17 1950 pp. 226–234 5 fgs.
- 473.—Fraser, F. C. Two skulls of Globicephala macrorhyncha (Gray) from Dakar. Atlantide Report (Sci. Res. Danish Exp. Coasts Trop. W. Africa 1945–1946) 1 Copenhagen 1950 pp. 49-60 5 pls. 2 figs.
- 474.—Fraser, F. C. Description of a Dolphin Stenella frontalis (Cuvier) from the coast of French Equatorial Africa. Atlantide Report (Sci. Res. Danish Exp. Coasts Trop. W. Africa 1945-1946) 1 Copenhagen 1950 pp. 61-83 4 pls.

- 475.—Fraser, F. C. Note on a skull of Hector's Beaked Whale Mesoplodon hectori (Gray) from the Falkland Islands. Proc. Linn. Soc. London 162 1950 pp. 50–52 2 pls.
- 476.—Fraser, F. C. and King, J. E. The bone remains from Star Carr, Seamer (Yorkshire). Proc. Prehist. Soc. 6 1949 pp. 67-69.
- 477.—Frassetto, F. Dí una nuova classificazione delle razze umane fossili alla luce del digenismo. Historia Nat. Roma 3 1949 pp. 6–12 14 figs.
- 478.—Frechkop, S. Parmi les mammiferes de l'est du Congo Belge (Parc National Albert). Terre et la Vie Paris 97 1950 pp. 1-15 4 pls. figs.
- 479.—Frechkop, S. La locomotion et la structure des Tatous et des Pangolins. Ann. Soc. zool. Belg. 80 1950 pp. 5–8.
- 480.—Frechkop, S. Notes sur les mammifères XXXVII—Albinisme partiel chez une Antilope. Bull. Inst. Roy. Sci. Nat. Belg. 26 62 1950 pp. 1-4 1 fig.

Frechkop, S. vide Bourdelle.

- 481.—French, C. Grey Squirrels. Field London 196 1950 p. 786.
- 482.—Friant, M. L'ordre de réduction des premolaires chez les Chiroptères. Anat. Anz. Jena 95 1944 pp. 148-149 1 fig.
- 483.—Friant, M. Sur la régression du sillon ectosylvien chez les Carnassiers et les Primates. Anat. Anz. Jena 95 1944 pp. 347-348 1 fig.
- 484.—Friant, M. Un Rongeur precolombien de la Martinique, le Dasyprocta. Ann. Soc. zool. Belg. 78 1948 pp. 51-55 1 fig.
- 485.—Friant, M. La Marmotte pleistocene du Poitou (Saint-Hubert, Deux Sèvres, France). Ann. Soc. zool. Belg. 79 1949 pp. 87-102 2 pls.
- 486.—Friant, M. On the evolution of the teeth in the Erinaceidae. Proc. zool. Soc. London 119 1950 p. 821.
- 487.—Friant, M. Recherches sur le télencéphale des Rhinoceridae. Proc. zool. Soc. Lond. 120 1950 pp. 337–347 10 figs.

- 488.—Friant, M. Sur le chien des Incas (Canis ingae Tschudi), prehispanique. Cahiers Geologiques de Thiory (Ain) 1 1950 pp. 1-2.
- 489.—Friant, M. Sur les insectivores (Erinacéidés) des genres *Erinaceus* et *Palerinaceus*. C. R. Acad. Si. Paris 230 1950 pp. 1540–1543.

Frick, L. P. vide Traub.

Frisch, O. von vide Kahmann.

Fritz, E. vide Koby.

490.—Frontera, J. G. Anomalous persistent left anterior cardinal system draining the coronary blood in a domestic Cat. Anat. Rec. 106 1950 pp. 127–130 1 fig.

Frum, W. G. vide Dalquest.

- 491.—Fuller, J. L., Easler, C. and Smith, M. E. Inheritance of audiogenic seizure susceptibility in the mouse. Genetics 35 1950 pp. 622-632 1 fig.
- 492.—Fuller, W. A. Aerial census of northern bison in Wood Buffalo Park and vicinity. J. Wildlife Management, Menasha, Wis. 14 1950 pp. 445-451. [N.V.]
- 493.—Furon, R. Les grandes lignes de la paléogéographie de la Méditerranée (Tertiairé et Quaternaire). Vie et Milleu, Paris 1 1950 pp. 131-162 5 figs.
- 494.—Gabe, M. Action de l'hypophysectomie et des injections d'extraits hypophysaires sur la glande sous-maxillaire du rat albinos. Arch. Anat. micr. Morph. exper. Paris 39 1950 pp. 15-34 29 figs.

Gaines, T. B. vide Hayes.

- 495.—[Gaje, I.] [Barometric pressure and hibernation.] Ghlas. Srpsk. Kralj. Akad. Belgrade 93 1941, pp. 115–131.
- 496.—Gall, D. and Macgraith, B. G. The splenic circulation. Latex-cast studies in the Rat. Ann. trop. Med. Parasit. 44 1950 pp. 331-338 2 pls. 2 figs.
- 497.—Gams, H. Les especes vegetales et animales eteintes, en voie de disparition et menacées de l'Europe et surtout de l'Europe centrale. Proc. and Pap. Internat. tech. Conf. Protect Nature, Paris 1949 1950 pp. 504-515.

- 498.—Garber, E. D. and Hauth, F. C. A new mutation with asymmetrical expression in the mouse. J. Hered. 41 5 1950 pp. 122-124 2 figs.
- 499.—Gardner, E. Physiology of movable joints. Physiol. Rev. Baltimore 30 2 1950 pp. 127–176.
- 500.—Gardner, M. C. An undescribed Washington Pocket Gopher. J. Mammal. Baltimore 31 1950 pp. 92–93.
- 501.—Gardner, M. C. An undescribed pika from Utah. J. Wash. Acad. Sci. 40 1950 p. 344.
- **502.**—**Gardner**, R. C. B. Wild White Cattle. Field London **196** 1950 p. 833 l fig.
- 503.—Garner, R. J. Availability of the magnesium of grass to the ruminant. Nature London 166 1950 p. 614.
- 504.—Garnham, P. C. C. Exoerythrocytic schizogomy in bat malaria. Nature London 166 1950 p. 155.
- 505.—Garven, H. S. D. On the size of the liver and spleen in the various classes of vertebrates. Peking nat. Hist. Bull. 16 1948 pp. 175-177 tables.
- 506.—Gashwiler, J. S. A study of the reproductive capacity of Maine Muskrats. J. Mummal. Baltimore 31 1950 pp. 180-185.

Gashwiler, J. S. vide Robinette.

507.—Gasser, R. Uber die Nagel-Ballen - Relation der Primatenzehe. Anat. Anz. Jena 97 1949 pp. 121-144 8 figs.

Gatenby, J. B. vide Moussa.

- 508.—Gaughran, G. R. L. Domestic cat predation on Short-tailed Weasel. J. Mammal. Baltimore 31 1950 p. 356.
- 509.—Gazin, C. L. Annotated list of fossil mammalia associated with human remains at Melbourne, Fla. J. Wash. Acad. Sci. 40 1950 pp. 397-404.
- 510.—Gazin, C. L. and Collins, R. L. Remains of land mammals from the Miocene of the Chesapeake Bay region. Smithson misc. Coll. 116 1950 pp. 1–21 7 figs.
- 511.—Gee, E. P. How clever is an Elephant? Loris, Colombo 5 1950 pp. 150-154 2 figs.

512.—Gee, E. P. Wild Elephants dying in Assam. Loris. Colombo **5** 1950 p. 178.

[1950]

- 513.—Gee, E. P. Wild Elephants in Assam. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 16-22 2 figs. [Reprint from Loris.]
- 514.—Gee, E. P. Wild life reserves in India: Assam. J. Bombay nat. Hist. Soc. 49 1950 pp. 81-89 3 pls.
- 515.—Gee, E. P. Wild Elephants dying in Assam. J. Bombay nat. Hist. Soc. 49 1950 p. 296.
- 516.—Gee, E. P. Wild Elephants dying in Assam. J. Bombay nat. Hist. Soc. 49 1950 pp. 413-414.
- 517.—Gee, E. P. Stalking the Gaur. Field London 196 1950 p. 450 2 figs.
- 518.—Gee, E. P. The Indian Rhino faces extinction, Country Life London 107 1950 pp. 1731–1735 5 figs.

Gemeroy, D. vide Boyden.

519.—George, M. A Chalicothere from the Limeworks Quarry of the Makapan Valley, Potgietersrust District. S. Afr. J. Sci. Johannesburg 46 1950 8 pp. 241-242 2 fgs.

Geptner, V. G. vide Heptner.

- 520.—[Gerasimenko, G. T.] [Influence of light on some season alterations in the organism of Citellus suslica Gueld.] C.R. Acad. Sci. Moscow N.S. 71 1950 3 pp. 581-584 2 diagr. [In Russian.]
- 521.—Gerber, E. Bericht über Keltisch-römische Knockenfunde aus der Stadt Solothurn. Mitt. naturf. Ges. Solothurn No. 15 [1948] pp. 55-61 5 figs.
- 522.—Ghetie, V. Zungenbeim, Kehlkopf und Zunge des Indischen Elefanten. Abh. Sächs. Akad. Wiss. Math. Nat. Kl. 43 2 1944 pp. 1–13 7 pls.
- 523.—Ghetie, V. and Riga, J. T. Die funktionelle Struktur der Ligamenta collateralia am Ellbogen-und am Sprunggelenke des Pferdes. Anat. Anz. Jena 95 1944 pp. 271–285 4 figs.

Giai, A. G. vide Huergo.

- **524.**—Giaja, J. and Andjus, R. Le fonctionnement du coeur des mammifères refroidis. C.R. Acad. Sci. Paris **230** 1950 pp. 1366–1367.
- .525.—Gibbs, W. H. Abnormal clavicle bones in Tiger. J. Bombay nat. Hist. Soc. 49 1950 pp. 296–297 1 fig.
- 526.—Gibson-Hill, C. A. A note on the rorquals (*Balaenoptera* spp.). J. Bombay nat. Hist. Soc. 49 1950 pp. 14–19 3 pls.
- 527.—Gibson-Hill, C. A. Feral albino and piebald rats. J. Bombay nat. Hist. Soc. 49 1950 pp. 298–300.
- **528.**—**Gibson-Hill,** C. A. Notes on the Clouded Leopard (*Neofelis nebulosa* (Griffith)). J. Bombay nat. Hist. Soc. **49** 1950 pp. 543-546 l pl.
- **529.**—**Gibson-Hill**, C. A. The Dugong. Malayan Nature J. **5** 1950 pp. 25–29, 2 figs.
- **530.—Gibson-Hill,** C. A. Chasen, Kempe and the Bearded Pig. Malayan Nature J. **5** 1950 pp. 101–103.
- **531.—Gibson-Hill,** C. A. A note on the Cetacea stranded on the Cocos-Keeling Islands. Bull. Raffles Mus. Singapore **22** 1950 pp. 278–279.
- 532.—Gibson-Hill, C. A. The whales, porpoises and dolphins known in Sarawak waters. Sarawak Mus. J. 5 2 1950 pp. 288–296 4 figs.
- 533.—Gillan, Sir G. Lions in India. Country Life London 108 1950 p. 1691.
- **534.**—**Gilmore**, R. M. Fauna and ethnozoology of South America. Bull. Bur. Amer. Ethn. No. 143 1950 pp. 345–464 12 pls. 7 maps.
- 535.—Gispen, R. The role of rats and mites in the transmission of epidemic scrub typhus in Batavia. Docum. neerl. indones. Morbis trop. Amsterdam 2 1950 1 pp. 23–35 figs. tables.
 - Glass, B. P. vide Arvey.
- **536.**—Glauert, L. The development of our knowledge of the Marsupials of Western Australia. J. Roy. Soc. W. Aust. **34** 1950 pp. 115–134.
- 537.—Glauert, L. Observations on Marsupials in captivity. W. Aust. Nat. Perth 2 1951 pp. 54-57.

- 538. Glees, P. and Cole, J. Beobachtungen über die Wiederherstellung der motorischen Funktionen nach Rindenabtragungen beim Rhesusaffen. Herre. Verh. Deuts. Zoologen in Mainz 1949, Leipzig (Geest. Portig) 1950 pp. 198–201 3 figs.
- 539.—Gluecksohn-Schoenheimer, S., Segal, R and Fitch, N. Embryological tests of genetic male sterility in the House Mouse. J. exp. zool. Philadelphia 113 1950 pp. 621-631.
 - Gluecksohn-Schoenheimer vide Dunn.
- 540.—Glynn-Baker, F. Tragedy of entwined horns. Field London 195 1950 p. 26 1 fig.
- **541.**—**Godet,** R. Evolution comparée des voies génitales mâles chez les insectivores Lipotyphla, C.R. Acad. Sci. Paris **231** 1950 pp. 1094–1096.
- 542.—Goethe, F. Vom Leben des Mauswiesels (Mustela n. nivalis L.). Ein Beitrag zur Ethographie der heimischen Musteliden. Zool. Garten Leipzig 17 1950 pp. 193–204, 1 fig.
- **543.—Goldman, E.** A. Raccoons of North and Middle America. N. Amer. Fauna **60** 1950 pp. vi and 153 22 pls. 2 figs.
- 544.—Gompper, H.-J. Die Beziehungen zwischen dem Binnenskelet und dem Schwellgewebe der Nasenhöhle bei einigen Saugetierarten. Anat. Anz. Jena 96 1948 pp. 379-398 6 figs.
 - Goncalves, B. vide Frade.
- 545.—Gonzalez, R. I. Técnica para la extracción de sangre de animales de laboratorio y su aplicación al hemocultivo seriado en ratones. Microbiol. Españ. Madrid 1 1947 pp. 81–93 9 figs.
- 546.—Goodman, D. C. A persistent left superior vena cava and anomalous anastomosing mediastinal vein in a domestic cat. Anat. Rec. 108 1950 pp. 415-420 2 figs.
- 547.—Goodpaster, W. and Hoffmeister, D. F. Bats as prey for Mink in Kentucky Cave. J. Mamm. Baltimore 31 1950 p. 457.
- 548.—Gopalakrishna, A. Studies on the embryology of Microchiroptera, Part IV. An analysis of implantation and early development in *Scotophilus*

wroughtoni (Thomas). Proc. Indian Acad. Sci. **30B** 4 1949 pp. 226–242 2 pls.

- 549.—Gopalakrishna, A. Studies on the embryology of Microchiroptera, Part V. Placentation in the Vespertilionid Bat, Scotophilus wroughtoni (Thomas). Proc. Indian Acad. Sci. 31B 1950 pp. 235–251 7 pls.
- 550.—Gopalakrishna, A. Studies on the embryology of Microchiroptera. Part VI. Structure of the placenta in the Indian vampire bat, Lyroderma lyra lyra (Geoffroy) (Megadermatidae). Proc. nat. Inst. Sci. India 16 1950 pp. 93–98 1 pl. 2 figs.

Gordon, J. G. vide Tribe.

- **551.—Gottlieb, G. O. Zur Kenntnis** der Birkenmaus (*Sicista betulina* Pall.). Zool. Jahrb. Jena (Syst.) **79** 1950 pp. 93–113 12 figs.
- 552.—Gouin, F. Les Mammifères d'Alsace, Mus. Zool. Strasbourg Livret-Guide des Collections. Fasc. 1. Introduction Gen. Mamm. 1950 pp. xii and 29 16 figs.

Gouveia, E. vide Trincao4

- 553.—Gowers, Sir W. The classical Rhinoceros. Antiquity Glos. 24 1950 pp. 61-71 figs.
- 554.—Graae, B. Farming Nutria the Danish way. Country Life London 108 1950 pp. 461–463 4 figs.
- 555.—Graaf, H. J. de, Jongh, S. E. de and Paesi, F. J. A. On the development of the mammary gland in the rat, III. Acta Physiol. Pharmacol. Neerl. Amsterdam 1 1950 pp. 298-303.
- 556.—Graf, W. Quantitativhistologische Analyse von roter und weisser Muskulatur beim Kaninchen. Anat. Anz. Jena 95 1944 pp. 107–118.
- 557.—Grange, W. B. The way to game abundance, with an explanation of game cycles. New York (Scribner's Sons) 1949 pp. xviii and 365 frontis. 24 pls.
- 558.—Granger, B. and Baker, R. F. Electron microscope investigation of the striated border of intestinal epithelium. Anat. Rec. 107 1950 pp. 423-441, 2 pls.

559.—Gray, F. V. and Pilgrim, A. F. Fermentation in the rumen of the sheep. Nature London 166 1950 p. 478.

Gray, H vide Addis.

- 560.—Green, H. U. The productivity and sex survival of Elk. Banff National Park, Alberta. Canad. Field Nat. 64 1950 pp. 40-42.
- 561.—Green, R. B. Camels in the Cariboo. Mus. & Art Notes Vancouver B.C. 1 1950 pp. 26–30 1 fig.
- **562.—Greene,** H. C. A record of Fox Squirrel longevity. J. Mamm. Baltimore **31** 1950 pp. 454-455.
- **563.**—**Gregory**, G. E. C. The World's White roof-tree. Field London **196** 1950 p. 416 5 figs.
- 564.—Gregory, P. W. A piebald mutation in sheep and a suggested interpretation. J. Hered. Baltimore 41 1950 2 pp. 39–40 figs.
- 565.—Gresson, R. A. R. A study of the male germ-cells of the Rat and the Mouse by phase-contrast microscopy. Quart. J. micr. Sci. London 91 1950 pp. 73-78 1 pl.

Greville, C. M. vide Appleyard.

- 566.—Griffiths, W. J. Jr. Self-selection of diet in relation to audiogenic seizures in rats. Science 112 1950 pp. 786-787.
- 567.—[Grigoryeva, V. I.] [Investigation "in vivo" of the rabbit cornea fixed in cool conditions.] C.R. Acad. Sci. Moscow N.S. 74 1950 pp. 807–809 [In Russian].

Grimm, W. C. vide Richmond.

- 568.—[Gromova, V.] [Key to the identification of the mammals of U.S.S.R. based on skeletal bones. Part I. Key for identification of long bones.] Trav. Comm. Etude. Quatern. Acad. Sci. U.S.S.R. 9 1950. (A) Text pp. 1–240 3 figs. (B) Atlas 105 pls. [In Russian.]
- **569.**—**Gross**, H. Ein subfossiler *Rangifer tarandus*—Fund aus Ostpreussen. Abh. naturw. Ver. Bremen **32** 1942 pp. 64–76 3 figs.
- 570.—Gruchy, D. F. Status of the Opossum, *Didelphis virginiana*, in Colorado. J. Colo-Wyo. Acad. Soi. 4 1950 p. 76.

571.—Grulich, I. Contribution to the knowledge of the variability of *Rhinolophus hipposideros* Bechst. Acta Acad. Sci. nat. Moravo-Silès. 21 5 1949 pp. 1-60 12 figs. tables. [English summary].

Grulich, I. vide Kratochvil.

- **572.**—**Gruneberg**, H. Embryology of mammalian genes. Rev. suisse Zool. Genève **57** 1950 Suppl. 1 pp. 129–139.
- 573.—Gruneberg, H. Genetical studies on the skeleton of the Mouse. I. Minor variations of the vertebral column pp. 112–141 23 figs. II. Undulated and its modifiers pp. 142–173 23 figs. J. Genetics London 50 1950.
- 574.—Gruneberg, H. Skeletal polymorphism in the mouse. Moderne Biologie Festschr. 60-Geburtstag H. Nachtsheim Berlin 1950 pp. 43–54 8 figs.

Gruneberg, H. vide Carter.

575.—Guggisberg, C. A. W. Game Animals of Eastern Africa. Nairobi, 1950 64 pp. figs. [N.V. Review— Nature in E. Africa (2) No. 3 1950 p. 17.]

Guilbert, H. R. vide Kidwell.

- 576.—Guilday, J. E. Winter fetus in the Little Brown Bat, Myotis lucifugus. J. Mammal. Baltimore 31 1950 pp. 96–97.
- **577.—Gut**, S. Bobr (Castor fiber L.)* Chron. Przyr. Ojczystu Kraków 1950 **6** 1–2 pp. 32–39 2 figs.
- 578.—Gyllensten, L. The postnatal histogenesis of the lymphatic system in guinea-pigs. Acta anatomica Basel 10 1950 pp. 130–159 17 figs.
- 579.—Haffner K. v. Ergebnisse der histologischen Untersuchung der von E. Mohr beschriebenen Schwanzregenerate von Myoxiden (Bilchen). Zool. Anz. Leipzig 135 1941 pp. 66-75 7 figs.
- 580.—Hagenbeck, L. Elefanten im Zirkus und Zoo. Zool. Garten, Leipzig 17 1950 pp. 60-66.
- **581.—Haggqvist,** G. Nervenfaserkaliber bei Tieren verschiedener Grösse. Anat. Anz. Jena **96** 1948 pp. 398–412 14 figs.

- 582.—Haggqvist, G. and Bane, A. Polyploidy in rabbits, induced by colchicine. Nature, London 165 1950 pp. 841-843 1 fig.
- 583.—Haggqvist, G. and Bane, A. Studies in triploid rabbits produced by colchicine. Hereditas, Lund 36 1950 pp. 329–334 2 figs.
- 584.—Haggqvist, G. and Bane, A. Chemical induction of polyploid breed of mammals. K. svenska Vetensk Akad. Handl. (4) 1 10 1950 pp. 1-12 1 pl. 1 fig.
- 585.—Haines, R. W. The interorbital septum in mammals. J. Linn. Soc. London 41 1950 pp. 585-607 40 figs.
- **586.—Haines,** R. W. The flexor muscles of the forearm and hand in lizards and mammals. J. Anat. London **84** 1950 pp. 13-29 12 figs.
- 587.—Hall, E. R. and Dalquest, W. W. Geographic range of the Hooded skunk, *Mephitis macroura*, with description of a new subspecies from Mexico. Univ. Kansas Publ. Mus. Nat. Hist. 1 1950 pp. 575–580 1 fig.
- 588.—Hall, E. R. and Dalquest, W. W. Pipistrellus cinnamomeus Miller 1902 referred to the genus Myotis. Univ. Kansas Publ. Mus. Nat. Hist. 1 1950 pp. 581–590 5 figs.
- 589.—Hall, E. R. and Dalquest, W. W. A synopsis of the American Bats of the genus *Pipistrellus*, Univ. Kansas Publ. Mus. Nat. Hist. 1 1950 pp. 591-602 1 fig.
- 590.—Hall, E. R. and Villa R. B. Lista anotada de los mamiferos de Michoacan, Mexico. An. Inst. Biol. Mex. 21 pp. 159-214 4 figs.

Hall, E. R. vide Dalquest.

Hall, O. vide Davis, D. E.

- 591.—Halloran, A. H. and Blanchard, W. E. Bighorn ewe associates with cattle on Kofa Game Range, Arizona. J. Mammal. Baltimore 31 1950 pp. 463– 464.
- 592.—Hamerstrom, F. N. Jr. and Camburn, F. L. Weight relationships in the George Reserve deer herd. J. Mammal. Baltimore 31 1950 pp. 5-17 3 figs.

593.—Hamilton, W. J. Jr. The Prairie Deer Mouse in New York and Pennsylvania. J. Mammal. Baltimore 31 1950 p. 100.

26

- 594.—Hammond, J. Polled cattle. Endeavour London 9 1950 pp. 85–90 8 figs.
- 595.—Hammond, J. Measuring growth in farm animals. Proc. roy. Soc. London 137B 889 1950 pp. 452–461 13 figs.
- 596.—Hancock, J. Studies in monozygotic cattle twins: I. Organization of twin collection 30A pp. 257–270. II. Recognition of monozygotic twins 31A pp. 1–35 28 figs. N.Z. J. Sci. Tech. 1950.
- 597.—Hancock, J. Congenital photosensitivity in Southdown sheep—a new sub-lethal factor in sheep. N.Z. J. Sci. Tech. 32A 1 1950 pp. 16–24 3 figs.
- 598.—Handley, G. L. The Natal Red Hartebeeste—a dwindling species. African Wild Life, Johannesburg 4 1950 pp. 107-111.

Hankins, R. M. vide Baker.

- **599.—Hanson,** J. Differentiation of mammalian epidermis in tissue culture. J. Anat. London **84** 1950 pp. 30–31.
- 600.—Hanstrom, B. Däggdjar, faglar, kräldjar och groddjur i det Hollands Naturskyddsförening tillhörande hedreservatet i Steninge. Fauna och Flora, Uppsala 5-6 1950 pp. 189-207 4 figs. [English summary.]
- 601.—Hanzak, J. and Rosicky, B. A contribution to our knowledge of some representatives of the Orders of the Insectivora and Rodentia in Slovakia. Sborn. nar. Mus. Praha 5B Zool. 2 1949 pp. 1-77 10 figs.

Harbert, F. H. vide Buss.

- 602.—Hard, W. L. and Hawkins, R. K. The role of the bile capillaries in the secretion of phosphatase by the Rabbit liver. Anat. Rec. 106 1950 pp. 395-411 13 figs.
- 603.—Hard, W. L. and Peterson. A. C. The distribution of choline esterase in nerve tissue of the dog. Anat. Rec. 108 1950 pp. 57-69 2 pls.
- 604.—Hardberger, F. M. Effects of a constant high temperature (32.2° C.)

- on the testes and spermatozoa of the albino mouse. Proc. Louisiana Acad. Sci. 13 1950 pp. 35-41 6 figs.
- 605.—Harder, W. Zur Morphologie und Physiologie des Blinddarmes der Nagetiere. Verh. Deutsch. Zool. Mainz. 1949 pp. 95–109 11 figs.
- **606.—Hardy, E.** Chartley Cattle. Field London **196** 1950 p. 342 1 fig.
- 607.—Hardy, M. H. The development in vitro of the mammary glands of the mouse. J. Anat. London 84 1950 pp. 388-393 2 pls.
- 608.—Hardy, R. A new Tree Squirrel from central Utah. Proc. Biol. Soc. Washington 63 1950 pp. 13-14.
- 609.—Harpst, H. C. and Martin, A., Jr. Some chromosomes of rodents. Proc. Pa Acad. Sci. 24 1950 pp. 36–39 3 figs.
- 610.—Harris, E. S. The sites of alkaline phosphatase in dentinogenesis. Anat. Rec. 107 1950 pp. 105–119, 2 pls.
- 611—Harris, G. W. Hypothalamo—hypophysial connexions in the Cetacea. J. Physiol. Cambridge 111 3—4 1950 pp 361-372 2 pls.
- 612.—Harris, G. W. and Johnson, R. T. Regeneration of the hypophysial portal vessels, after section of the hypophysial stalk in the Monkey (Macacus rhesus). Nature London 165 1950 pp. 819-820.

Harris, G. W. vide Cross.

Harrison, D. L. vide Hayman.

- 613.—Harrison, J. L. Some Malayan Shrews. Malay Nat. J. 5 1950 pp. 21–24 1 fig.
- 614.—Harrison, J. L. A survey of common Squirrels. Malay Nat. J. 5 1950 pp. 79-83.
- 615—Harrison, J. L. Two little known animals. Malay Nat. J. 5 1950 p. 100 1 pl.
- 616.— Harrison, J. L. The occurrence of albino and melanic rats. J. Bombay nat. Hist. Soc. 49 1950 pp. 548-549
- 617.—Harrison, J. L. and Lim, B. L. Notes on some small mammals of Malaya. Bull. Raffles Mus. No. 23 1950 pp. 300–309.

- 618.—Harrison, J. L. and Traub, R. Rodents and insectivores from Selangor, Malaya. J. Mammal. Baltimore 31 1950 pp. 337–346.
- 619.—Harrison, J. L. and Woodville, H. C. The growth of a tame specimen of the Indian Mole Rat, Bandicota bengalensis (Rodentia, Muridae), and an attempt to estimate the agestructure of a wild population. J. Zool. Soc. India 2 1950 pp. 14-17.
- 620.—Harrison, J. L. and Woodville, H. C. Notes on the feeding habits of House-Rats in Rangoon, Burma. Ann. appl. Biol. London 37 1950 pp. 296– 304 4 figs.

Harrison, J. L. vide Audy.

Harrison, R. G. vide Cain.

621.—Harrisson, T. Squirrels from the Kelabit uplands. Sarawak Mus. J. **5** 1950 pp. 297–299.

Harshfield, G. S. vide Johnson.

- 622.—Hart, J. S. The effect of humidity and temperature on carbon dioxide production of deer mice and on heat transmission through their fur. Canad. J. Res. Ottawa 28D 1950 pp. 280–284.
- 623.—Hart, J. S. Interrelations of daily metabolic cycle, activity, and environmental temperature of mice. Canad. J. Res. 28D 1950 pp. 293-307 1 pl. 4 figs.
- 624.—Hartman, C. G. A possible case of superfetation? J. Mammal. Baltimore 31 1950 p. 94.
- **625.—Hartman,** C. G. Playing "Possum." Scient. Amer. N.Y. **182** 1950 pp. 52–55 figs.
- 626.—Hartwig, H. Die makroskopischen und mikroskopischen Merkmale und die Funktion der Pferdemilz in verschiedenen Lebensaltern und bei verschiedenen Rassen. Z. mikr. anat. Forsch. Leipzig 55 1950 pp. 287–410 23 figs.
- 627.—Hassells-Yates, G. A. Rats preying on worms. Country Life London 107 1950 p. 1386.
- 628.—Hatt, R. T. and Villa, R. B. Observaciones sobre algunos mamiferos de Yucatan y Quintana Roo. Anal. Inst. Biologia Mexico 21 1950 pp. 215–240 9 figs 2 maps.

- Hatter, J vide Cowan.
- 629.—[Havesson, Y. I.] [The camels belonging to the genus Paracamelus.] C.R. Acad. Sci. Moscow N.S. 70 1950 pp. 917–920 2 figs. [In Russian.]

Hawkins, R. K. vide Hard.

630.—Hawkins, T. H. Musk and the Musk Deer. Nature London 166 1950 p. 262.

Hayashi, K. vide Nishiwaki.

- 631.—Hayes, W. J., Jr. and Gaines, T. B. Control of Norway rats with residual rodenticide warfarin. Public Hith. Rep. Wash. 65 47 1950 pp. 1537-1555 2 figs.
- 632.—Hayman, R. W. Two new African Squirrels. Ann. Mag. nat. Hist. (12) 3 1950 pp. 262-264.
- 633.—Hayman, R. W. Guerezas or Colobus monkeys. Zoo Life London 5 1950 pp. 92–95 1 fig.
- 634.—Hayman, R. W. and Harrison, D. L. Notes on some Mammals newly recorded from Arabia. Ann. Mag. nat. Hist. (12) 3 1950 pp. 417-419.
- 635.—Hayman, R. W. and Jones, T. S. A note on pattern variation in the Vespertilionid Bat Glauconycteris poensis. Ann. Mag. nat. Hist. (12) 3 1950 pp. 761-763.
- 636.—Hayne, D. W. Apparent home range of *Microtus* in relation to distance between traps. J. Mammal. Baltimore 31 1950 pp. 26-39 2 figs.
- 637.—Hayne, D. W. Reliability of laboratory-bred stocks as samples of wild populations, as shown in a study of the variation of *Peromyscus polionotus* in parts of Florida and Alabama. Contr. Lab. Vertebr. Biol. Univ. Michigan No. 46 1950 pp. 1–56 5 figs.
- 638.—Hazelwood, A. Mammals (Yorkshire). Naturalist London 1950 No. 832 pp. 25–26.
- 639.—Heberer, G. Das Präsapiens-Problem (Mit besonderer Berücksichtigung der Funde von Fontéchevade und Quinzano). Moderne Biologie. Festschr. 60 Geburtstag H. Nachtsheim Berlin 1950 pp. 131–162 1 pl. 7 figs.

640.—Hebert, S. Les phosphatases alcalines de l'intestin. Étude histochimique expérimentale. Arch. Biol. Liége 61 1950 pp. 235–289 2 pls.

28

- 641.—Hediger, H. Die zweite Elchgeburt im Berner Tierpark (1941). Zool. Gart. Lpz. 16 1949 pp. 93-110 12 figs. 4 tabs.
- **642.**—**Hediger**, H. Saugetier-Territorien und ihre Markierung. Bijdr. Dierk, 28 1949 pp. 172–184 12 figs.
- **643.—Hediger**, H. Wild Animals in Captivity, London (Butterworth) 1950 207 pp. frontis. 33 figs.
- 644.—Hediger, H. Gefangeschaftsgeburt eines afrikanischen Springhasen, Pedetes caffer. Zool. Garten Leipzig 17 1950 pp. 166–169 7 figs.
- 645.—Hediger, H. Das Okapi als ein Problem der Tiergartenbiologie. Acta Tropica Basel 7 1950 pp. 97–109 5 figs.
- 646.—Hediger, H. La capture des éléphants au Parc National de Garamba. Bull. Inst. R. Colon. Belge Bruxelles 21 1950 pp. 218–226.
- 647.—Heinzerling, O. Uber Heilung von Knockenbrüchen bei freilebenden Tieren, Zool. Anz. Leipzig 140 1942 pp. 49–57 4 figs.
- 648.—Heisch, R. B. A case of rat-bite fever in Kenya Colony, and the discovery of rodents naturally infected with Spirillum minus (Carter). J. trop. Med. London 53 1950 pp. 33–39.
- 649.—Heldt, H. Cétacés.—Incursions de Baleinopterès sur les Cotes Tunisiennes, Ann. Biol. Copenhague 6 1949 [1950] p. 80.
- 650.—Heller, E. Eichhörnehen und Nesterraub. Zool. Gart. Leipzig 17 1950 p. 254.
- 651.—Heller, E. Kann der Hund ein Bild deuten? Zool. Gart. Lpz. 17 1950 pp. 254–255.
- 652.—Hemming, F. Reforms in zoological nomenclature adopted by the Thirteenth International Congress of Zoology in Paris July 1948. Rept. 18th Sess. Intern. Geol. Congress Gt. Britain 1950 15 pp. 77–83.
- 653.—Hemming, F. The word "Cercopithecus" validated as a generic name as from Linnaeus, 1758 (Class

- Mammalia, Order Primates). Bull. zool. Nomencl. London 4 1950 pp. 310–311.
 - Hemmings, W. A. vide Brambell.
- 654.—Henderson, C. R. P. Giante Sable Antelopes. Country Life London 107 1950 p. 671.
 - Henderson, M. vide Brambell.
 - Hendrickson, G. O. vide Wiseman.
- 655.—Hensley, A. L. and Fox, B. C. Experiments on the management of Colorado River Beaver. Calif. Fish Game 34 1948 pp. 115-131 12 figs.
- 656.—[Heptner, V. G. and Shukurov, G. S.] [The systematics and distribution of *Microtus afghanus* Thos.] C.R. Acad. Sci. Moscow N.S. 74 1950 pp. 149-152 1 fig. [In Russian.]
- 657.—Herlocker, E. Mountain Beaver —Biological Curiosity. Audubon Mag. . 52 1950 pp. 387–390 4 figs.
- 658.—Herman, C. M. and Bischoff, A. I. Papilloma, skin tumors in Deer. Calif. Fish Game 36 1950 pp. 19-20.
- 659.—Hermann, J. A. The mammals of the Stockton Plateau of north-eastern Terrell County, Texas. Texas J.Sci. 2 1950 pp. 368-393 13 figs. 1 table
- 660.—Herre, W. Uber vergleichende Untersuchungen an Hypophysen. Zool. Anz. Leipzig 141 1943 pp. 33-34.
- 661.—Herre, W. Zur Frage der Kausalität von Domestikationserscheinungen. Zool. Anz. Leipzig 141 1943 pp. 196-214 15 figs.
- 662.—Herre, W. Zur Abstammung und Entwicklung der Haustiere. I. Uber das bisher älteste primigene Hausrind Nordeuropas. Remane and others Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 312–324 7 figs.
- 663.—Herre, W. Zur Abstammung und Entwicklung der Haustiere. II. Betrachtungen über vorgeschichtliche Wildschweine Mitteleuropas. Remane and others Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 324–333 3 figs.
- 664.—Herre, W. Zur Abstammung und Entwicklung der Haustiere. III. Die Haustierreste mittel alterlicher

Siedlungen der Hamburger Altstadt. Zool. Garten. Leipzig 17 1950 pp. 103– 121 1 fig.

- 665.—Herre, W. Neue Ergebnisse zoologischer Domestikationsforschung. Herre Verh. Deuts. Zoologen in Mainz 1949 Leipzig (Geest & Portig) 1950 pp 40-54 6 figs.
- 666.—Hershkovitz, P. Mammals of northern Colombia, preliminary report No. 6: Rabbits (Leporidae), with notes on the classification and distribution of the South American forms. Proc. U.S. Nat. Mus. 100 1950 pp. 327–375.
- 667.—Hesterberg, G. A. Chipmunk eats frog. J. Mammal. Baltimore 31 1950 pp. 350–351.
- **668.**—**Hewett**, H. P. Deer in the South-West. Field London **195** 1950 p. 481.
- 669.—Hibbard, C. W. Mammals of the Rexroad formation from Fox Canyon, Kansas. Contr. Mus. Paleont. Univ. Michigan 8 1950 pp. 113–192 5 pls. 23 figs.
- 670.—Hibbard, C. W. and Keenmon, K. A. New evidence of the Lower Miocene age of the Blacktail Deer Creek formation in Montana. Contr. Mus. Paleont. Univ. Michigan 8 1950 pp. 193–204 3 figs.
- 671.—Hibbard, C. W. and Villa, R. B. El Bisonte gigante de Mexico. An. Inst. Biol. Mex. 21 1950 pp. 243–254 3 pls.
- 672.—Hibbard, C. W. and Wilson, J. A. A new rodent from subsurface stratum in Bee County, Texas. J. Paleont. Menasha Wis. 24 1950 pp. 621–623 l text-fig.
- 673.—Hiestand, W. A. and others. The comparative hypoxic resistance of hibernators and non hibernators. Physiol. zoöl. Chicago 23 1950 pp. 264—268 tabs.

Hilditch, T. P. vide Achaya.

674.—Hill, A. V. The dimensions of animals and their muscular dynamics. Sci. Progr. London 38 1950 pp. 209–230 3 figs. and Proc. Roy. Instn. Gt. Britain 34 1950 pp. 450–471 4 figs.

Hill, A. V. vide Colam.

Hill, J. E. vide Raven.

- 675.—Hill, J. P. and de Beer, G. R. Development of the Monotremata—Part VII. The Development and structure of the Egg-tooth and the Caruncle in the Monotremes, and on the occurrence of vestiges of the Egg-tooth and Caruncle in Marsupials. Trans. Zool. Soc. London 26 1950 pp. 503–544 10 pls.
- **676.**—**Hill,** W. C. O. The alimentary system of the Angwantibo, *Arctocebus calabarensis* (Smith). Proc. Zool. Soc. Lond. **120** 1950 pp. 49–72 3 pls. 5 figs.
- 677.—Hill, W. C. O. Man's relation to the apes. Man 50 1950 pp. 161–162.
- 678.—Hill, W. C. O. Primates in the Royal Scottish Museum. Part I, Strepsirhini and Tarsioidea. Proc. Roy. Physic. Soc. 23 1950 pp. 155–164 3 pls.
- 679.—Hill, W. C. O. and Matthews, L. H. Supplementary note on the male external genitalia of *Gorilla*. Proc. Zool. Soc. Lond. 120 1950 pp. 311-316 l pl. 3 figs.

Hillemann, H. H. vide Adams.

Hillemann, H. H. vide Beatty.

Hillemann, H. H. vide Purdy.

- 680.—Hindle, E. Birth of an Elephant in the Rome Zoo. Zoo Life London 5 1950 pp. 7-9 2 figs.
- **681.**—**Hindle**, E. Mr. Henry G. Maurice, C.B. Nature London **165** 1950 pp. 997–998.
- 682.—Hindle, E. Wild animals in captivity. Discovery Norwich 11 1950 pp. 311-313, 330 1 fig.
- 683.—Hinze, G. Der Biber, Körperbau und Lebensweise, Verbreitung und Geschichte. Berlin 1950 pp. 216 31 pls. 94 figs.
- 684.—Hirokawa, S. and Egawa, S. Zur Fossa rhomboides des indischen Elefanten. Gegenbaurs Jb. 85 1941 pp. 540-550 I fig.

Hirokawa, S. vide Egawa.

685.—**Hislop**, J. A. The story of a Tapir. Malayan Nature J. **5** 1950 pp. 92–95 l pl.

Hoar, W. S. vide Cowan.

Hock, R. vide Scholander.

686.—Hodge, W. H. Golden fleece of the Andes. Nat. Hist. N.Y. **59** 1950 pp. 200–207 13 figs.

Hodgkin, E. P. vide Feakes.

Hodson, A. C. vide Eddy.

- 687.—Hoebel, E. and A. Man in the primitive world. An introduction to anthropology. New York 1949 pp. xii + 543 73 figs. [N.V. Review Amer. J. Phys. Anthrop. Philad. 8 1950 p. 499.]
- 688.—Hoffmeister, D. F. A concentration of Lemming mice (Synaptomys cooperi) in central Illinois. Trans. Ill. Acad. Sci. 40 1947 pp. 190–193 1 fig.

Hoffmeister, D. F. vide Goodpaster.

- 689.—Hoffstetter, R. Masthodon Chimborazi—Proaño. Bol. Inform. Cient. Nac. Quito 3 1950 pp. 372-375.
- 690.—Hoffstetter, R. Algunas observaciones sobre los caballos fosiles de la America del sur. Amerhippus gen. nov. Bol. Inform. Cient. Nacion. Quito 3 1950 pp. 426–454 4 figs.
- 691.—Hoffstetter, R. Observaciones sobre los Mastodontes de Sud America y especialmente del Ecuador. *Haplomastodon*, subgen. nov. de *Stegomastodon*. Pub. Esc. Polit. nacion. Quito 1950 1 pp. 1–51 6 figs.
- **692.**—**Hoier,** R. Les Hippopotames au Parc Albert. Zooleo. Leopoldville N.S. No. 5 1950 pp. 15–21 4 figs.
- 693.—Hoier, R. A travers plaines et volcans au Parc National Albert. Publ. Inst. Parcs nat. Congo belge. Brussels 1950 p. 172 24 pls. [N.V. Review Mammalia Paris 14 1950 p. 184.]
- 694.—Hollander, W. F. and Strong, L. C. Intra-uterine mortality and placental fusions in the Mouse. J. exp. Zool. Philadelphia 115 1950 pp. 131– 149 11 figs.
- 695.—Hoogstraal, H. Deamer the Lemur. Animal Kingdom New York 53 1950 pp. 102-109 7 figs.
- **696.**—**Hoogstraal,** H. Mission : Malaria. Nat. Hist. N.Y. **59** 1950 pp. 104–111 140–141 13 figs.
- 697.—Hooijer, D. A. Het belang van de vertebraten voor de stratigraphie van het nederlandse kwartair ouder dan de ijsbedekking. Geol. Mijnbouw The Hague 12 1 1950 pp. 12-13.

- 698.—Hooijer, D. A. Man and others mammals from Toalian sites in Southwestern Celebes. Verh. K. ned. Akad. Wet. Amsterdam (2) 46 1950 2 pp. 1-1620 3 pls.
- 699.—Hooijer, D. A. The fossili Hippopotamidae of Asia, with notes on the recent species. Zool. Verh. Leiden 8 1950 pp. 1–124 22 pls. 5 figs.
- 700.—Hooijer, D. A. A further note on the canines of *Celebochoerus*. Zool. Meded. Leiden 30 1950 pp. 307-308 1 pl.
- 701.—Hooper, E. T. Use dermestid beetles instead of cooking pots. J. Mammal. Baltimore 31 1950 pp. 100-102.
- 702.—Hooper, E. T. A new subspecies of harvest mouse (genus Reithrodontomys) from Chiapas, Mexico. J. Wash. Acad. Sci. 40 1950 pp. 418-419.
- 703.—Hooper, E. T. Descriptions of two subspecies of harvest mice (genus Reithrodontomys) from Mexico. Proc. Biol. Soc. Washington 63 1950 pp. 167-170.

Hooper, E. T. vide Rinker.

- 704.—Hooper, J. H. D. Extending the technique of bird study to bats: banding and weighing the Horseshoe bats in some Devon caves. Ill. London News 216 1950 pp. 990-991 8 figs.
- 705.—Hooper, W. M. The bats of Buckfastleigh Caves. Cave Science 1 1947 pp. 26–27. [Erratum p. 64.]
- 706.—Hooper, W. M., J. H. D. and Shaw, T. R. Some observations on the distribution and movements of cavedwelling bats in Devonshire. Naturalist London No. 835 1950 pp. 149-157 2 figs. tables.
- 707.—Hopkins, G. H. E. Report on rats, fleas and plague in Uganda. Entebbe 1949 pp. 1-52 tables 2 maps.
- 708.—Horner, B. E. Trichobezoars (hair balls) in *Peromyscus*. J. Mammal. Baltimore 31 1950 pp. 94–95.
- 709.—Hornung, V. Lautäusserungen des Maulwurfs *Talpa europaea* L. Zool. Gart. Lpz. 16 1950 p. 208.

Hoskins, C. R. vide Oakley.

- 710.—Hosokawa, H. On the Cetacean larynx, with special remarks on the laryngeal sack of the Sei Whale and the aryteno-epiglottideal tube of the Sperm Whale. Sci. Rep. Whales Res. Tokyo 3 1950 pp. 23-62 31 figs.
- 711.—Housse, R. P. R. Las zorras de Chile o chacales Americanos. Rev. Univ. Chile 34 1 An. Acad. Chilena Cienc. nat. No. 14 1949 pp. 33–56.

Houth, F. C. vide Garber.

- 712.—Howard, W. E. Winter fecundity of caged male White-footed Mice in Michigan. J. Mammal. Baltimore 31 1950 pp. 319–321.
- 713.—Howell, A. E. Steinbock in the Gran Paradiso. Country Life London 107 1950 p. 1724.
- 714.—Hoyer, P. V. and Lane, R. M. Some variations in the superficial muscles of the back of the albino Rat (Rattus norvegicus). J. Mammal. Baltimore 31 1950 pp. 288–289 1 fig.
- 715.—Hoyt, S. Y. and S. F. Gestation period of the Woodchuck. J. Mammal. Baltimore 31 1950 p. 454.
- 716.—Hudson, G. E. Cryptorchid Elk (Cervus canadensis) in the Blue Mountains of Washington. J. Mammal. Baltimore 31 1950 p. 464.
- 717.—Hudson, W. P. Rats or hedgehogs? Country Life London 107 1950 p. 1644.
- 718.—Huergo, E. M. and Giai, A. G. Homenaje a la memoria del extinto paleontologo Lucas Kraglievich. An. Soc. cient. argent. Buenos Aires 149 1950 pp. 129–135.
- 719.—Huestis, R. R. and Willoughby, R. Heterochromia in *Peromyscus*. A study of mixed black and red eyes in the deer mouse. J. Hered. 41 11 1950 pp. 287–290 1 fig.
- 720.—Hughes, T. P. and Perlowagora, A. The application of immunological tests of sera from captured wild animals to the study of yellow fever epidemiology. Amer. J. trop. Med. 30 1950 pp. 835–853.
- 721.—Hunt, C. A Mediterranean memory—Barbary Ape. Zoo Life London 5 1950 pp. 56–58 1 fig.

- 722.—Hunt, E. C. Some observations on a Flying Lemur. Malayan Nature J. 5 1950 pp. 35-36.
- 723.—Hunt, G. S. Aquatic activity of a Snowshoe Hare. J. Mammal. Baltimore 31 1950 pp. 193-194.
- 724.—Hunter, G. N. and Kinghorn, R. G. Mountain Sheep drive Mule Deer from food. J. Mammal. Baltimore 31 1950 p. 193.
- 725.—Hurrell, H. G. First report on Devonshire mammals. Rep. Devon. Ass. Adv. Sci. 82 1950 pp. 117-123 1 fig.
- 726.—Husson, A. M. Enige opmerkingen over de muizenfauna van de Sint Pietersberg en omgeving. Natuurk. Maandbl. 39 1950 pp. 43–46.
- 727.—Husson, A. M. Some remarks on prognathism with special reference to the skull of *Pongo pygmaeus* (Hoppius). Proc. K. Ned. Akad. Wet. 53 1950 pp. 199–210 2 figs.
- 728.—Hutchinson, G. E. Survey of existing knowledge of biochemistry.
 3. The biochemistry of vertebrate exerction. Bull. Amer. Mas. nat. Hist. 96 1950 pp. i-xviii 1-554 16 pls. 103 figs. tables.
- 729.—Huter, F. Eine dreibeinige Wanderratte. Natur u. Volk 80 1950 pp. 299-301 3 figs.
- **730.—Hyde,** H. P. T. African Elephants as geological indicators. Nature London **165** 1950 p. 326.
- 731.—[Ignatyeva, L. P.] [Regeneration of somatic musculature in mammals.] C.R. Acad. Sci. Moscow N.S. 75 1950 pp. 583–586 4 figs. [In Russian.]
- 732.—Imler, R. H. and Sarber, H. R. Harbor seals and sea-lions in Alaska. U.S. Dept. Int. (Fish Wildlife Serv.) Spec. Sci. Rep. 28 1947 pp. 1-23 6 figs.
- **733.—Imrie,** D. Rabbit extermination. Field London **195** 1950 pp. 475 2 figs.
- 734.—Ingles, L. G. Pigmental variations in populations of pocket gophers. Evolution Lancaster Pa. 4 1950 pp. 353–357 1 fig.
- 735.—Ionides, C. J. P. Pages from a Tanganyika Game Ranger's notebook. Tanganyika Notes & Rec. No. 29 1950 pp. 62–67.

- **736.—Irving,** J. T. Experimental enamel hypoplasia. Nature London **165** 1950 pp. 407-408 1 fig.
- 737.—Irving, L. Measurement of some physiological reactions to Arctic conditions. Ann. N.Y. Acad. Sci. 51 1950 pp. 1045-1050.

Irving, L. vide Scholander.

- 738.—Ishikawa, Y. Protein digestive power of Sperm Whale pancreatic enzyme. II. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 71–78.
- 739.—Iso, M. Uber die Thalamuskerne der Fledermaus. Gegenbaurs Jb. 86 1941 pp. 343-381 11 figs.
- **740.**—Issel, W. Ökologische Untersuchungen an der Kleinen Hufeisennase (*Rhinolophus hipposideros* (Bechstein) in mittleren Rheinland und unteren Altmuhltal. Zool. Jahrb. Jena (Syst.) **79** 1950 pp. 71–92 3 figs.
- 741.—Issel, W. Zur Kenntnis der gewimperten Fledermaus, *Myotis emarginatus* (Geoffroy), in Mitteleuropa. Bonn. Zool. Beitr. 1 1950 pp. 2-10 4 figs.
- **742.—Iyer,** P. A. R. Studies on reproduction in bats. Proc. nat. Inst. Sci. India **16** 1950 pp. 360–362.
- 743.—Jackson, J. K. and Owen, J. S. Animal life in the Imatong Mountains. Sudan Wild Life 1 No. 4 1950 pp. 3-10.
- **744.**—**Jaeger**, E. C. The Coyote as a seed distributor, J. Mammal. Baltimore **31** 1950 pp. 452–453.
- 745.—Jahn, G., Bergersen, B. and Paulsen, H. B. Int. Whaling Statistics Oalo 1950 23 pp. 65, 24 pp. 71.
- **746.—James,** J. Wild life on the doorstep. Field London **195** 1950 pp. 551–552 4 figs.
- 747.—James, Sir A. Rhodesian Leopards. Field London 195 1950 p. 805 1 fig.
- 748.—Jameson, E. W., Jr. The external parasites of the Short-tailed Shrew, *Blarina brevicauda* (Say), J. Mammal. Baltimore 31 1950 pp. 138–145.
- 749.—Jameson, E. W., Jr. Determining fecundity in male small mammals. J. Mammal. Baltimore 31 1950 pp. 433-436 1 fig.

- 750.—Jayaram, K. C. Some observations on the knowledge of ancient Hindus regarding animal life during the early Jain and Buddhist period (circa 600 B.C.). J. Zool. Soc. India 2 1950 pp. 34–38.
- 751.—Jeannel, R. Hautes montagnes d'Afrique. Publ. Mus. nat. Hist. nat. Paris Suppl. No. 1 1950 pp. 1-253 44 pls. 44 figs.
- 752.—Jenkins, J. H. and Johnston, D. W. Additional records of the Jumping Mouse, Zapus hudsonius, from Georgia. J. Mamm. Baltimore 31 1950 p. 461.

Jenkins, J. H. vide Schantz.

753.—Jennings, H. Lions at close quarters. Field London 196 1950 p. 1013.

Jimbo, H. vide Mizue.

- 754.—Jobaert, A. J. Recensement de la vie animale sauvage. Zooleo. Leopoldville N.S. No. 5 1950 pp. 25–27.
- **755.—Jobaert,** A. J. Comment se gardent les animaux sauvages. Zooleo Leopoldville N.S. No. **7** 1950 pp. 13–16.
- 756.—Jobaert, A.-J. Le probleme posé par la disparition progressive des troupeaux de gros gibier dans certaines regions de l'Afrique. Proc. & Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 p. 444.

Johnson, C. W. vide Ecke.

- 757.—Johnson, D. H. Myotis subulatus leibii in Virginia. J. Mammal. Baltimore 31 1950 p. 197.
- 758.—Johnson, L. E., Harshfield, G. S. and McCone, W. Dwarfism, an hereditary defect in beef cattle, J. Hered. 41 7 1950 pp. 177–181 3 figs.

Johnson, F. vide Scholander.

Johnson, R. T. vide Harris.

759.—Johnson, S. E. A comparative study of the thyroid follicle. Studies honoring Trevor Kincaid, edited by M. H. Hatch, Seattle (Univ. Washington Press) 1950 pp. 35—40 2 pls.

Johnston, D. W. vide Jenkins.

760.—Johnston, H. L. Rats preying on worms. Country Life London 107 1950 p. 1644.

- 761.—Johnstone, G. Height of Red Deer. Field London 195 1950 p. 969.
- **762.—Johnstone**, G. Deer in the South-west. Field London **195** 1950 pp. 48–49 2 figs. maps.
- 763.—Johnstone, G. A close season for Deer? Country Life London 107 1950 p. 1215–1216.
- 764.—Jones, F. L. Recent records of the Wolverine (*Gulo luscus luteus*) in California. Calif. Fish Game 36 1950 pp. 320-322 1 fig.
- **765.—Jones, F. L.** A survey of the Sierra Nevada Bighorn. Sierra Club Bulletin **35** 1950 pp. 29–76 12 figs.
- 766.—Jones, G. F. A preliminary report on an endourethral cast in Beaver. Murrelet Seattle 31 1950 p. 15.
- 767.—Jones, J. K., Jr. Another record of a swimming Jumping Mouse. J. Mammal. Baltimore 31 1950 pp. 453–454.
- **768.—Jones,** N. Where Deer rank as vermin. Country Life London 108 1950 p. 220.
 - Jones, T. S. vide Hayman.
- 769.—Jones-Seaton, A. Etude de l'organisation cytoplasmique de l'oeuf des Rongeurs, principalement quant à la basophilie ribonucléique. Arch. biol. Liège 61 1950 pp. 291–244 2 pls. 31 figs.
- 770.—Jones-Seaton, A. A study of cytoplasmic basophily in the eggs of the rat and some other mammals. Ann. Soc. zool. Belg. 80 1950 pp. 76–86 3 figs
 - Jongh, S. E. de vide Graaf.
 - Jonsgard, A. vide Ruud.
- 771.—Jorpes, J. E. The insulin content of whale pancreas. Hvalrad. Skr. 35 1950 pp. 1-15 3 figs.
- 772.—Judd, W. W. Mammal host records of Acarina and Insecta from the vicinity of Hamilton, Ontario. J. Mammal. Baltimore 31 1950 pp. 357— 358.
- 773.—Judd, W. W. Mammals observed in the Yukon Territory, Canada, in the summer of 1949. J. Mammal. Baltimore 31 1950 pp. 360-361.
- 774.—Junge, G. C. A. On a specimen of the rare Fin Whale, Balaenoptera

- edeni Anderson, stranded on Pulu Sugi near Singapore. Zool. Verh. Leiden 1950 No. 9 pp. 1–26 9 pls.
- 775.—Kahmann, H. Lebensbild der Kurzohr-Maus in den Alpen. Natur u. Volk 80 1950 pp. 71-77 6 figs.
- 776.—Kahmann, H. and Frisch, O. von. Zur Ökologie der Haselmaus (Muscardinus avellanarius) in den Alpen. Zool. Jahrb. Jena 78 1950 pp. 531–546 7 figs.
- 777.—Kalela, O. Zur Periodizitat im Massenwechsel arktisch - hochborealer Kleinnager. Arch. Soc. zool. bot. fenn. 'Vanamo' Helsinki 3 1949 pp. 169– 178.
- 778.—Kalela, O. Tunturisopulin vaelluksista ja nüden biologisesta merkityksestä. Luonnen Tutkija Vanamo 54 1950 l pp. 1–5 l fig.
- 779.—Karlson, E. L. A new type of cage for recording daily activity rhythms of small animals. J. Mammal. Baltimore 31 1950 pp. 416-420 2 figs.
- 780.—Karpinski, J. J. La régénération de l'ours dans la forêt de Bialowieza. Bijdr. Dierk. 28 1949 pp. 218.—236 4 pls.
- 781.—[Kasyamenko, V. G.] [Structure of posterior extremities in some mammals.] Trud. Inst. Zool. Akad. Nauk. Ukr. R.S.R. 1 1948 pp. 39-69 8 figs. [In Russian.]
- 782.—[Kasyanenko, V. G.] [Peculiarities in knee structure in some mammals.] Trud. Inst. Zool. Akad. Nauk. Ukr. R.S.R. 1 1948 pp. 70–83 4 figs. [In Russian.]
- 783.—[Kasyamenko, V. G.] [Structural peculiarities in foot in Duplicidentata.] Trud. Inst. Zool. Akad. Nauk. Ukr. R.S.R. 2 1949 pp. 58-69 3 figs. [In Russian.]
- 784.—Kaye, E. M. C. Rats as hoarders. Country Life London 107 1950 p. 1727.
- **785.—Kayser,** C. Le sommeil hibernal. Biol. Rev. Cambridge **25** 1950 4 pp. 255–282.
- 736.—Kayser, C. La lethargie hibernale des mammiféres et le mecanisme de sa genese. Mammalia Paris 14 1950 pp. 105–125 1 pl. 2 figs.

787.—Kazzaz, D. and Shanklin, W. M. The coronary vessels of the Dog demonstrated by colored plastic (vinyl accetate) injections and corrosion. Anat. Rec. 107 1950 pp. 43-59 3 figs.

Keenmon, K. A. vide Hibbard.

- 788.—Keil, A. Uber die Frage des naturliehen Vorkommens und der experimentellen Erzeugung echter Zahnkaries bei Tieren. Remane and others Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 333–340 4 figs.
- 789.—Keimer, L. Die fälschlich als Okapi gedeuteten, altägyptischen Darstellungen des Gottes Seth. Acta Tropica Basel 7 1950 pp. 110-112 2 figs.
- 790.—Keith, Sir A. An account of five unpublished Huxleyan plates illustrating the craniology of young anthropoid apes. Proc. Zool. Soc. London 119 1950 pp. 839–860 5 pls.
- 791.—Keller, L. Das Bindegewebsgerüst des Eierstockes und seine funktionelle Bedeutung. (Erste Mitteilung: Der Saugereierstock.) Gegenbaurs Jb. 88 1943 pp. 351–376 23 figs.
- 792.—Kelly, A. L. and Penner, L. R. Spirocerca from the Snow Leopard. J. Mammal. Baltimore 31 1950 p. 462.
- 793.—Kelly, A. L., Penner, L. R. and Pickard, R. J. Sarcocystis in the Moose. J. Mammal. Baltimore 31 1950 pp. 462– 463.
- 794.—Kelson, K. R. Two new Wood Rats from eastern Utah. J. Wash. Acad. Sci. 39 1949 [1950] pp. 417-419.
- 795.—Kempe, J. E. The training of Elephants. Country Life 107 1950 pp. 228-229 5 figs.
- 796.—Kempe, J. E. The tap-dancer of the forest. Country Life London 107 1950 p. 1115 1 fig.
- 797.—Kemper, H. Uber die Fusspuren von Ratten und Mäusen. Z. Hyg. Zool. u. Schädlingsbek. Berlin 38 1950 pp. 225-245 15 figs.
- 798.—Kennedy, G. C. The hypothalmic control of food intake in rats. Proc. roy. Soc. London 137B 889 1950 pp. 535-549 2 pls. 9 figs. tables.
- 799.—Kerr, Sir J. G. Sir Sidney Harmer, K.B.E., F.R.S. Nature London 166 1950 pp. 888–889.

800.—Kettlewell, H. W. Grey Squirrels, Field London 196 1950 p. 1049.

Kido, S. vide Koikegami.

801.—Kidwell, J. F. and Guilbert, H. R. A recurrence of the semi-hairless gene in cattle. J. Hered. 41 7 1950 pp. 190-192 1 fig.

King, J. E. vide Fraser.

- 802.—King, J. W. B. Pigmy, a dwarfing gene in the house mouse. J. Hered. 41 9 1950 pp. 249-252 2 figs.
- 803.—King, L. Ape or human? S. Afr. J. Sci. 47 1950 p. 142.
- 804.—King, O. M. An ecological study of the Norway Rat and the House Mouse in a city block in Lawrence, Kansas. Trans. Kansas Acad. Sci. 53 1950 pp. 500–528 10 figs.

Kinghorn, R. G. vide Hunter.

- 805.—Kirkpatrick, C. M. Crow predation upon nestling Cottontails. J. Mammal. Baltimore 31 1950 pp. 322-327.
- 806.—[Kirpitchnikov, A. A.] [The distribution of *Physeter catodon* in the Pacific according to industrial reports.] Bull. Soc. Nat. Moscow Biol 55 5 1950 pp. 11–25. [In Russian.]
- 807.—Kleinschmidt, A. Funktionellmorphologische Beobachtungen am Becken der Säuger unter besonderer Berüchsichtigung der Primaten. Remane and others Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 95-103 7 figs.
- 808.—Kleinschmidt, A. Vergleichendanatomische Untersuchungen an der Aorta des Gorilla. Anat. Anz. Jena 97 1950 pp. 363–366 1 fig.
- 809.—Kleinschmidt, A. Zur Anatomie des Kehlkopfs der Anthropoiden. Anat. Anz. Jena 97 1950 pp. 367–372 5 figs.
- 810.—Kleinschmidt, A. Vergleichendanatomische Untersuchungen an Milz, Leber, Magen, Darmtraktus und Niere des Gorilla. Anat. Anz. Jena 97 1950 pp. 373–384 7 figs.
- 811.—Klemm, M. Bisamratte. 50 Jahre Dtsch. Pflanzenschutzforsch. Festschr. Berlin 1949 pp. 135–142 2 maps.

- 812.—Klemm, M. Verbreitung und Bekämpfung der Bisamratte (Ondatra zibethica L.) in Deutschland in den Jahren 1946-1949. Nachrichtenbl. Deutsch. Pflanzenschutzdienst 3 11-12 1949 pp. 201-205. [N.V.]
- W. E., Lasley, E. L. and Buchanan. M. L. Effect of trace minerals on growth and fattening of swine. Science Lancaster Pa. 112 1950 pp. 168-169.
- 814.—Kluge, E. The White Rhinoceros of the Umfolozi Game Reserve. African Wild Life Johannsburg 4 1950 pp. 155-159 3 figs.
- 815.—Kobozieff, N. and Pomriaskinsky-Kobozieff, N. Sur l'hérédite des anomalies podales chez la Souris. C.R. Acad. Sci. Paris 230 1950 pp. 579-581.
- **816.—Kobozieff, N. and Pomriaskinsky-Kobozieff, N. Sur l'anourie congenitale non héréditaire chez le Rat. C.R. Acad. Soi. Paris 230 1950 pp. 869-870 1 fig.
- 817.—Kobozieff, N., Pomriaskinsky-Kobozieff, N. and Schutzenberger, M.-P. Sur une différence pondérale entre deux lignées consanguines de *Mus musculus*. C.R. Acad. Sci. Paris 230 1950 pp. 240-241.
- 818.—Kobozieff, N., Pomriaskinsky-Kobozieff, N. and Schutzenberger, P. Sur une difference pondérale a l'âge adulte entre deux lignées consanguines de Mus musculus. C.R. Acad. Sci. Paris 230 1950 pp. 413-414.
- 819.—Kohy, F. E. Le dimorphisme sexuel des canines d'Ursus spelaeus. Eclog. geol. Helvet 42 1949 [1950] p. 490.
- 820.—Keby, F. E. Réduction de la prémolaire supérieure chez *Ursus spelaeus*. Eclog. geol. Helvet. 42 1949 [1950] pp. 491-492 1 fig.
- 821.—Koby, F.-E. Les variations de longueur des grands os d'*Ursus spelaeus*. Verh. Schweiz. naturf. Ges. 130 1950 p. 167.
- 822.—Koby, F.-E. and Fritz, E. Les proportions des métacarpiens et des phalanges de la main d'Ursus spelaeus. Verh. schweiz. naturf. Ges. 130 1950 pp. 167-168.

- 823.—Koenigswald, G. H. R. von. Bemerkungen zu "Dryopithecus" giganteus Pilgrim. Eclog. geol. Helvet. 42 1949 [1950] pp. 515-519 1 fig.
- 824.—Koenigswald, G. H. R. von. Voorlopige mededling omtrent het voorkomen van *Mastodon borsoni* in Nederland. Geol. mijnbouw The Hague 12 1 1950 pp. 14-15.
- 825.—Koikegami, H., Kido, S. and Mayeda, Y. Zum Riechhirn des indischen Elefanten. Gegenbaurs Jb. 85 1941 pp. 512-524 4 figs.
- 826.—Kolb, A. Beiträge zur Biologie einheimischer Fledermäuse. Zool. Jahrb. Jena (Syst.) 78 1950 pp. 547–572 16 figs.
- 827.—Komai, T. Photograph of a man with a tail. J. Hered. 41 9 1950 pp. 247-248 1 fig.
- 828.—Komarek, J. Ceska Zvirena [The Czech Fauna], Melantrich, [1950] pp. 348 8 pls. col. 192 figs.
- 829.—Kosiba, A. Problems of nature protection in the Arctic. Ochrony Przyrody Krakow No. 19 1950 pp. 120–136 11 figs. [Polish with English summary.]
- 830.—Kowalski, K. Investigation. on the ecology of forest small mammals in the neighbourhood of Krakow. Nats fizjogr. Kragu Krakow No. 22 1950 pp. 1–20 3 figs. [English rès.]

Kozlowski, L. vide Prawochenski.

- 831.—Kraglievich, L. J. A filogenia dos Macraucheniidae Pliocenos e Pleistocenos, An. Acad. bras. Sci. 22 1950 pp. 295–301 1 fig. [English summary.]
- 832.—Kratochvil, J. and Grulich, I. Prispevek k poznáni ssavcí zvíreny Jeseníku. Prív. Sborn. Ostrav Krajè 10 1949 pp. 177–196 8 figs. [English summary.]
- 833.—Kreis, H. A. Die Diagnose des Nematodenbefalles beim lebenden Tier, mit besonderer Berücksichtigung der Befunde beim Okapi "Bambe." Acta Tropica Basel 7 1950 pp. 151–163 14 figs.
- 834.—Krieg, H. Die Ziegen von Juan Fernandez. Zool. Garten Leipzig 17 1950 pp. 27–30 2 figs.

885.—Krumbeck, L. Das Quartar von Erlangen (Mittelfranken). N. Jahrb. Geol. u. Paläont. Stuttgart 92 1 1950 pp. 1–30 1 pl. 1 chart.

836.—Krumbiegel, I. Die Säugetiere der Sudamerika.—Expeditionen Prof. Dr. Kriegs. 8. Agutis, 133 1941 pp. 97-113 12 figs.; 9. Maras. pp. 18-26 3 figs.; 10. Opossums (Didelphys), pp. 29-53 17 figs.; 11. Mittelgrosse Didelphyiden (Lutreolina u. Metachirus) pp. 189-211 5 figs.; 134 1941; 12. Kleine Didelphyiden, pp. 1-12 7 figs.; 13. Kammratten (Cienomys), pp. 125-133 5 figs.; 135 1941; 14. Faultiere, pp. 53-62 7 figs. 136 1941; 14. Faultiere, pp. 18-29 7 figs. 138 1942; 16. Sumpf.- und Pampashirsche, pp. 49-70 14 figs. 138 1942; 17. Hyrare und Grisons (Tayra und Grison), pp. 81-108 9 figs. 139 1942 Zool. Anz. Leipzig.

837.—Krumbiegel, I. Der Andenwolf—ein neuentdecktes Grosstier. Umschau, 49 19 1949 pp. 590-591 2 figs.

838.—Krutzsch, P. H. Carnivorous behavior in the Big Brown Bat. J. Mammal. Baltimore 31 1950 p. 96.

839.—Kruytzer, E. M. De herkomst van het Europese huisrind *Bos taurus* L. Natuurh. Maandbl. 38 1949 pp. 47-53 1 fig.

840.—Kuhlhorn, F. Beziehungen zwischen Ernährungsweise und Bau des Kauapparates bei einigen Gurteltierund Ameisenbärenarten. Gegenbaurs Jb. 84 1939 pp. 55–85 10 figs.

841.—Kuhn, O. Lehrbuch der Paläozoologie. Stuttgart 1949 pp. v 1-326 224 text-figs. [Mammals pp. 281-314.]

842.—Kuhne, W. G. Mucrotherium und Uniserium E. v. Huene sind Fragmente unterer Backenzähne eines Tritylodontiers. Monatsh. Neues Jahrb. Geol. Pal. 6 (B) 1950 pp. 187–190 1 fig.

843.—Kuhne, W. G. A Symmetrodont tooth from the Rhaeto-Lias. Nature London 166 1950 pp. 696-697 1 fig.

844.—Kulczycki, J. La trouvaille d'un mammouth dans les Mts. Piening. Act. Geol. Polon. 1 1950 3 pp. 336-334 2 figs. [Polish with French rés.] 845.—Kumm, H. W. and Laemmert, H. W., Jr. The geographical distribution of immunity to yellow fever among the primates of Brazil. Amer. J. trop. Med. Baltimore 30 1950 pp. 733-748 2 figs. tables.

Kumm, H. W. vide Laemmert.

846.—[Kutcheruk, V. V.] [Associations of mammals in eastern Mongolia.] Bull. Soc. Nat. Moscow Biol. 55 5 1950 pp. 26–32. [In Russian.]

847.—La Baume, W. Die ältesten europäischen Haustiere. Remane and others, Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 74–90.

Ladman, A. J. vide Runner.

848.—Laemmert, H. W., Jr. and Kumm, H. W. The susceptibility of howler monkeys to yellow fever virus. Amer. J. trop. Med. Baltimore 30 1950 pp. 723-731 3 figs. tables.

Laemmert, H. W. vide Kumm.

849.—Lafitte, S. Observaciones sobre canibalismo en ratones blancos. Arch. Soc. Biol. Montevideo 16 1950 pp. 20–23 1 fig.

850.—Lance, J. F. Paleontologia y estratigrafia del Plioceno de Yepomera, Estado de Chihuahua, la Parte: Equidos, excepto Neohipparion. Bol. Inst. Geol. Univ. Nac. Aut. Mexico 54 1950 pp. viii + 81 5 pls. 10 figs.

851.—Landau, E. L'insula e la Fissura Sylvia come effetto d'una flessione generale del telencefalo nei Primati e nell'Uomo. Historia Naturales Roma 1 1946 pp. 29–32 4 figs.

Landauer, W. vide Chang.

Lane, R. M. vide Hoyer.

852.—Lang, E. M. Klinische Beobachtungen am Okapi "Bambe". Acta Tropica Basel 7 1950 pp. 118–120.

853.—Lang, W. D. Report on Dorset natural History for 1949 (except birds and lepidoptera). Proc. Dorset nat. Hist. archaeol. Soc. 71 1950 pp. 133–137.

854.—Lange, D. de. Communication on the attachment and the early development of Macroscelides (= Elephantulus) rozeti Duv., the North African Jumping Shrew. Bijdr. Dierk. 28 1949 pp. 255–285 11 figs.

855.—Langley, A. G. S. Home of Giant Seals. Field London **196** 1950 p. 1128–1129 5 figs.

856.—Lantis, M. The reindeer industry in Alaska. Arctic Montreal 3 1950 pp. 27-44 3 figs.

Larrison, E. J. vide Svihla.

857.—Lashley, K. S. In search of the engram. Symposia Soc. exp. Biol. Cambridge 1950 No. 4 pp. 454–482 1 pl.

858.—Laskarev, V. Sur les restes fossiles de Sinotherium en Serbie. Bull. Mus. d'hist. Nat. Serbie 1 1948 pp. 1–20 (Fr. rés. p. 20) pl. 1 figs. 1–3.

859.—Laskarev, V. Sur les nouvelles trouvailles de mammifères miocènes a Despotovac et sur la succession des faunes des mammifères tertiares en Serbie. Bull. Acad. Serb. Sci. Beograd Sci. trav. N.S. 1 1 1950 pp. 25–29 2 pls.

Lasley, E. L. vide Klosterman.

Lassen, R. vide Chattin.

860.—Latimer, H. B. Anomalies found in a series of fetal and newborn puppies. Univ. Kansas Sci. Bull. 33 1950 pp. 381–385.

861.—Laverdiere, J. W. Baleine fossile de Daveluyville, Quebec. Nat. canad. Quebec 77 1950 pp. 271-282 5 figs.

862.—[Lavrov, N. P.] [Breeding and acclimatisation of fur animals in U.S.S.R.] Zool. J. Moscow 29 1 1950 pp. 27-40. [In Russian.]

Leach, H. R. vide Ferrel.

863.—Leakey, L. S. B. Palaeontological notes—Miocene fossils. Nature in E. Africa (2) No. 3 1950 p. 2.

864.—Leakey, L. S. B. The food of "Proconsul": fossilised fruits and seeds which are expected to throw light on the life of the prehistoric primates of Kenya. Ill. London News 217 1950 pp. 334–335 3 figs. 1 pl.

Leakey, L. S. B. vide Le Gros Clark.

865.—Lechner, W. Uber ein Unterkiefermerkmal bei Kamel und Dromedar. Zool. Anz. Leipzig 135 1941 pp. 137–139 2 figs.

866.—Le Gros Clark, W. E. History of the Primates—an introduction to

the study of fossil man. 2nd. ed. Brit. Mus. (Nat. Hist.) London 1950 pp. 117 40 figs.

867.—Le Gros Clark, W. E. South African fossil hominoids. Nature London 165 1950 pp. 893–894.

868.—Le Gros Clark, W. E. New discoveries of the Australopithecinae. Nature London 166 1950 pp. 758-760.

869.—Le Gros Clark, W. E. South African fossil hominoids. Nature London 166 1950 pp. 791-792 12 figs.

870.—Le Gros Clark, W. E. New palaeontological evidence bearing on the evolution of the Hominoidea. Quart. J. Geol. Soc. London 105 1950 pp. 225–259 10 figs.

871.—Le Gros Clark, W. E. and Leakey, L. S. B. Diagnoses of East African Miocene Hominoidea. Quart. J. Geol. Soc. London 105 1950 pp. 260–262.

872.—Lehmann, U. Uber Mastodontenreste in der Bayerischen Staatssammlung in München. Palaeontographica Stuttgart 99 (A) 4–6 1950 pp. 121–228 12 pls. 1 fig.

873.—Leidel, G. Zur Anatomie des Anthropomorphenherzens (Schimpanse und Orang im Vergleich zum Menschen.). Gegenbaurs Jb. 84 1940 pp. 457-490 9 figs.

874.—[Lemski, V. A.] [Biology of reproduction in some Antarctic finwhales.] Bull. Soc. Nat. Moscow (Biol) 55 2 1950 pp. 3-10. [In Russian.]

875.—Lenney, E. W. van. Histology of the corpora lutea in Blue and Fin Whales. Proc. K. ned. Akad. Wet. Amsterdam 53 1950 pp. 593-599 5 figs.

876.—Leonard, S. L. The reduction of uterine sperm and uterine fluid on fertilization of Rat ova. Anat. Rec. 106 1950 pp. 607-615.

877.—Leonardi, P. Segnalazione di resti di Antracoterio nelle ligniti dei dintorui di Chiuppano (Vicenze). R.C. Accad. Lincei (8) 9 6 1950 pp. 360-361 1 pl.

878.—[Leontzev, L. N.] [Paleography of the South Transcaucasus in the period of gypsum formation.] C.R. Acad. Sci. Moscow N.S. 73 1950 pp. 789-792. [In Russian.]

- 879.—Lesse, H. de. Notes zoologiques et botaniques sur l'Ouest du Groenland. Expéditions polaires francaises (Missions P.-E. Victor). Terre et la Vie 97 4 1950 pp. 175–201 3 pls.
- 880.—le Strange, E. Red Squirrels on the increase? Country Life London 107 1950 pp. 1644-1647.
- 881.—Leutscher, A. Badgers at home. Country-side Kingston-on-Thames N.S. 15 1950 pp. 367-370 1 fig.
- 882.—Leutscher, A. Legends of the Bat. Field London 196 1950 pp. 863–864 2 figs.
- 883.—[Levikova, A. M.] [Observations on the experimental osteogenesis in rabbit.] C.R. Acad. Sci. Moscow N.S. 71 1950 1 pp. 149–152. [In Russian.]
- 884.—Lewis, M. "Pine Marten" in Bedfordshire? Bedford Nat. No. 4 1950 pp. 52-53.
- 885.—Leyhausen, P. Beobachtungen an Lowen-Tiger-Bastarden mit einigen Bemerkungen zur Systematik der Grosskatzen. Z. Tierpsychol. Berlin 7 1950 pp. 46-83 42 figs.
- 886.—[Likhatchev, J. N.] [Influence of soil freezing on population of Moles (Talpa europaea)] Bull. Soc. Nat. Moscow (Biol.) 55 2 1950 pp. 21-24. [In Russian.]
 - Lim, B. L. vide Harrison.
- 887.—Lincke, M. Das Wildkaninchen, Naturbeschreibung, Jagd, Fang, Abwehr und Verwertung, sowie die als Jagdgehilfen verwendeten Tiere. Neudamm 1943 pp. 448 2 pls. 321 figs.
- 888.—Lindeborg, R. G. An adaptation of breeding *Peromyscus maniculatus bairdii* females to available water, and observations on changes in body weight. J. Mammal Baltimore 31 1950 pp. 74–78.
- 889.—Lindemann, W. Beobachtungen an wilden und gezähmten Luchsen. Z. Tierpsychol. Berlin 7 1950 pp. 217–240 22 figs.
- 890.—Linduska, J. P. DDT and the balance of Nature. Proc. & Pap. Internat. techn. Conf. Protect Nature Paris 1949 1950 pp. 362-371.
 - Liu, P. T. vide Young.

- 891.—Liversidge, D. The Elephant Seals in the Antarctic. Discovery Norwich 11 1950 pp. 253–255 4 figs.
- 892.—Loch, D. F. A pet Kijang. Malayan Nature J. 5 1950 2 Schools Sect. pp. 5-6 1 pl.
 - Lockley, R. M. vide Buxton.
- 893.—Lohre, H. Fledermausberingung in Württemberg. Jh. Ver. vaterl. Naturk. Württemb. 102-105 1950 pp. 65-66.
- 894.—Lombard, L., Morgan, B. B. and Menutt, H. The morphology of the oviduct of virgin heifers in relation to the estrous cycle. J. Morph. Philadelphia 86 1950 pp. 1-15 8 figs.
- 895.—Lopez, R. B. Lobos marinos de las inmedriaciones de Bahia Thetis. 1st Congr. nac. Pesq. Mar d. Plata 2 1950 pp. 43-54 5 figs. 1 map.
- 896.—Lund, J. Charting of whale stocks in the Antarctic on the basis of iodine values. Norsk. Hvalf-Tidende Sandefjord 39 1950 pp. 53-60.
- 897.—Lund, J. Charting of whale stocks in the Antarctic in the season 1949-50 on the basis of iodine values. Norsk, Hvalf-Tidende Sandefjord, 39 1950 pp. 298-305.
- 898.—Lundholm, B. Abstammung und Domestikation des Hauspferdes. Zool. Bidr. Uppsala 27 1949 pp. 1–289 6 pls. 45 figs. [English rès.]
- 899.—Luttschwager, H. Kritische Bemerkungen zur Unterscheidung der Gattung Bison und Bos an dem Astragalus-Knocken. Anat. Anz. Jena 97 1950 pp. 385–387 3 figs.
- 900.—Luttschwager, H. Studien an Kleinsaugern. Herre. Verh. Deuts. Zoologen in Mainz 1949, Leipzig (Geest and Portig) 1950 pp. 315-330 3 figs.
- 901.—Lyman, C. P. and Chatfield, P. O. Hibernation. Scient. Amer. 183 1950 pp. 18–21 5 figs.
- 902.—Lyman, C. P. and Chatfield, P. O. Mechanisms of arousal in the hibernating Hamster. J. exp. zool. Philadelphia 114 1950 pp. 491-515 8 figs.
- 903.—Mac-Allister, A. O. Colombian White Cattle. Field London 196 1950 p. 301 1 fig.

McAnulty, W. N. vide Stovall.

904.—McAtee, W. L. Possible early record of a Manatee in Virginia. J. Mammal. Baltimore 31 1950 pp. 98-99.

905.—McCabe, T. T. and Blanchard, B. D. Three species of *Peromyscus*. Santa Barbara California 1950 pp. 136 figs.

Maccagnani, F. vide Contu.

McCone, W. vide Johnson.

906.—Macdonald, A. St. J. The Fishing Cat (*Prionailurus viverrinus* Bennett). J. Bombay nat. Hist. Soc. 49 1950 p. 298.

907.—McDonald, D. A. and Potter, J. M. A method for the study of arterial anastomoses. J. Anat. London 84 1950 pp. 327-328.

908.—Macdonald, J. R. A note on the age of the Trucker formation. Amer. J. Sci. New Haven 248 1950 pp. 581-583.

909.—Macdonald, J. R. A new species of *Nimravus* from the Upper Oligocene of South Dakota. J. Paleont. Menasha Wis 24 1950 pp. 601–603 1 text-fig.

910.—Macdonald-Tyler, H. Leopard or Panther. Field London 196 1950 p. 874.

911.—McDowell, E. C. "Light"—a new mouse color. J. Hered. Baltimore 41 1950 pp. 35–36 figs.

912.—MacGregor, R. Behaviour in (Asiatic) domestic Buffalo. Bull. Animal Behaviour, London 8 1950 pp. 21-23.

913.—McHugh, T. Animals of the avalanche. Nat. Hist. N.Y. 59 1950 pp. 210-214, 240 8 figs.

914.—McHugh, T. Tiger of the grass roots. Nat. Hist. N.Y. 59 1950 pp. 400-401 3 figs.

McIntosh, A. J. vide Sharman.

915.—Macintyre, D. Habits of the Otter. Field London 196 1950 p. 546 1 fig.

916.—Macintyre, D. Shrew's transport of young. Field London 196 1950 p. 1048.

Mackay, R. H. vide Cowan.

McKeever, W. P. vide O'Connor.

917.—Mackenzie, G. A. Value of Otters. Field London 196 1950 p. 738.

918.—Mackenzie, P. Z. Black Rhino of the Twij. Field London 196 1950 p. 586 2 figs.

919.—Mackintosh, N. A. The work of the Discovery Committee. Proc. Roy. Soc. 202 (A) 1950 pp. 1-16 6 figs.

920.—McLeod, J. A. A consideration of muskrat populations and population trends in Manitoba. Trans. roy. Soc. Can. (3) 44 5 1950 pp. 69-79 1 fig.

921.—Macklin, C. C. Mouse epicytes and their intramural processes. Canad. J. Res. Ottawa 28D 1950 pp. 5-14 2 pls.

922.—Macnaughton, A. Twin Red Deer calves. Field London 196 1950 p. 340.

McNutt, H. vide Lombard.

McNutt. S. H. vide Weber.

Maegraith, B. G. vide Gall.

923.—Makino, S. A hairless mutation in Asiatic mice. J. Hered. 41 1950 pp. 257–258 2 figs.

924.—Maldonado-Koerdell, M. Los vertebrados fosiles del cuaternario en Mexico. Res. Soc. Mexicana Hist. nat. 9 1-2 1948 pp. 1-35.

925.—Malmejac, J., Rossi, M. and Plane, P. Effets de séances répétes au caisson à dépression sur le comportement de "familles" de rats blancs (Mus decumanus, varieté albinos). C.R. Soc. Biol. Paris 144 1950 pp. 271-272.

926.—Mann, G. Succion de sangre por Desmodus. Invest. zool. chil. 1 1950 pp. 7–8 1 fig.

927.—Mann, G. Nuevos mamiferos de Tarapaca. Invest. zool. chil. 2 1950 pp. 4-6.

928.—Mansueti, R. Extinct and vanishing mammals of Maryland and District of Columbia. Maryland Nat. Baltimore 20 1950 pp. 2–48 8 pls. 1 fig.

929.—Manville, R. H. The mammals of Drummond Island, Michigan. J. Mammal. Baltimore 31 1950 pp. 358-359.

930.—Manville, R. H. A comparison of trapping methods. J. Mammal. Baltimore 31 1950 pp. 377-383 1 ng.

- 981.—Manville, R. H. The Wolverine in Michigan. Jack-Pine Warbler Michigan 28 1950 pp. 127-129.
- 932.—Maqsood, M. Determination of rate of secretion of thyroxine in the male rabbit. Nature London 166 1950 pp. 735-736.

Mariappa, D. vide Ayer.

40

- 933.—Marsboom, R. De Buffel en zijn economische betekevis voor Belgisch-Congo. Bull. Agric. Congo Belge 41 1950 pp. 773-792 3 figs.
- 934.—Marston, A. T. The relative ages of the Swanscombe and Piltdown skulls, with special reference to the results of the fluorine estimation test. Rept. Brit. Dental. Journ. 88 11 1950 pp. 292-299.

Marston, M.-V. vide Scott.

Marston, M.-V. vide Vogel.

Martin, A., Jr. vide Harpst.

- 935.—Martinovitch, P. N. Anterior pituitary explants of infantile rats grafted in the anterior eye chamber of hypophysectomized hosts. Nature London 165 1950 pp. 33–34 3 fgs.
- 936.—Maskar, U. Uber die biologische Verwandtschaft zwischen Lama und Kamel. Experientia Basel 6 1950 pp. 423–424.

Massart, L. vide Peeters.

- 937.—Mather, W. B. The technique of Rabbit blastoderm culture. No. 15 pp. 1–8. Surgery of the Rabbit embryo "in utero". No. 16 pp. 1–6. Induced ovulation in the Rabbit. No. 17 pp. 1–7. Artificial insemination in the Rabbit. No. 18 pp. 1–5. Papers Dept. Biol. Univ. Queensland 2 1950.
- 938.—Matheson, C. Musk and the Musk Deer. J. Soc. Preserv. Faun. Empire London Pt. 61 1950 pp. 26-31 1 fig.
- 939.—Matheson, C. The Walrus. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 10-14.
- 940.—Matheson, C. Longevity in the Grey Seal. Nature London 166 1950 pp. 73-74.
- 941.—Matthews, L. H. La dentition de lait chez *Nyctalus leisleri* (Kuhl). Mammalia Paris 14 1950 pp. 11-13 3 figs.

942.—Matthews, L. H. The male urinogenital tract in Stenella frontalis (G. Cuvier). Atlantide Report (Sci. Res. Danish Exp. Coasts Trop. W. Africa 1945–1946) I Copenhagen 1950 pp. 223–247 13 figs.

Matthews, L. H. vide Hill.

- 943.—Matthey, R. Les chromosomes sexuels géants de *Microtus agrestis* L. Cellule, Louvain 53 1950 pp. 161–184 6 pls.
- 944.—Maury, A. Le rat musqué (Fiber zibethicus L.) au Havre. Bull. Geol. Soc. Normandie 40 [1950] p. 27.
- 945.—Mayeda, Y. and Suzuki, T. Die Art und Weise der Geflechtbildung des Plexus brachialis beim Elefanten. Gegenbaurs Jb. 84 1939 pp. 154–168 figs. 2 tabs.

Mayeda, Y. vide Koikegami.

946.—Mayer, W. V. Tursiops gillii, the Bottlenosed Dolphin, a new record from the Gulf of California, with remarks on Tursiops nuuanu. Amer. midl. Nat. Notre Dame 43 1950 pp. 183–185.

Medawar, P. B. vide Billingham.

- 947.—[Medvedeva, M. S.] [Some ecological-physiological peculiarities in house mice and Mus musculus hortulanus Nordm.] Zool. J. Moscow 29 1950 pp. 556–558. [In Russian.]
- 948.—Mehl, S. Soll man den Namen "Spitz-maus" ändern? Zool. Anz. Leipzig 136 1941 pp. 142-144.
- 949.—Meinertz, T. Das superfizielle Fazialisgebiet der Nager. IV. Die Muriden. 1. Epimys norvegicus (Erxleben) und Cricetus cricetus (L.) 87 1942 pp. 254-324 25 figs. 2. Arvicola terrestris (L.) und Dicrostonyx groenlandicus (Traill). 88 1943 pp. 397-467 43 figs. Gegenbaurs Jb.
- 950.—Melander, Y. Chromosome behaviour of a triploid adult rabbit as produced by Haggqvist and Bane after colchicine treatment. Hereditas Lund 36 1950 pp. 335-341 2 figs.

Menzies, G. C. vide Eads.

951.—Menzies, J. P. O. The Irish Deer (Cervus giganteus). Mus. & Art Notes Vancouver B.C. 1 1950 pp. 25-26 1 fig.

- 952.—Menzies, T. P. O. The single tusk of the Narwhal. Mus. & Art Notes Vancouver B.C. 1 1950 p. 31 1 fig.
- 953.—Merlen, R. H. A. Why does a fox bark? Country Life London 107. 1950 pp. 1643-1644.
- 954.—Mertens, R. Wale in Aquarium. Natur. u. Volk 80 1950 pp. 8-15 4 figs.

Metrakos, J. D. vide Butler.

955.—Meyer, W. Die 407 Wirbeltiere im Raum Meer—Main—Maas—Mittelelbe, Oldenburg (Oldenburger Verlagshaus) 1949 31 pp. illust.

Meyer, M. vide Sprague.

- 956.—Meyer-Holzapfel, M. Beobachtungen über das Verhalten einer Gibbonfamilie in Zürchen Zoologischen Garten. Zool. Garten Leipzig 17 1950 pp. 10-27 3 figs.
- 957.—Meyn, A. Zur Kenntnis der Affentuberkulose. Zool. Garten. Leipzig 17 1950 pp. 91–101.
- 958.—Middlemiss, E. Outeniqua Expedition. African Wildlife Johannesburg 4 1950 pp. 38–39 49–50.
- 959.—Miller, L. S. and Robertson, W. B. Some additional records of Harvest Mice (genus Reithrodontomys) in the Mississippi River Valley. Nat. Hist. Misc. Chicago Acad. Sci. 67 1950 pp 1-4.
- 960.—Mizue, K. Factory ship whaling around Bonin Islands in 1948. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 106-118 5 figs.
- 961.—Mizue, K. and Jimbo, H. Statistic study of foetuses of whales. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 119–131 12 figs.

Mofidi, C. vide Baltazard.

- 962.—Mohr, C. O. Major fluctuations of some Illinois mammal populations. Trans. Ill. Acad. Sci. 40 1947 pp. 197-204 1 fig.
- 963.—Mohr, E. Wilde Kaninchen von Fuerteventura (Kanarische Inseln). Zool. Anz. Leipzig 140 1942 pp. 138– 141 4 figs.
- 964.—Mohr, E. Die freilebenden Nagetiere Deutschlands, und der Nachbarländer. 2nd ed. Jena (Gustav Fischer) 1950 vii + 152 pp. 140 figs.

- 965.—Mohr, E. Beobachtungen an Fjäll-und Waldlemmingen, Lemmus lemmus (L) und Myopus schisticolor (Lilljeborg). Zool. Anz. Leipzig 145 1950 pp. 126–137 11 figs.
- 966.—Mohr, E. Ein Hautstück der Stellerschen Seekuh, *Rhytina gigas* Zimm. 1780. Zool Anz. 145 1950 pp. 181–185 6 figs.
- 967.—Mohr, E. Kleine Zahnbeobachtungen im Zoologischen Garten. Zool. Garten. Leipzig 17 1950 pp. 84–87 7 figs.
- 968.—Mohr, E. Behaarung und Haarwechsel der Robben. Neue Ergeb. Probleme Zool. (Klatt-Festschrift) Leipzig 1950 pp. 602–614 6 figs.
- 969.—Mohres, F. P. Zur Orientierung der Fledermäuse. Nat. u. Volk 80 1950 pp. 153–161 4 figs.
- 970.—Mohres, F. P. Zur Funktion der Nasenaufsätze bei Fledermäusen. Naturwissenschaften Berlin 37 1950 p. 526 1 fig.
- 971.—Mohres, F. P. and Oettingen-Spielberg, T. zu. Versuche über die Nahorientierung und das Heimfindevermogen der Fledermäuse. Herre. Verh. Deuts. Zoologen in Mainz 1949, Leipzig (Geest and Portig) 1950 pp. 248-252 l fig.
- 972.—Montagna, W. Perinuclear sudanophil bodies in mammalian epidermis. Quart. J. micr. Sci. London 91 1950 pp. 205–208 l pl. 1 fig.
- 973.—Montagna, W. and Chase, H. B. Redifferentiation of sebaceous glands in the Mouse after total extirpation with methylcholanthrene. Anat. Rec. 107 1950 pp. 83-91 6 figs.
- 974.—Montagu, M. F. A. A hybrid Gibbon. J. Mammal. Baltimore 31 1950 pp. 150-153.
- 975.—Moojen, J. "Echimys (Phyllomys) Kerri" n. sp. (Echimyidae, Rodentia). Rev. Brasil. Biol. 10 1950 pp. 489-492 5 figs.
- 976.—Moojen, J. Sôbre "Callithrix aurita" (E. Geoffroy, 1812) (Callithricidae, Primates). Rev. Brasil. Biol. 10 1950 pp. 501–502.

- 977.—Moore, W. R. Roaming Africa's unfenced zoos. Nat. Geogr. Mag. 97 1950 pp. 353-380 24 figs.
- **978.**—**Moore**, S. J. The speed of animals. Field London **195** 1950 p. 600 1 fig.
- 979.—Moorehouse, S. Martindale Deer Forest. Field London 195 1950 p. 794.
- 980.—Moorhouse, S. Cadzow Wild Cattle. Field London 195 1950 p. 639 2 figs.
- 981.—Morales-Agacino, E. Notes sur les phoques-moines (Monachus monachus Herm.) du littoral saharien espagnol. Mammalia Paris 14 1950 pp. 1-6 2 pls. 1 fig.
- 982.—Moret, L. Nouvelles trouvailles de restes de Rhinocérides (Acerotherium Filholi Osborn) dans l'Oligocène des Déserts (Savoie). Trav. Lab. Geol. Univ. Grenoble 24 1944, pp. 68–76 2 pls. 2 figs.

Morgan, B. B. vide Lombard.

Morgan, B. B. vide Weber.

- 983.—Morgan, W. C. A new tail-short mutation in the mouse whose lethal effects are conditioned by the residual genotypes. J. Hered. 41 8 1950 pp. 208-215 3 figs.
- 984.—Mori, T. and Saiki, M. Properties of fats and oils contained in various parts of a Sperm Whale body. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 79-84.
- 985.—Moricard, R. Penetration of the spermatozoa in vitro into the mammalian ovum oxydo potential level. Nature, London 165 1950 p. 763.

Moritz, P. vide Botar.

- 986.—Morris, B. The structure of the foetal yolk-sac splanchnopleur of the rabbit. Quart. J. Micr. Sci. London 91 3 1950 pp. 237-249 9 figs.
- 987.—Morrison-Scott, T. C. S. and Sawyer, F. C. The identity of Captain Cook's Kangaroo. Bull. Brit. Mus. Nat. Hist. Zool. 1 1950 pp. 43-50 3 pls.
- 983.—Moses, S. T. Notes on two whales stranded in Baroda State, Orca at Aramda in 1943, and Balaena at Gajana in 1944. Proc. Indian Sci. Congr. 34th 1948 3 p. 188.

- 989.—Moussa, T. A. and Gatenby, J. B. Neutral red and the Golgi apparatus of sympathetic neurones and the Zernicke microscope, with a note on the Palade-Claude mash cytology. Cellule 53 1950 pp. 269-284 1 pl. 6 figs.
- 990.—Moutschen, J. Quelques particularités héréditaires du chat siamois. Nat. Belges 31 1950 pp. 200– 203 3 tables.
- 991.—Muller, E. Zur Anatomie des Robbenherzens. (Untersuchungen an Seebär, Seehund und See-Elefant.) Gegenbaurs Jb. 85 1940 pp. 59-90 8 figs.
- 992.—Muller-Using, D. Uber die wirtschaftliche Bedeutung einiger Jagdtiere in Deutschland. Remane and others, Verh. Deuts. Zool in Kiel 1948, Leipzig (Geest and Portig) 1949 pp. 301-308 4 figs 2 tabs.

Musacchia, X. J. vide Wilber.

- 993.—Myer, K. G. The Hare. Zoo Life London 5 1950 pp. 85–86.
- 994.—Nachtsheim, H. Vergleichende Untersuchungen über erbliche Blutkrankheiten bei Mensch und Tier. Herre. Verh. Deuts. Zoologen in Mainz 1949, Leipzig (Geest and Portig) 1950, p. 39.
- 995.—Nachtsheim, H. The pelgeranomaly in man and rabbit. A mendelian character of the nuclei of the leucocytes. J. Hered. 41 5 1950 pp. 131-137 5 figs.
- 996.—Nakamura, M. Tularemia in the Jumping Mouse. J. Mammal. Baltimore 31 1950 p. 194.
- 997.—Nares, R. L. Grey Squirrels. Field London 195 1950 p. 562.

Natsume, Y. vide Akiba.

- 998.—Neal, E. Animals that move in the night. Ill. London News 216 1950 p. 220 3 figs.
- 999.—Neal, E. Badgers at play. Country Life, London 107 1950 pp. 1874—1875 3 figs.
- 1000.—Neander, A. Hasselmusfynd i Almeboda socken, Kronobergs län. Fauna och Flora, Uppsala 5–6 1950 pp. 177–188 3 figs 1 map.
- 1001.—Negus, N. C. Fluctuation in the population of Neotoma cinerea

(Woodrat) in Jackson Hole, Wyoming. J. Mammal. Baltimore 31 1950 pp. 196– 197.

1002.—Negus, N. C. Habitat adaptability of *Phenacomys* in Wyoming. J. Mammal. Baltimore 31 1950 p. 351.

1008.—Negus, N. C. Breeding of three-year-old females in the Jackson Hole Wildlife Park Buffalo herd. J. Mamm. Baltimore, 31 1950 p. 463.

1004.—Negus, V. E. The comparative anatomy and physiology of the larynx. London 1949 pp: xix+230 191 figs.

Neill, W. T. vide Allen.

1005.—Neuhaus, W. Versuche zur Richtungsorientierung bei Mäusen. Remane and others, Verh. Deuts. Zool. in Kiel 1948, Leipzig (Geest and Portig) 1949 pp. 365–371, 1 fig.

1006.—Neuhaus, W. Versuche über die Richtungsorientierung mit normalen und blinden Mäusen. Z. Tierpsychol. Berlin 7 1950 pp. 380–402 5 figs.

1007.—Newman, G. Stoat's nest. Field London 196 1950 p. 340 1 fig.

1008.—Nichols, J. T. Additional data on the occurrence of Dail's Porpoise. J. Mammal. Baltimore 31 1950 p. 99.

1009.—Nicholson, A. J. A record of the Spotted Bat (*Euderma maculata*) for Montana. J. Mammal. Baltimore 31 1950 p. 197.

Nicholson, A. J. vide Sanborn.

1010.—Nicholson, H. P. and Vetter, M. H. A lethal trap for capturing small mammals with their ectoparasites.
J. Parasit. Lancaster, Pa. 36 1950 pp. 235-237 1 fig.

1011.—Niethammer, G. Zur Jungenpflege und Orientierung der Hausspitzmaus (*Crocidura russula* Herm.). Bonn. zool. Beitr. 1 1950 pp. 117–125 1 fig.

1012.—Niort, P. L. Ecologie des pipistrelles; une interessante population observee en Loire-Inferieure. Mammalia, Paris 14 1950 pp. 29-35.

1013.—Niort, P.-L. Une femelle en gestation de *Suncus etruscus*, Mammalia Paris 14 1950 pp. 98-102.

1014.—Niort, P. L. Capture de Delphinapterus leucas Pallas (Cétacé odontocète) dans la Loire-inférieure. Bull. Soc. 2001. Fr. 74 1950 pp. 244–246.

1015.—Nishiwaki, M. Determination of the age of Antarctic Blue and Fin Whales by the colour changes in crystalline lens. Sci. Rep. Whales Res. Inst. Tokyo 4 1950 pp. 115-161 34 figs.

1016.—Nishiwaki, M. Age characteristics in baleen plates. Sci. Rep. Whales Res. Inst. Tokyo 4 1950 pp. 162–183 17 figs.

1017.—Nishiwaki, M. On the body weight of Whales. Sci. Rep. Whales Res. Inst. Tokyo 4 1950 pp. 184–209 19 figs. 1 tab.

1013.—Nishiwaki, M. and Hayashi, K. Biological survey of Fin and Blue Whales taken in the Antarctic season 1947-48 by the Japanese fleet. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 132-190 59 figs.

Nogueira, P. vide Trincao.

Nouvel, J. vide Urbain.

1019.—Oakley, K. P. and Hoskins, C. R. New evidence on the antiquity of Piltdown man. Nature London 165 1950 pp. 379-382.

1020.—Oberjohann, H. Meine Tschadsee-Elefanten. Hamburg (Hans Dulk) 1948, 220 pp., 19 figs.

1021.—[Obolenski, S. I.] [Use of ecological data for rodent control.] Bull. Soc. Nat. Moscow (Biol.) 55 2 1950 pp. 17-20. [In Russian.]

1022.—Oboussier, H. Zur Frage des Einflusses der Domestikation auf die Hypophyse des Schweines. Zool. Anz. Leipzig 141 1943 pp. 1–27 1 fig.

1023.—Oboussier, H. Uber die Grossenbeziehungen der Canidenhypophyse. Remane and others, Verh. Deuts. Zool in Kiel 1948, Leipzig (Geest and Portig) 1949 pp. 103–109 3 figs.

- 1024.—Oboussier, H. Uber Unterschiede des Hirnfurchenbildes beim Hunde. Herre. Verh. Deuts. Zoologen in Mainz 1949, Leipzig (Geest & Portig) 1950, pp. 109-114 4 figs.
- 1025.—O'Connor, J. M. Fatty acid and the influence of temperature on the oxygen consumption of animal tissue. Proc. R. Irish Acad. 53B 1950 pp. 42-44.
- 1026.—O'Connor, J. M. and McKeever W. P. The influence of temperature on mammalian tissue oxidation and its relation to the normal body temperature. Proc. R. Irish Acad. 53B 1950 pp. 33-41.
- 1027.—Oelckers, F. Beiträge zur Kenntnis der Zwergantilopinen. Zool. Garten Leipzig, 17 1950, pp. 141–152, 16 figs.

Oettingen-**S**pielberg, T. zu *vide* Möhres.

- 1028.— Ogawa, T. and Shida, T. On the sensory tubercles of lips and of oral cavity in the Sei and the Fin Whales. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 1-16 9 figs.
- 1029.—Ogney, S. I. The Mammals of U.S.S.R. and adjacent countries. Vol. VII. Rodentia (continued). Microtinae. Moscow 1950 pp. 1-707 347 figs. 10 col. pls. 15 maps.
- 1030.—[Ognev, S. I.] [New data on rats (Rattus) of the Far East.] Bull. Soc. Nat. Moscow (Biol.) 55 2 1950 pp. 15-16. [In Russian.].
- 1031.—Ogston, A. G., Stanier, J. E., Toms, B. A. and Strawbridge, D. J. Elastic properties of ox synovial fluid. Nature London 165 1950 p. 571.
- 1032.—Ohe, T. Distribution of red marrow in bones of the Fin Whale. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 17-22 1 fig.
- 1033.—Olberg, G. Uber die Lebensweise des Bibers in Südnorwegen. Nat. u. Volk 80 1950 pp. 57-66 10 figs.
- 1034. Olds, J. M. Notes on the Hooded Seal (*Cystophora cristata*). J. Mammal. Baltimore 31 1950 pp. 450–452.
- 1035.—Olive, J. R. An extension of range of the Hairy-tailed Mole, Para-

- scalops breweri (Bachman). J. Mammal. Baltimore 31 1950 pp. 458-459.
- 1036.—Olive, J. R. Some parasites of the prairie mole, *Scalopus aquaticus machrinus* (Rafinèsque). Ohio J. Sci. 50 1950 pp. 263–266.
- 1037.—Oloff, H.-B. Die biologischen und ökologischen Ursachen der Schwarzwildmassenvermehrung. Herre. Verh. Deuts. Zoologen in Mainz 1949, Leipzig (Geest & Portig) 1950 pp. 344—348.

Oloufa, M. M. vide Baker.

- 1038.—Olsen, R. The fluorine content of some Miocene horse bones. Science Laneaster Pa. 112 1950 pp. 620-621.
- 1039.—Olson, Jr., A. C. Ground Squirrels and Horned Larks as predators upon grunion eggs. Calif. Fish Game 36 1950 pp. 323–327 2 figs.
- 1040.—[Olsufyev, N. and Dunaeva, T.] [Susceptibility of some insectivora to tularemia.] Zool. J. Moscow 29 1 1950 pp. 82-92. [In Russian.]
- 1041.—Omura, H. On the body weight of Sperm and Sei Whales located in the adjacent waters of Japan. Sci. Rep. Whales Res. Inst. Tokyo 4 1950 pp. 1-13 10 figs 3 tabs.
- 1042.—Omura, H. Diatom infection on Blue and Fin Whales in the Antarctic Whaling Area V (The Ross Sea Area). Sci. Rep. Whales Res. Inst. Tokyo 4 1950 pp. 14–26 19 figs. 7 tabs.
- 1043.—Omura, H. Whales in the adjacent waters of Japan. Sci. Rep. Whales Res. Inst. Tokyo 4 1950 pp. 27–113 71 figs 48 tabs.
- 1044.—O'Neill, T. The Muskrat in the Louisiana coastal marshes; a study of the ecological, geological, biological, tidal and climatic factors governing the production and management of the Muskrat industry in Louisiana. New Orleans 1949 pp. xii+152 61 figs. [N.V.]

Orkin, P. A. vide Cameron.

- 1045.—Orr, R. T. Early records of Californian mammals. J. Mammal. Baltimore 31 1950 p. 362.
- 1046.—Orr, R. T. Additional records of *Ursus californicus*. J. Mammal Baltimore 31 1950 pp. 362-363.

- 1047.—Orr, R. T. Unusual behaviour and occurrence of a Hoary Bat. J. Mammal. Baltimore 31 1950 pp. 456-457.
- 1048.—Orr, R. T. Notes on the seasonal occurrence of Red Bats in San Francisco. J. Mammal. Baltimore 31 1950 pp. 457-458.
- der Verwendung einer Wangendrüse zum Einfetten des Felles bei Arvicola amphibius. Herre. Verh. Deuts. Zoologen in Mainz 1949, Leipzig (Geest & Portig) 1950 pp. 337–341 6 figs.
- 1050.—Osmaston, B. B. The large Red Flying Squirrel—Pteromys inornatus, Geoffroy. J. Bombay nat. Hist. Soc. 49 1950 pp. 114-116.
- 1051.—Osogoe, B. Transplantation of hematopoietic tissues into the circulating blood. I. Experiments with lymph nodes in normal rabbits. Anat. Rec. 107 1950 pp. 193–219 3 pls. 2 figs 2 tabs.
- 1052.—Ottaviani, G. Il sistema linfatico dell' istrice (Hystrix cristata) e del mara (Dolichotis patagonica). Gegenbaurs Jb. 88 1942 pp. 148–224 18 figs.
- 1053.—Ottaviani, G. II sistema linfatico del Capibara (Hydrochoerus capibara). Contributo al sistema linfatico dei Roditori—Parte VIII. Arch. zool. (ital.) Napoli 35 1950 pp 361-410 8 pls.
- 1054.—Ottestad, P. On age and growth of Blue Whales. Hvalr. Skrift. Oslo 33 1950 pp. 67-72 2 figs.
- 1055.—Overzier, C. Uber die Einwirkung des Desoxycorticosteronacetats auf die Nebennieren hypophysektomierter und kastrierter männlicher weisser Ratten. Z. mikr-anat. Forsch. 56 1950 pp. 267–326 8 figs.

Owen, J. S. vide Jackson.

- 1056.—Packchanian, A. Relative immunity of the American Forest Deer Mouse, Peromyscus leucopus noveboracensis, against hyperinfection and reinoculations with Trypanosoma brucei. Amer. J. trop. Med. Baltimore 30 1950 pp. 17–26.
- 1057.—Padour, L. Differenzen endokriner Drüsen bei Säugetieren

- verschiedener Körpergrosse mit besonderer Berücksichtigung der langerhansschen Inseln. Zool. Jahrb, Jena (Allg. Zool.) 62 1950 pp. 120–137, 33 figs.
 - Paesi, F. J. A. vide Graaf.
- 1058.—Pagast, F. Zur Kenntnis der Gattung Sicista Gray. Zool. Jahrb. Jena (Syst.) 79 1950 pp. 87–92, 1 fig.
- 1059.—Paiva, O. M. and D'Errico, A. A. Distance from the papilla duodeni hepatica to the papilla duodeni pancreatica in Brahman crossbreds. Rev. Fac. Med. vet. S. Paulo 4 1 1949 pp. 5–26.
- 1060.—Palmer, E. M. The extinct Cape Lion. African Wild Life Johannesburg 4 1950 pp. 11-13 1 fig.
- **1061.—Palmer,** R. Mammals. Bedford Nat. No. 4 1950 p. 49.
- 1062.—Pan, I. del. Observaciones geológicas sobre el yacimiento logroñés con *Elephas antiquus* Falc. Bol. Soc. esp. Hist. nat. 48 Geol. 1 1950 pp. 29–41 6 pls. 2 figs.
- 1063.—Pannekoek, A. J. The stratigraphy of the pre-Riss Pleistocene in the Netherlands. General summary. Geol. Mijnbouw The Hague 12 1 1950 pp. 50-56.
- 1064.—Pao-Shan Cheng. A preliminary study of the five-toed jerboa Allactaga sibirica annulata (Milne Edwards). Peking nat. Hist. Bull. 16 1948 pp. 247–251 l pl.
- 1065.—Papp, A. and Thenius, E. Uber die Grundlagen der Gliederung des Jungtertiärs und Quartärs in Niederösterreich unter besonderer Berücksichtigung der Mio-Pliozän-und Tertiär-Quartär-Grenze. Sitz Ber. öst. Akad. Wiss-Wien Abt. I 158 1949 pp. 763–787.

Pardoe, W. J. vide Ashton.

Parsons, D. S. vide Fisher.

- 1066.—Pata, O. Nuove osservazioni e ricerche presso il giacimento di ossa fossili a Villafranca Tirrenò (Messina). Atti. Acc. peloritana Messina 47 1945 pp. 19–24.
- 1067.—Paulsen, H. B. International Whaling Commission. Second meeting

in Oslo 17th-21st July, 1950. Norsk. Hvalf-Tidende Sandefjord 39 1950 pp. 401-409.

Paulsen, H. B. vide Jahn.

Paulus, M. vide Bayol.

1068.—Pearson, J. A further note on the female urogenital system of Hypsiprynnodon moschatus (Marsupialia). Pap. roy. Soc. Tasm. 1949 1950 pp. 203–209 4 figs.

1069.—Pearson, J. The relationships of the Potoroidae to the Macropodidae (Marsupialia). Pap. roy. Soc. Tasm. 1949 1950 pp. 211-229 21 figs.

1070.—Pearson, O. P. Keeping Shrews in captivity. J. Mammal. Baltimore 31 1950 pp. 351-352.

1071.—Pearson, O. P. The submaxillary glands of shrews. Anat. Rec. 107 1950 pp. 161–169 1 fig. 1 pl.

1072.—Peatfield, E. M. Chillingham Wild Cattle. Field London 196 1950 p. 1010.

1673.—Peck, E. D. and Sawin, P. B. Morphogenetic studies of the Rabbit. VIII. Genetic variations in the sternum as determined by the interaction of general and of regionally specific growth factors. J. exp. Zool. Philadelphia 114 1950 pp. 335-357 2 figs.

1074.—Pedersen, T. Studies in whale oils. On the content of saturated fatty acids in whale oils. Hvalrad, Skr. 34 1950 pp. 1-64 4 figs.

1075.—Peeters, G. and Massart, L. Artificial lactation and perfusion of the bovine mammary gland. Research London 3 1950 pp. 217-221 2 figs.

Pegelman, S. G. vide Polyakov.

Penner, L. R. vide Kolly.

1076.—Penney, J. T. Distribution and bibliography of the mammals of South Carolina. J. Mammal. Baltimore 31 1950 pp. 81–89.

1077.—Pereira, C. Combate dos ratos. Biologico, S. Paulo 15 4 1949 pp. 74–78.

Perlowagora, A. vide Hughes.

1078.—Perry, R. Animal mentality
—The Red Deer. Ill. London News 216
1950 p. 466 2 figs.

1079.—[Person, R. S.] [Stomachi secretion during the winter sleep as at factor regulating alcaline-acid balance in blood.] C.R. Acad. Sci. Moscowt N.S. 72 1950 pp. 989-992 2 diagrams.: [In Russian.]

1080.—Peters, H. Hausratte und Wanderratte. Herre. Verh. Deuts. Zoologen in Mainz. 1949, Leipzig (Geest & Portig) 1950 pp. 330-336 5 tabs.

Peterson, A. C. vide Hard.

1081.—Peterson, A. W. Backward swimming of the Muskrat. J. Mammal. Baltimore 31 1950 p. 453.

1082.—Peterson, R. L. A new subspecies of Moose from North America, Occ. Pap. Royal Ontario Mus. Zool. Toronto 9 1950 pp. 1-7 2 figs.

1083.—Petrides, G. A. The determination of sex and age ratios in fur animals. Amer. midl. Nat. Notre Dame 43 1950 pp. 355-382 9 figs.

1084.—Petrides, G. A. A fundamental sex difference between Lagomorphs and other placental mammals. Evolution Lancaster Pa. 4 1950 p. 99.

1085.—Petrie, J. Stoats and Rabbits. Field London 195 1950 p. 602.

1086.—Petrie, J. Courage of Stoats. Field, London 196 1950 p. 225.

1087.—Petter, C. Capture d'une Pachyure etrusque en Charente. Mammalia Paris 14 1950 p. 183.

1088.—Petter, F. La determination experimentale du sexe chez les Mammifères. Mammalia Paris 14 1950 pp. 49-77.

Petter, F. vide Bourdelle.

1089.—Petzsch, H. Uber Warn—und Drohreaktionen, Imponiergehaben, Schreckstellung und Flucht des Hamsters (Cricetus cricetus L.). Z. Tierpsychol. Berlin 7 1950 pp. 293–295 2 figs.

1090.—Petzsch, H. Zur Frage des Vorkommens ungefleckter albinotischer Giraffen. Zool. Garten. Leipzig 17 1950 pp. 44-47 2 figs.

1091.—Philippe, L. Le renard roux Vulpes fulva fulva (Desmarest) et son influence écologique et (conomique

durant la saison hivernale sur une partie de l'île de Montréal. Nat. canad. Québec 77 1950 pp. 5-43 12 figs.

Phillips, R. S. vide Carter.

Phillips, W. M. vide Buxton and Lockley.

1092.—Phillips, W. W. A. On the young of the Ceylon Rusty-Spotted Cat (*Prionailurus rubiginosus phillipsi*, Pocock). J. Bombay nat. Hist. Soc. 49 1950 pp. 297–298.

Pickard, R. J. vide Kelly.

1093.—Pickford, P. Rats preying on worms. Country Life London 107 1950 p. 1644.

1094.—Pieper, A. Uber besondere Nervenbildungen im Epithel der beim Saugakt des Säuglings beteiligten Mundpartien. Anat. Anz. Jena 96 1947 pp. 210–220 6 figs.

Piette, G. vide Urbain.

1095.—Pike, O. G. Wild Animals in Britain. London 1950 (MacMillan & Co.) pp. xii, 231 8 pls.

Pilgrim, A. F. vide Gray.

1096.—Pill, A. L. A bat anomaly. Cave Science 2 1950 p. 224.

1097.—Pitman, C. R. S. Annual Report of the Game Department (Uganda Protectorate) for 1948. Entebbe 1950 pp. 1–73.

1098.—Pitman, C. R. S. Annual Report of the Game Department (Uganda Protectorate) for 1949. Entebbe 1950 pp. 1-71.

Plane, P. vide Malméjac.

1099. Pohle, H. Zur Saugetiergeographie der Kleinen Sundainseln. O. Kleinschmidt Syllegomena Biologica Leipzig 1950 pp. 319–346 3 figs 5 tabs.

1100.—Poles, W. E. Black Lechwe of the great swamps. African Wild Life Johannesburg 3 1950 pp. 294–298 figs.

1101.—Pollack, E. M. Breeding habits of the Bobcat in northeastern United States. J. Mammal. Baltimore 31 1950 pp. 327-330.

1102.—[Polyakov, I. Y.] [Rodents harmful to grass-growing in U.S.S.R.] J. Gen. Biol. Moscow 11 1 1950 pp. 52-72. [In Russian.]

1103.—[Polyakov, I. Y. and Pegelman, S. G.] [Some age peculiarities of *Microtus socialis* Pall. in thermic requirements.] J. Gen. Biol. Moscow 11 1950 pp. 449-461. [In Russian.]

Pompiaskinsky-Kobozieff, N. vide Kobozieff.

1104. Ponder, E. A quantitative study of the fragmentation and haemolysis of mammalian red cells by heat. J. exp. Biol. Cambridge 27 1950 pp. 198–209 3 figs.

1105.—[Popov, N. F.] [The nervous centres and their role of regulation of tissue processes.] Bull. Acad. Sci. Moscow Biol. 6 1950 pp. 124–136 10 figs. [In Russian.]

Popovich, V. vide Vidovich.

1106.—Porter, R. D. Belding Ground Squirrel in northwestern Utah. J. Mammal. Baltimore 31 1950 p. 198.

1107.—Portmann, A. Der Zahn als Objekt vergleichend—biologischer Forschung. Verh. naturf. Ges. Basel 61 1950 pp. 114–127.

1108.—Portmann, A. and Wirz, K. Die cerebralen Indices beim Okapi. Acta Tropica Basel 7 1950 pp. 120-122.

1109.—Postel, E. Un phoque tropical: le phoque moine. Nature Paris No. 3187 1950 pp. 341-342 5 figs.

Potter, J. M. vide McDonald.

1110.—Pournelle, G. H. Mammals of a north Florida swamp. J. Mammal. Baltimore 31 1950 pp. 310-319 1 fig.

1111.—Pournelle, G. H. Two new mammal records from the vicinity of Welaka, Putnam County, Florida. J. Mammal. Baltimore 31 1950 pp. 361-362.

1112.—Praeger, R. L. Natural History of Ireland. London 1950 pp. 350. [Mammals, pp. 177–192.]

1113.—Prag, P. Transfer of Reindeer. Field London 195 1950 p. 641.

1114.—Prawochenski, R., Domanski, A. and Kozlonski, L. L'effort normal de traction chez le cheval. Ann. Univ. M.C.-Sklodowska Lublin 5E 4 1950 pp. 85-104 1 fig.

- 1115.—Prell, H. Das Grunzrind (Bos grunniens L.) im Schrifttum der Griechen und Römer. Zool. Garten Leipzig 17 1950 pp. 129–138.
- 1116.—Preuss, F. Das breite Beckenband des Schweines. Anat. Anz. Jena 96 1948 pp. 461–487 5 figs.
- 1117.—Prey, U. Beobachtungen an den Orangs des Zirkus Krone (München). Zool. Garten Leipzig 17 1950 pp. 52-60 5 figs.
- 1118.—Price, L. I. and Couto, C. de P. Vertebrados terrestres do Eoceno na bacia calcare a de Itaborai (resumo da tese apresentada ao II Congresso Panamericano de Engenharia de Minas e Geologia realizado no Rio de Janeiro, em Outubro de 1946). Mineracao e Metalurgia 11 64 1946 pp. 212-213.
- 1119.—Proano, J. F. and Samaniego, A. C. El mastodonte del Chimborazo Resumen. Bol. Inform. cient. Nazion. Quito 3 1950 pp. 628-629.
- 1120.—Pujiula, P. J. Datos bionomicos sobre el tracto utero—vaginal de algunos mamiferos. Rev. Acad. Madrid 43 1949 pp. 421-426 7 pls.
- 1121.—Pullig, T. Inheritance of whorls in cocker spaniels. A preliminary report. J. Hered. 41 9 1950 pp. 239-242 3 figs.
- 1122.—Purdy, D. M. and Hillemann, H. H. Volume changes in the amniotic fluid of the Golden Hamster (*Cricetus auratus*). Anat. Rec. 106 1950 pp. 571-575.
- 1123.—Purdy, D. M. and Hillemann, H. H. Prenatal mortality in the Golden Hamster (Cricetus auratus). Anat. Rec. 106 1950 pp. 577-583 2 figs.
- 1124.—Purdy, D. M. and Hillemann, H. H. Changes in the weights of placental tissue per embryo for each day of gestation in the Golden Hamster (Criccius auraius). Anat. Rec. 106 1950 pp. 585-590 1 fig.
- 1125.—Purdy, D. M. and Hillemann, H. H. Prenatal growth in the Golden Hamster (*Cricetus auratus*). Anat. Rec. 106 1950 pp. 591–597 2 figs.
- 1126.—Radice, J. C. Anatomie microscopique d'un embryon de rorqual (Balaenoptera). C.R. 13e Congr. int. Zool. Paris 1948 [1949] p. 281.

- 1127.—Ralph, P. H. The surface structure of the gall bladder and intestinal epithelium of man and monkey. Anat. Rec. 108 1950 pp. 217-225 2 pls.
- 1128.—Ramakrishna, P. A. Parturition in certain Indian bats. J. Mammal. Baltimore 31 1950 pp. 274–278 1 pl.
- 1129.—Rand, R. W. Studies on the Cape Fur-Seal (Arctocephalus pusillus Schreber). 1. Age-grouping in the female ff. i+16 3 pls. 2. Attendance at the rookery ff. i+19 2 pls. 3. Age-grouping in the male ff. i+23+6 4 pls. Cape Town (Dept. of Agriculture) Govt. Guano Islands Admin. Progress Rep. 1949.
- 1130.—Rand, R. W. On the milk dentition of the Cape Fur Seal. J. dent. Soc. S. Africa Oct. 15 1950 10 pp. 8 figs.
- 1131.—Ratcliff, P. W. Grey Squirrels. Field London 195 1950 p. 762.
- 1132.—Rausch, R. Notes on microtine rodents from the Brooks Range, Arctic Alaska. J. Wash. Acad. Sci. 40 1950 pp. 133-136.
- 1133.—Rausch, R. Notes on the distribution of some Arctic mammals. J. Mammal. Baltimore 31 1950 pp. 464-466.
- 1134.—Raven, C. P. Electron microscopy of bull sperm. C.R. 13e Congr. int. Zool. Paris 1948 [1949] p. 225.
- 1135.—Raven, H. C. and others. The Anatomy of the Gorilla. H. C. Raven Memorial Volume, Amer. Mus. Nat. Hist. and Columbia Univ. 1950 pp. 259 116 pls.
- 1136.—Rawlinson, H. E. The use of an iron stain for the study of alveolar development in the mouse mammary gland. Canad. J. Res. Ottawa 28E 1950 pp. 1-4 1 pl.
- 1137.—Raynaud, A. Etat de développement de l'appareil génital des mulots (*A podemus sylvaticus* L.) au cours des différentes saisons de l'année. C.R. Soc. Biol. Paris 144 1950 pp. 938-940.
- 1138.—Raynaud, A. Variations saisonnières des organes génitaux des mulots (Apodemus sylvaticus L.) de

- sexe mâle. Données pondérales et histologiques. C.R. Soc. Biol. Paris 144 1950 pp. 941-945.
- 1139.—Raynaud, A. Action des facteurs externes sur le développement de l'appareil génital des mulots (Apodemus sylvaticus L.). C.R. Soc. Biol. Paris 144 1950 pp. 945-948.
- 1140.—Raynaud, A. Morphologie comparée des ébauches mammaires de quelques foetus de rongeurs. Bull Soc. 2001. Fr. 74 1950 pp. 253–277 4 figs.
- 1141.—Reed, C. A. A preliminary announcement of a new mammalian fossil locality in the Pliocene of Arizona. Plateau Flagstaff Arizona 22 1950 pp. 75–77.
- 1142.—Reig, O. A. Sobre nuevos restos de roedores del genero *Isomyopotamus* Rov. An. Soc. cient. argent Buenos Aires 149 1950 pp. 108–118 2 figs.
- 1143.—Reiter, A. Eine seltene Gefassanomolie im Bereich der Halsschlagadern bei einem Kaninchen (Lepus cuniculus). (Fehlen der Arteria carotis communis sinistra.) Anat. Anz. Jena 95 1944 pp. 59-62 1 fig.
- 1144.—Rensch, B. Die paläontologischen Evolutionsregeln in zooogischer Betrachtung. Biol. gen. 17 1943 pp. 1–55 7 figs.
- 1145.—Rensch, B. Beobachtungen an einem Fenek, Megalotis zerda Zimm. Zool. Garten Leipzig 17 1950 pp. 30–40 3 figs.
- 1146.—[Reshetnik, E. G.] [Systematics and geographical distribution of *Citellus* in Ukraine.] Trud. Inst. Zool. Akad. Nauk. Ukr. R.S.R. 1 1948 pp. 84-113. [In Russian.]
- 1147.—Reventlow, A. The growth of our Giraffes and Giraffe-calves. Bijdr. Dierk. 28 1949 pp. 394–396 1 fig. 1 pl.
- 1148.—Rewell, R. E. Report of the Society's Pathologist for the year 1948. Proc. Zool. Soc. London 119 1950 pp. 791–802.
- 1149.—Rewell, R. E. Hypertrophy of sebaceous glands on the snout as a secondary male sexual character in the Capybara, *Hydrochoerus hydrochoeris*. Proc. Zool. Soc. London 119 1950 pp. 817–819 1 pl.

- 1150.—Rewell, R. E. Report of the Society's Pathologist for the year 1949. Proc. Zool. Soc. London 120 1950 pp. 485-495.
- 1151.—Reynolds, H. G. Relation of Merriam kangaroo rats to range vegetation in Southern Arizona. Ecology Lancaster Pa. 31 3 1950 pp. 456-463 figs. tables.
- 1152.—Richmond, N. D. and Grimm, W. C. Ecology and distribution of the Shrew *Sorex dispar* in Pennsylvania. Ecology, Brooklyn, 31 1950 pp. 278–282 1 fig.
- 1153.—Richmond, N. D. and Roslund, H. R. The Woodrat, Neotoma magister, in Venango County, Pennsylvania. J. Mammal. Baltimore 31 1950 p. 198.

Richter, D. vide Dawson.

1154.—Riedel, J. Die Bisamratte, Fiber zibethicus L., als Muschelfresser. Zool. Gart. Lpz. 16 1950 p. 203.

Riga, J. T. vide Ghetie.

1155.—Riley, K. S. Red Squirrels. Field London 196 1950 p. 186.

Rinjard, J. vide Urbain.

- 1156.—Rinker G. C. and Hooper, E. T. Notes on the cranial musculature in two subgenera of *Reithrodontomys* (Harvest Mice). Occ. Pap. Mus. Zool. Univ. Michigan 528 1950 pp. 1-11 1 pl.
- 1157.—Ritchie, A. T. A. Notes on game control in Kenya Colony based on the experience of the last 25 years. Proc. & Pap. Internat. tech. Conf. Protect Nature, Paris 1949 1950 pp. 445–450.
- 1158.—Ritchie, J. Some Scottish animals of the past. Scot. Zoo Wildlife Edinb. 2 1950 pp. 146-151.
- 1159.—Rittinghaus, H. Seehunde an unserer Nordsee-Kuste. Natur. u. Volk 80 1950 pp. 275–277 2 figs.

Robb, J. S. vide Baird.

Roberts, B. vide Williams.

- 1160.—Roberts, E. Reindeer. Zoo Life. London 5 1950 pp 122-125 3 figs.
- 1161.—Roberts, E. J. The story of our cattle, London 1950 (Evans Bros. Ltd. Young Farmers' Club Booklet No. 22) 48 pp. 38 figs.

1162.—Roberts, F. L. India's Wild Dogs. Field London 195 1950 p. 588.

1163.—Roberts, J. E. The badger. Proc. Chester Soc. nat. Sci. **3** 1950 pp. 149–151.

1164.—Roberts, J. I. An experiment in hydrocyanic acid gas fumigation as a control measure against plague. J. trop. Med. London 53 1950 pp. 156-162.

Roberts, J. H. vide Werner.

1165.—Robertson, A. Some observations on experiments with identical twins in dairy cattle. J. Genetics London 50 1950 pp. 32–35.

Robertson, W. B. vide Miller.

1166. Robinette, W. L. and Gashwiler, J. S. Breeding season, productivity and fawning period of the Mule Deer in Utah. J. Wildlife Management Menasha Wis. 14 1950 pp. 457–469. [N.V.]

1167.—Robinson, F. B. and Yoffey, J. M. Histochemical changes produced by cold and adrenaline in the suprarenal cortex of the adult male Rat. J. Anat. London 84 1950 pp. 32–37 2 pls.

Robinson, J. T. vide Broom.

Rode, P. vide Urbain.

Rogers, H. J. vide Weidman.

1168.—Romer, A. S. Time series and trends in animal evolution. Jepson, G. L., Mayr, E and Simpson, G.G. Genetics, Paleont. and Evol. Princeton N.J. 1949 pp. 103–120 2 figs.

1169.—Romieu, M. and Stahl, A. Cytologie du Thymus du jeune Chat etudiée par la méthode des empreintes. Acta Anat. Basel 10 1950 pp. 267–283 21 figs.

1170.—Roonwal, M. L. Contributions to the fauna of Manipur State, Assam. Part III. Mammals, with special reference to the family Muridae. Rec. Indian Museum 47 1950 pp. 1-64 3 figs 8 pls.

1171.—Rosati, P. Ossa nasali bipartite ed ossa wormiane in *Bos* taurus. Monit. zool. ital. 58 1950 pp. 57–65 2 figs.

1172.—Rose, C. Ferret's change of sex. Field London 196 1950 p. 1136.

1173.—Rosevear, D. R. Rodents of Nigeria. Part II. Squirrels pp. 4-18 7 photos. Part III. Dormice pp. 101-108 2 pls. Part IV. True Rats and Mice pp. 148-172 8 figs. Nigerian Field 15 1950.

Rosicky, B. vide Hanzak.

Roslund, H. R. vide Richmond.

1174.—Ross, S. Some observations on the lair dwelling behaviour of dogs. Behaviour, Leiden 2 1950 pp. 144–162 7 figs.

Rossi, M. vide Malméjac.

1175.—Roth, U. Rangordnung bei Laboratoriumsmäusen. Zool. Garten Leipzig (N.F.) 17 1950 pp. 126–128.

Roth, V. D. vide Walters.

1176.—Rousseau, J. Le Caribou et le Renne dans la toundra Quebecoise. Proc. & Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 pp. 538-539.

1177.—Rowan, W. Winter habits and numbers of Timber Wolves. J. Mammal. Baltimore 31 1950 pp. 167–168.

Rowlands, W. T. vide Brambell.

1178.—Ruffie, The. Increase in Wild Deer. Field London 196 1950 p. 257 1 fig.

1179.—Ruffie, The. Fair Play for the Roe Deer. Field London 196 1950 p. 553 2 figs.

1180.—[Rukovski, N. N.] [Food of Nyctereutes procyonoides Gray in the Astrakhan area.] Bull. Soc. Nat Moscow Biol. 55 5 1950 pp. 33–34. [In Russian.]

1181.—Runner, M. N. and Ladman, A. J. The time of ovulation and its diurnal regulation in the post-parturitional mouse. Anat. Rec. 108 1950 pp. 343-361 2 figs.

1182.—Russell, L. B. X-ray induced developmental abnormalities in the Mouse and their use in the analysis of embryological patterns. 1. External and gross visceral changes. J. exp. zool. Philadelphia 114 1950 pp. 545-601 19 figs.

1183.—Russell, L. S. The Tertiary gravels of Saskatchewan. Trans. roy. Soc. Can. (3) 44 1950 pp. 51-59.

- 1184.—Russell, Sir C. The Apes of Gibraltar. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 22-24 1 pl.
- 1185.—Ruszkowski, J. Herbivorous fauna examined on cereals in Poland in the years 1919–1939. Ann. Univ. M.C.-Skłodowska, Lublin 1950 Suppl. 2E pp. 1–95. [Polish with English summary.]
- 1186.—Ruud, J. T. Investigations of the age of the Blue Whales in the Antarctic pelagic catches 1945–46— 1948–49. Norsk Hvalf-Tid. Sandefjord 39 1950 pp. 245–260.
- 1187.—Ruud, J. T. and Jonsgard, A. Age-studies on Blue Whales taken in Antarctic seasons 1945–46, 1946–47 and 1947–48. Hvalr. Skrift. Oslo 33 1950 pp. 1–63 14 figs.
- 1188.—[Ruzhitch-Petrov, A.] [Contribution to the ecology of Citellus citellus L.] Zbornik Radova Inst. Ekol. Biogeograf Beograd 21 1950 pp. 97–140 23 figs. [In Yugoslav.]
- 1189.—Rzasnicki, A. Beiträge zur Charakteristik des sog. Ward-Zebras. Zool. Anz. Leipzig 135 1941 pp. 257–265 10 figs.

Saiki, M. vide Mori.

1190.—Salinger, H. E. Mating of Muskrats. J. Mammal. Baltimore 31 1950 p. 97.

Samaniego, A. C. vide Proano.

- 1191.—Sanborn, C. C. A Nepal record of the Long-eared Bat (*Plecotus homochrous* Hodgson). Nat. Hist. Miscell. Chicago Acad. Sci. 69 1950 pp. 1–2.
- 1192.—Sanborn, C. C. Small Rodents from Peru and Bolivia. Pub. Mus. Hist. Nat. "Javier Prado" Univ. Nac. Mayor San Marcos. Zool. (A) 5 1950 pp. 1–16.
- 1193.—Sanborn, C. C. New Philippine Fruit Bats. Proc. Biol. Soc. Washington 63 1950 pp. 189–190.
- 1194.—Sanborn, C. C. Chiroptera from Dundo, Lunda, Northeastern Angola. Pub. Cult. Compan. Diamantes Angola, Dundo, No. 10 1950 pp. 51–62 5 figs.
- 1195.—Sanborn, C. C. and Watkins, A. R. Notes on the Malay Tapir and other game animals in Siam. J.

- Mammal. Baltimore **31** 1950, pp. 430-433.
- 1196.—Sanborn, C. C. and Nicholson, A. J. Bats from New Caledonia, the Solomon Islands, and New Hebrides. Fieldiana zool. Chicago 31 1950 pp. 313– 338 6 figs.
- 1197.—Sandegren, R. Mammutfynden fran Ramsele och Solleftea. Geol. Fören, Stockh, Förh. 72 1950 pp. 169–180 text-figs. 1–7.
- 1198.—Sanderson, G. C. Small-mammal population of a prairie grove. J. Mammal. Baltimore 31 1950 pp. 17-25 2 figs.
- 1199.—Sanderson, G. C. Methods of measuring productivity in raccoons. J. Wildlife Management Menasha Wis. 14 1950 pp. 389-402. [N.V.]
- 1200.—Sanderson, I. T. Marmosets, Nature's imps. Zoo Life London 5 1950 pp. 35–39 3 figs.

Sarber, H. R. vide Imler.

- 1201.—Sarmento, A. A. Vertebrados da Madeira 1 (Mamiferos, Aves—Repteis—Batraquios) Edit. 2 Funchal (Junta Geral do Distrito Autónoma do Funchal) 1948 pp. [xii] 317. [Mamm. pp. 1–87.]
- 1202.—Sauter, M.-R. Les Australopithécidés Sud-Africains. Leur position dans la phylogénie humaine. Arch. Sci. Genève 3 1950 pp. 203–220 9 figs.
- 1203.—Sawin, P. B. and Dietz, D. B. Morphogenetic studies of the rabbit. IX. Masking of prenatal growth gradients in adults. Moderne Biologie. Festschr. 60 Geburtstag. H. Nachtsheim Berlin 1950 pp. 215–229 5 figs. tables.

Sawin, P. B. vide Peck.

Sawyer, F. C. vide Morrison-Scott.

- 1204.—Schack, W. Ein zweites Weisses Nashorn im Tiergarten von Pretoria (Südafrika). Natur. u. Volk 80 1950 pp. 49-51 1 fig.
- 1205.—Schafer, Dr. Uber den Schapi (Hemitragus jemlaicus schaeferi). Zool. Anz. Leipzig 145 1950 pp. 247–260 7 figs.
- 1206.—Schantz, V. S. A new Badger from Montana. J. Mammal. Baltimore 31 1950 pp. 90-92.

- 1207.—Schantz, V. S. The Gray Fox in North Dakota. J. Mammal. Baltimore 31 1950 pp. 197–198.
- 1208.—Schantz, V. S. A new race of Badger (*Taxidea*) from eastern Kansas. J. Mammal. Baltimore 31 1950 pp. 346–347.
- 1209.—Schantz, V. S. A new race of Badger (*Taxidea*) from Kansas. J. Wash. Acad. Sci. 40 1950 pp. 92–93.
- 1210.—Schantz, V. S. and Jenkins, J. H. Extension of range of the Roundtailed Muskrat, *Neofiber alleni*. J. Mammal. Baltimore 31 1950 pp. 460-461.
- 1211.—Schaub, S. Los Cricetodontidos del Vallés-Panadés. Estud. Geol. Madrid 6 1947 pp. 55-67 5 figs.
- 1212.—Schaub, S. Revision de quelques Carnassiers villafranchiens du Niveau des Etonaires (Montagne de Perrier, Puy-de-Dôme). Eclog. geol. Helvet. 42 1949 [1950] pp. 492–506 8 figs.
- 1213.—Schaub, S. Uber einen weiteren Fund von Megatherium (? Paramegatherium) rusconii Schaub aus Venezuela. Verh. naturf. Ges. Basel 61 1950 pp. 13–18 1 fig.
- 1214.—Scheffer, T. H. Taxonomic status of the Townsend ground squirrel. Trans. Kansas Acad. Sci. 53 1 1950 pp. 21–22.
- 1215.—Scheffer, V. B. Porpoises assembling in the North Pacific Ocean. Murrelet Seattle 31 1950 p. 16.
- 1216.—Scheffer, V. B. Grizzly Bear killed in Washington. Murrelet Seattle 31 1950 p. 15.
- 1217.—Scheffer, V. B. Growth of the testes and baculum in the Fur Seal, Callorhinus ursinus. J. Mammal. Baltimore 31 1950 pp. 384-394 3 pls. 2 figs.
- 1218.—Scheffer, V. B. Notes on the Raccoon in southwest Washington. J. Mammal. Baltimore 31 1950 pp. 444-448 2 figs.
- 1219.—Scheffer, V. B. The Striped Dolphin, Lagenorhynchus obliquidens Gill 1865, on the coast of North America. Amer. Midl. Nat. 44 1950 pp. 750-758 7 figs.
- 1220.—Scheffer, V. B. Growth layers on the teeth of Pinnipedia as an

- indication of age. Science Lancaster Pa. 112 1950 pp. 309-311 3 figs.
- 1221.—Scheffer, V. B. Experiments in the marking of Seals and Sea-lions. U.S. Dept. Int. (Fish Wildlife Serv.) Spec. Sci. Rep. Wildlife 4 1950 pp. 1–33 13 figs.
- 1222.—Scheffer, V. B. The food of the Alaska Fur Seal. U.S. Dept. Int. (Fish Wildlife Serv.) Wildlife Leaflet 329 1950 pp. 1-16 3 figs.
- 1223.—Scheffer, V. B. The food of the Alaska fur seal. Trans. N. Amer. Wildlife Conf. 15 1950 pp. 410-421 figs. [N.V.]
- 1224.—Scheffer, V. B. Winter injury to young Fur Seals on the Northwest Coast. Calif. Fish Game 36 1950 pp. 378-379 1 fig.
- 1225.—Scheffer, V. B. and Wilke, F. Validity of the subspecies *Enhydra lutris nereis*, the southern sea otter. J. Wash. Acad. Sei. 40 1950 pp. 269–272 1 fig.
- 1226.—Scheidegger, S. Pathologischanatomische Untersuchung des Okapi "Bambe". Beitrag zur Frage der Leberveränderung infolge Helminthiasis. Acta Tropica Basel 7 1950 pp. 133–150 20 figs.
- 1227.—Scheidegger, S. and Wendnagel, W. Eine besondere Erkrankung des Skeletsystems, Osteodystrophia deformans beim Orang. Zool. Gart. Lpz. 16 1949 pp. 66-74 8 figs.
- 1228.—Schein, M. W. The relation of sex ratio to physiological age in the wild rat. Amer. Nat. 84 1950 pp. 489-496.
- 1229.—Schein, M. W. Field test of the efficiency of the rodenticide compound W.A.R.F. 42. Public Hlth. Rep. Wash. 65 11 1950 pp. 368-372 figs.
- 1230.—Schenker, J. Zur funktionellen Anatomie der Prostata des Rindes. Acta Anatomiea Basel 1950 9 pp. 69–102 18 figs.
 - Schepers, G. W. H. vide Broom.
 - Schiffmann, H. vide Botar.
- 1231.—Schlott, M. Zur Kenntnis der Jugendentwicklung des Baribals (Euarctos americanus Pall.). Zool. Garten Leipzig 17 1950 pp. 40–44 1 fig.

- 1232.—Schmidt-Nielsen, B. and K. Evaporative water loss in desert rodents in their natural habitat. Ecology Brooklyn 31 1950 pp. 75–85 figs.
- 1233.—Schmidt-Nielsen, B. and K. Pulmonary water loss in desert rodents. Amer. J. Physiol. Baltimore 161 1950 pp. 31–36 1 fig. [N.V.]
- 1234.—Schmidt-Nielsen, B. and K. Do Kangaroo rats thrive when drinking sea water? Amer, J. Physiol. Baltimore 160 1950 pp. 291–294. [N.V.]
- 1235.—Schneider, K. M. Eine Löwin mit Mähne. Remane and others, Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 463-467 4 figs.
- 1236.—Schneider, K. M. Vom Kennzeichnen und Benennen der Säugetiere im Zoologischen Garten. Zool. Gart. Lpz. 16 1949 pp. 135-138 1 fig.
- 1237.—Schneider, K. M. Einige Eindrücke vom Okapi, Okapia johnstoni Sclater. Zool. Gart. Lpz. 16 1950 pp. 182–185 2 figs.
- 1238.—Schneider, K. M. Aus der Jugendentwicklung einer kunstlich aufgezogen Schimpansin. I. Vorgeschichte. Zool. Gart. Lpz. (N.F.) 16 1950 pp. 229-243 7 figs.
- 1239.—Schneider, K. M. Aus der Jugendentwicklung einer künstlich autgezogenen Schimpansin A. Die Bewegungsweisen der ersten 10 Monate. Z. Tierpsychol. Berlin 7 1950 pp. 485–558 65 figs.
- 1240.—Schneider, K. M. Zur gewichtsmassigen Jugendentwicklung gefangen gehaltener Wildcaniden nebst einigen zeitlichen Bestimmungen über ihre Fortpflanzung. Teil 2. Herre Verh. Deuts. Zoologen in Mainz 1949 Leipzig (Geest & Portig) 1950 pp. 373—387 1 fig.
- 1241.—Scholander, P. F., Walters, V., Hock, R. and Irving, L. Body insulation of some arctic and tropical mammals and birds. Biol. Bull. Woods Hole 99 1950 pp. 225-236 6 figs.
- 1242.—Scholander, P. F., Hock, R., Walters, V., and Irving, L. Adaptation to cold in arctic and tropical mammals and birds in relation to body tempera-

- ture, insulation and basal metabolism. Biol. Bull. Woods Hole **99** 1950 pp. 259–271 3 figs. 3 tabs.
- 1243.—Scholander, P. F., Hock, R., Walters, V., Johnson, F., and Irving, L. Heat regulation in some arctic and tropical mammals and birds. Biol. Bull. Woods Hole 99 1950 pp. 237–258 11 figs. 2 tabs.

Scholz, M. vide Botar.

- 1244.—Schorger, A. W. Harvest Mouse in Dane County, Wisconsin. J. Mammal. Baltimore 31 1950 pp. 363-364.
- 1245.—Schreiber, V. Two phases of the water metabolism in newly born rats. Nature London 166 1950 p. 77.
- 1246.—Schreuder, A. Zoogdieren uit de onderst-Pleistocene kuststreken van Nederland. Bijdr. Dierk. 28 1949 pp. 401-415 1 fig. (English summary).
- 1247.—Schreuder, A. Microtinae from the Middle Gravels of Swanscombe. Ann. Mag. nat. Hist. (12) 3 1950 pp. 629-635 6 figs.
- 1248.—Schreuder, A. Microtus cf. agrestis en zijn geologische ouderdom. Geol. Mijnbouw 12 1950 pp. 148-151.
- 1249.—Schreuder, A. Opmerkingen van de leden: een opmerking over *Mastodon Borsoni*. Geol. Mijnbouw. The Hague 12 1950 pp. 293–295.
- 1250.—Schultz, A. H. The physical distinctions of man. Proc. Amer. phil. Soc. Philad. 94 5 1950 pp. 428-449 12 figs.

Schultz, A. H. vide Raven.

- 1251.—Schultz, C. B. and Falkenbach, C. H. Phenacocoelinae, a new subfamily of Qreodonts. Contribution to the revision of the Oreodonts (Merycoidodontidae), No. 5. Bull. Amer. Mus. Nat. Hist. 95 1950 pp. 95–149 15 figs.
- 1252.—Schultz, F. H. Cat-Fox association. Canad. Field Nat. 64 1950 p. 154.
 - Schutzenberger, M.-P. vide Kobozieff.
- 1253.—Schwangart, F. Der Problemkreis um die schwanzlosen Katzen. Zool. Garten Leipzig 17 1950 pp. 66-73.
- 1254.—Scott, C. Game Problems in East Africa. Country Life London 107 1950 pp. 1899–1901 2 figs.

1255.—Scott, J.-P. The social behaviour of dogs and wolves: an illustration of sociobiological systematics. Ann. N.Y. Acad. Sci. 51 1950 pp. 1009–1021.

1256.—Scott, J. P. and Marston, M.-V. Social facilitation and allelomimetic behaviour in dogs. II. The effects of unfamiliarity. Behavior Leiden 2 1950 pp. 135-143.

Scott, J. P. vide Vogel.

54

1257.—Scott, R. F., Chatelain, E. F. and Elkins, W. A. The status of the Dall Sheep and Caribou in Alaska. Trans. N. Amer. Wildlife Conf. 15 1950 pp. 612–626. [N.V.]

1258.—Searle, A. G. Gene frequencies in London's cats. J. Genet. Cambridge 49 3 1949 [1950] pp. 214–220.

Segal, R. vide Gluecksohn-Schoenheimer.

1259.—Seitz, A. Untersuchungen über angeborene Verhaltensweisen bei Caniden. I. Teil: Beobachtungen an Füchsen (*Vulpes* Briss). Z. Tierpsychol. Berlin 7 1950 pp. 1–46.

Sere, G. vide Botar.

1260.—Setzer, H. W. Albinism in Bats. J. Mammal. Baltimore 31 1950 p. 350.

1261.—Setzer, H. W. Two new shrews of the genus *Cryptotis* from Panama. J. Wash. Acad. Sci. 40 1950 pp. 299-300.

1262.—Sevenster, P. Kleine roofdieren. Levende Nat. Amsterdam 53 1950 pp. 92–96 3 figs.

1263.—Severaid, J. H. The Pigmy Rabbit (Sylvilagus idahoensis) in Mono County, California. J. Mammal. Baltimore 31 1950 pp. 1-4.

1264.—Severaid, J. H. The gestation period of the Pika (Ochotona princeps). J. Mammal. Baltimore 31 1950 pp. 356-357.

1265.—Shadle, A. R. Feeding, care and handling of captive Porcupines (*Erethizon*). J. Mammal. Baltimore 31 1950 pp. 411-416.

Shanklin, W. M. vide Kazzaz.

1266.—Sharland, M. Primitive Mammals of Tasmania. Country Life London 108 1950 pp. 1276–1277 4 figs.

1267.—Sharman, G. B., MacIntosh, A. J. and Barber, H. N. Multiple sex chromosomes in the marsupials. Nature London 166 1950 p. 996 3 figs.

Shaw, T. R. vide Hooper.

1268.—Shebbeare, E. O. Leopard or Panther. Field London 196 1950 p. 70.

Shida, T. vide Ogawa.

1269.—Short, R. H. D. Alveolar epithelium in relation to growth of the lung. Philos. Trans. London 235B 622 1950 pp. 35-86 1 pl. 45 pls. tables.

[Shukurov, G. S. vide Heptner.]

1270.—Silva, A. G. da. Contribution to the knowledge of the normal dog eye "fundus". Rev. Fac. Med. vet. S. Paulo 4 1 1949 pp. 197-219 22 figs.

1271.—Simm, K. and Skuratowicz, W. Observations on the mass appearance of field rodents in Western Poland in 1946-47. Badania fizjogr. Polska Zachodinia Posnan 2 1950 pp. 178-218 figs. [English summary.]

1272.—Simpson, G. G. History of the fauna of Latin America. Amer. Scient. Burlington 38 1950 pp. 361-389 10 figs.

1273.—Sinclair, J. G. Some adaptive features of the porpoise head. Texas J. Sci. 2 1950 p. 139.

1274.—Sinha, T. P. Increase in pulmonary blood volume during early postnatal life. Anat. Rec. 106 1950 pp. 599-605.

1275.—Sitaramayya, C. L. Muscle fibres of the rat diaphragm. Nature London 166 1950 p. 1030 2 figs.

1276.—Sitt, W. Zur Morphologie des Primordialeraniums und des Osteocraniums eines Embryos von Rhinolophus rouxii von 15 mm. Scheitel-Steiss-Lange. Gegenbaurs Jb. 88 1943 pp. 268-342 30 figs.

1277.—Skead, C. J. The game goes to market. African Wild Life Johannesburg 4 1950 pp. 72-74 3 figs.

Skuratowicz, W. vide Simm.

1278.—[Skvortzov, A. K.] [Contribution to the knowledge of comparative morphology of mammalian leucocytes.] C.R. Acad. Sci. Moscow N.S. 73 1950 pp. 577-580 l fig. [In Russian.]

- 1279.—Sliper, E. J. On some phenomena concerning pregnancy and parturition of the Cetacea. Bijdr. Dierk. 28 1949 pp. 416-448 16 figs.
- 1280.—Sliwa, Z. Further studies concerning the wool of Scotch Blackfaced Sheep. Prace Kom. Nauk. Roln. i Lesn. Poznansk. Tow. Przyj. Nauk. 1 2 1950 pp. 1-81. [English summary.]
- 1281.—Slizynski, B. M. A preliminary pachytene chromosome map of the House Mouse. J. Genet. Cambridge 49 3 1949 [1950] pp. 242–245 2 pls.
- 1282.—[Sludski, A. A.] [On new and rare mammals from Kazakstan.] Bull. Soc. Nat. Moscow (Biol) 55 2 1950 pp. 11-14. [In Russian.]
- 1283.—Smith, C. and Thomas, F. C. Studies on the thymus of the mammal. III. Glycogen in the cortical cells of the thymus. Anat. Rec. 106 1950 pp. 17–27 4 figs.
- 1284.—Smith, F. D. Pests or profits—the case for the rabbit as a paying product on the farm. Field London 195 1950 p. 91 1 fig.

Smith, M. E. vide Fuller.

- 1285.—Snead, I. E. A family live trap, handling cage, and associated techniques for Muskrats. J. Wildlife Management Menasha Wis. 14 1 1950 pp. 67–79 figs. [N.V.]
- 1286.—Snook, T. A comparative study of the vascular arrangements in mammalian spleens. Amer. J. Anat. Philad. 87 1 1950 pp. 31-77 8 pls. 11 figs.
- 1287.—[Sokur, I. T.] [New data on the micro-mammalian fauna in Western Polesie of the Ukraine Soviet Republic.] Dopovidi. Acad. Sci. Ukraine Rep. 4 1950 pp. 305-309. [In Russian.]

Sorrell, D. S. vide Ward.

- 1288.—Specht, R. Einige Laborers fahrungen in der Kleintierzucht. Zool. Gart. Lpz. 17 1950 pp. 250-253.
- 1289.—Spencer, D. A. Porcupines, rambling pincushions. Nat. geogr. Mag. 98 1950 pp. 247-264 18 figs.
- 1290.—Spencer, H. J. and Davis, D. E. Movements and survival of Rats in Hawaii. J. Mammal. Baltimore 31 1950 pp. 154-157 1 pl.

- 1291.—Sprague, J. M. and Meyer, M. An experimental study of the fornix in the Rabbit. J. Anat. London 84 1950 pp. 354-368 2 pls. 7 figs.
- 1292.—Staesche, K. Nashörner der Gattung Dicerorhinus aus dem Diluvium Württembergs. Abhandl. Reichs. Bodenforsch. N.F. Hft. 200 1941 pp. 1–148 14 pls. 2 figs.
- 1293.—Stager, K. E. A new cacomistle from south-eastern California. Proc. Biol. Soc. Washington 63 1950 pp. 203–204.

Stahl, A. vide Romieu.

Stanier, J. E. vide Ogston.

- 1294.—Starck, D. Zur Morphologie des Primordialkraniums von *Manis* javanica Desm. Gegenbaurs Jb. 86 1941 pp. 1-122 47 figs.
- 1295.—[Stcheglova, V. V.] [Systemmatic position and history of development of fossil deer.] C.R. Acad. Sci. Moscow N.S. 73 1950 pp. 813–816 1 fig. [In Russian.]
- 1296.—Stein, G. H. W. Grossenvariabilität und Rassenbildung bei Talpa europaea L. Zool. Jb. (Syst.) 79 1950 pp. 321–349 4 figs.
- 1297.—Stein, G. H. W. Zur Biologie des Maulwurfs, *Talpa europaea* L. Bonn. Zool. Beitr. 1 1950 pp. 97–116 1 fig.
- 1298.—Steiniger, F. Biologische Beobachtungen an freilebenden Wanderratten auf der Hallig Norderoog. Remane and others, Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 152–156.
- 1299.—Steiniger, F. Ratten-Uberfall auf die Hamburger Hallig. Natur u. Volk 80 1950 pp. 94–99 6 figs.
- 1300.—Steiniger, F. Beiträge zur Soziologie und sonstigen Biologie der Wanderratte. Z. Tierpsychol. Berlin 7 1950 pp. 356–379 15 figs.
- 1301.—Steven, D. Notes on a school of pilot whales stranded in East Lothian. Scot. Nat. 62 3 1950 pp. 153-156 1 pl.
- 1302.—Steven, G. A. Swimming of Dolphins. Sci. Prog. London 38 1950 pp. 524-525.

- 1303.—S[tevenson], D. J. D. Mammals (Oundle). Rep. Oundle Sch. nat. Hist. Soc. 1949 [1950] p. 8.
- 1304.—Stevenson, J. H. F. Behaviour of foxes. Field London 195 1950 p. 199 3 figs.
- 1305.—Stevenson Hamilton, J. The gradual extinction of big game. Proc. & Pap. Internat. tech. Conf. Protect Nature, Paris 1949 1950 pp. 450-452.
 - Steyn, T. vide Bigalke.
- 1306.—Stieve, R. Uber Geschlechtsunterschiede im Verhalten des Winkelfortsatzes am Unterkiefer beim Reh (Capreolus capreolus capreolus L.). Zool. Anz. Leipzig 135 1941 pp. 26–33 5 figs.
- 1307.—Stieve, H. Der Bau der Primatenplacenta. Anat. Anz. Jena 96 1948 pp. 299-329 2 figs.
- 1308.—Stieve, H. Zur Fortpflanzungsbiologie des Igels. Remane and others, Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 253–256.
- 1309.—Stieve, H. Anatomisch-biologische Untersuchungen über die Fortpflanzungstatigkeit des europäischen Rehes (Capreolus capreolus capreolus L.).
 Z. mikr. anat. Forsch. Leipzig 55 1950 pp. 427–530 22 figs.
- 1310.—Stieve, H. Zur Fortpflanzungsbiologie des Rehwildes. Herre. Verh. Deuts. Zoologen in Mainz 1949 Leipzig (Geest & Portig) 1950 pp. 348– 354 1 fig.
- 1311.—St. John, F. Can animals exist without drinking? Zoo Life London 5 1950 pp. 28–30 2 figs.
- 1312.—Stock, C. Bears from the Pleistocene Cave of San Josecito, Nuevo Leon, Mexico. J. Wash. Acad. Sci. 40 1950 pp. 317-321 1 fig.
- 1313.—Stock, C. Note on a Hycenarctid bear from the middle Pliocene of Chihuahua, Mexico. Bull. S. Calif. Acad. Sci. 49 1950 pp. 1-2 1 pl.
- 1314.—Stockley, C. H. Mammal Notes. Nature in E. Africa (2) No. 3 1950 pp. 3-4.
- 1315.—Stockley, C. H. The Hook-lipped Rhinoceros. Zoo Life London 5 1950 pp. 88-91 3 figs.

- 1316.—Stockley, C. H. Elephants at home. Country Life London 107 1950 pp. 1297–1299 6 figs.
- 1317.—Stolk, A. Tumours in Whales. Amsterdam Nat. 1 1950 pp. 28-33 3 pls.
- 1318.—Stott, K., Jr. Locality records of African mammals. J. Mammal. Baltimore 31 1950 pp. 185-189.
- **1319.—Stott,** K., Jr. Monster of the mist forests. Nat. Hist. N.Y. **59** 1950 pp. 20–23 4 figs.
- 1320.—Stott, K., Jr. Highboys. Nat. Hist. N.Y. 59 1950 pp. 164-167 4 photos.
- 1321.—Stovall, J. W. and McAnulty, W. N. The vertebrate fauna and geologic age of Trinity River terraces in Henderson County, Texas. Amer. midl. Nat. Notre Dame 44 1950 pp. 211-250 2 pls. tables.
 - Strahan, R. vide Feakes.
- 1322.—Straunard, R. Revisao do podologia. Rev. Fac. Med. vet. S. Paulo 4 1 1949 pp. 99–160 30 figs.
- 1323.—Straus, W. L. On the zoological status of *Telanthropus capensis*. Amer. J. phys. Anthrop. Philad. 8 1950 pp. 495–498.
 - Straus, W. L., Jr. vide Raven.
 - Strawbridge, D. J. vide Ogston.
 - Strecker, R.-L. vide Young.
- 1324.—[Stroganova, A. G. and Udin, K. A.] [Harmful activity of *Citellus pygmaeus* to oak tree cultivation in Stalingrad district.] Zool. J. Moseow 29 1950 pp. 385–388 3 figs. [In Russian.]
 - Strong, L. C. vide Hollander.
- 1325.—Suomalainen, E. Supikoira (Nyctereutes procyonoides Gray) tavattu Suomessa. Luonnen Tutkija Vanamo 54 1950 pp. 50-52 1 fig.
- 1326.—Suomalainen, E. The raccoon dog, Nyctereutes procyonoides Gray (Canidae) found in Finland. Arch. Soc. zool. bot. fenn. 'Vanamo' Helsinki 5 1950 pp. 20–22 2 figs.
- 1327.—Suomalainen, H. The oestrous cycle of the mouse as studied by the colchicine method. Arch. Soc. zool. bot. fenn. 'Vanamo' Helsinki 3 1949 pp. 45-49 5 figs.

- 1328.—Suomalainen, P. Hibernation and insulin. Arch. Soc. 2001. bot. fenn. 'Vanamo' Helsinki 5 1 1950 pp. 35-45 2 figs. tables. [Finnish with English summary.]
 - Suzuki, T. vide Mayeda.
- 1329.—Svihla, A. and Larrison, E. J. An abnormally colored Townsend Chipmunk. Murrelet Seattle 31 1950 pp. 9-11 1 pl.
- 1330.—[Sviridenko, P. O.] [New anti-rodent methods in forest protection.] Visnik. Akad. Nauk. Kiev. 7 1950 pp. 31–38 figs. [In Russian.]
- 1381.—[Sviridenko, P. O.] [The distribution, reproduction and mortality of Apodemus agrarius Pall.] Trud. Inst. Zool. Akad. Nauk. Ukr. R.S.R. 2 1949 pp. 18-47 15 figs. [In Russian.]
- 1332.—Switzenberg, D. F. Breeding productivity in Michigan Red Foxes. J. Mammal. Baltimore 31 1950 pp. 194-195.
- 1333.—Szalajko, T. Researches on the wool of the Scotch Blackfaced Sheep. Proc. Kom. Nauk Roln. i Lésn. Poznansk. Tow. Przyj. Nauk 1 1 1950 pp. 1-33 tables. [English summary.]
- 1334.—Takai, F. Amynodon watanabei from the latest Eocene of Japan with a brief summary of the latest Eocene Mammalian faunule in Eastern Asia. Rept. Geol. Survey Japan 131 1950 pp. 1-14 1 pl.
- 1335.—Takenouchi, Y. Some morphological observations on two hair types in the Shepherd Dog. J. Fac. Sci. Hokkaido Univ. (Zool.) Ser. 6 10 1950 pp. 71–76 24 figs. 2 tabs.
- 1336.—[Tarasov, P. P.] [Ecology of Ochotona pallasi.] Bull. Soc. Nat. Moscow Sect. Biol. 55 1950 pp. 35-42. [In Russian.]
- 1337.—Tate, G. H. H. The Muridae of the Cocos-Keeling Islands. Bull. Raffles Mus. Singapore 22 1950 pp. 271–277.
- 1338.—Tauber, A. F. Uber Resorptionsdefekte am Gebiss beim Zahnwechsel rezenter und fossiler Wirbeltiere. SitzBer. öst. Akad. Wiss. Wien. Abt. I. 158 1949 pp. 593–608 6 figs.

- 1339.—Tawara, T. On the respiratory pigments of whale (studies on whale blood II). Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 96-101.
- 1340.—Tayeb, M. A. F. L'appareil urinaire du chameau. 'Rév. élev. Méd. vét. Pays trop. Paris N.S. 3 4 1949 pp. 175–180 3 figs.
- 1341.—[Tcheltzov-Bebutov, A. M.] [The problem of winter food reserves of the Muskrat.] Bull. Soc. Nat. Moscow Sect. Biol. 55 1950 pp. 43-44. [In Russian.]
- 1342.—[Tchikunova, V. S.] [Nerve transplantation in mammals.] C.R. Acad. Sei. Moscow N.S. 74 1950 pp. 131-134 3 figs. [In Russian.]
- **1343.—Tegner,** H. Migration of Roe. Field London **195** 1950 p. 352 1 fig.
- 1344.—Tegner, H. Malformed Roebuck head. Field London 196 1950 p. 637.
- 1345.—Tegner, H. German Roe-buck. Field London 196 1950 p. 687.
- 1346.—Teike, M. and Tobien, H. Uber Säugerreste aus der Braunkohlengrube "Glückauf-Phönix" bei Breitscheid/Westerwald. Notizbl. hess. Landesamt. 6 1950 pp. 112–119.
- 1347.—Teilhard de Chardin, P., and Trassaert, M. The Pliocene Camelidae, Giraffidae, and Cervidae of Southeastern Shansi. Palaeont. Sinica. N.S. C. 1 (whole series 102) 1937 pp. 1-68 6 pls. 19 figs.
- 1348.—Terry, W. M. Japanese whaling industry prior to 1946. Rep. Nat. Resources Section H.Q. Allied Powers Tokyo No. 126 1950 pp. 1–47 frontis. 18 figs.
- 1349.—Tesch, P. De kleine zoogdieren in het Nederlandse oud plistoeeen. Geol. Mijnbouw The Hague 12 1950 pp. 19-23.
- 1350.—Tesch, P. Over enige bestanddelen van flora en fauna van het onderplistoeeen in Nederland. Geol. Mijnbouw 12 1950 pp. 137-139.
- **1351.—T.,** G. W. African Wild Dogs. Country Life London **108** 1950 p. 1885 1 fig.

- 1352.—Tevis, L., Jr. Summer behavior of a family of Beavers in New York State. J. Mammal. Baltimore 31 1950 pp. 40-65 5 figs.
- 1353.—Theiler, K. Beitrag zum Funktionellen bau der Iris des Schweines. Acta Anat. Basel 10 1950 pp. 255–266 5 figs.
- 1354.—Thenius, E. Die Säugetierfauna aus den Congerienschichten von Brunn—Vösendorf bei Wien. Verh. geol. Bundesamst. Wien 7-9 1948 pp. 113-131.
- 1355.—Thenius, E. Uber die Gehörregion von *Indarctos* (Ursidae, Mamm.). SitzBer. öst. Akad. Wiss. Wien Abt. I. 158 1949 pp. 647-653 2 figs.
- 1356.—Thenius, E. Uber die Säugetierfauna aus dem Unterpliozän von Ilhan bei Ankara (Türkei). SitzBer. öst. Akad. Wiss. Wien Abt. I. 158 1949 pp. 656–661.
- 1357.—Thenius, E. Zur Revision der Insektivoren des steirischen Tertiärs. Beiträge zur Kenntnis der Säugetierreste des steirischen Tertiärs II. SitzBer. öst. Akad. Wiss. Wien Abt. I. 158 1949 pp. 671–693 5 figs. tables.
- 1358.—Thenius, E. Die Carnivoren von Göriach (Steiermark) Beiträge zur Kenntnis der Säugetierreste des steirischen Tertiärs IV. SitzBer. öst. Akad. Wiss. Wien Abt. I. 158 1949 pp. 695–762 15 figs. tables.
- 1359.—Thenius, E. Martes gambitzensis H. v. Meyer. Beiträge zur Kenntnis der Säugetierreste des steirischen Tertiärs III. SitzBer. öst. Akad. Wiss. Wien Abt. I 158 1949 pp. 793–797.
- 1360.—Thenius, E. Zur Herkunft der Simocyoniden (Canidae, Mammalia) Eine phylogenetische Studie. SitzBer. öst. Akad. Wiss. Wien Abt. I. 158 1949 pp. 799-810 2 figs.
- 1361.—Thenius, E. Postpotamochærus nov. subgen. hyotherioides aus dem Unterpliozän von Samos (Griechenland) und die Herkunft der Potamochoeren. SitzBer. öst. Akad. Wiss. Wien Abt. I 159 1950 pp. 25–36 2 figs. tables.
- 1362.—Thenius, E. Die tertiären Lagomeryciden und Cerviden der Steiermark. Beiträge zur Kenntnis der Säugetierreste des steirischen Tertiärs

- V. SitzBer. öst. Akad. Wiss. Wien Abt. I 159 1950 pp. 219-254 10 figs.
- 1363.—Thenius, E. Das Meerschweinchen biologisch betrachtet. Österr. Zool. Z. Wien. 2 1950 pp. 414-422 4 figs.

Thenius, E. vide Papp.

- 1364.—Thevenin, R. La faune disparue de France; depuis les origines jusqu'à nos jours. Paris 1943 pp. 326 8 pls. 36 figs.
- 1365.—Thienemann, A. Verbreitungsgeschichte der Süsswassertierwelt Europas, Versuch einer historischen Tiergeographie der europäischen Binnengewässer. Binnengewässer Stuttgart 18 1950 pp. i-xvi 1-809 11 pls. 249 figs. tables.
- 1366.—Thollander, R. En tam langörad fladdermus. Fauna och Flora Uppsala 1950 4 pp. 129–132 2 figs.

Thomas, F. C. vide Smith, C.

- 1367.—Thompson, S. H. Alaska Fishery and Fur-Seal Industries: 1947. Stat. Digest Fish Wildlife Serv. Washington D.C. 20 1950 pp. 1-78 31 tabs.
- 1368.—Thrapp, D. L. Early "missing links" from Africa. Nat. Hist. N.Y. 59 1950 pp. 304–309 333–334 4 figs.
- 1369.—Tinbergen, N. Grimbeert thuis. Levende Nat. 53 1950 pp. 221-224 3 figs.
- 1370.—Tobien, H. Die Insektenfresser und Nagetiere aus der aquitanen Spaltenfüllung bei Tomerdingen (Ulmer Alb). Ber. naturf. Ges. Freiburg 36 1939 pp. 159–180 I pl.

Tobien, H. vide Teike.

- 1371.—Tomkinson, R. Beauty and fantasy in Nairobi Park. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 41-43 1 pl.
 - Toms, B. A. vide Ogston.
- Trassaert, M. vide Teilhard de Chardin.
- 1372.—Traub, R., Frick, L. P. and Diercks, F. H. Observations on the occurrence of *Rickettsia tsutsugamushi* in rats and mites in the Malayan jungles. Amer. J. Hyg. Baltimore 51 1950 pp. 269-273.

Traub, R. vide Harrison, J. L.

- 1373.—Trester, L. M. The aloof Armadillo. Frontiers Philad. Pa. 15 1950 pp. 18–20 1 fig.
- 1374.—Tribe, D. E. The importance of the sense of smell to the grazing sheep. J. agric Sci. London 39 1950 pp. 309-312.
- 1375.—Tribe, D. E. and Gordon, J. G. The importance of colour vision to the grazing sheep. J. agric. Sci. London 39 1950 pp. 313-314 1 fig.
- 1376.—Trincao, C., Nogueira, P. and Goureia, E. Quadro hematico e medular do hamster dourado (Cricetus auratus). An. Inst. Med. trop. Lisboa 6 [1950] pp. 41-46 4 figs.
- 1377.—[Troitski, V. V.] [The process of ramification of blood vessels.] Bull. Acad. Sci. Moscow 4 1950 pp. 31-43 10 figs. [In Russian.]
- 1378.—Troughton, E. Unique Australian mammals. Discovery Norwich 11 1950 pp. 149-152 9 figs.
- 1379.—Troughton, E. Bandicoots—rare and otherwise. Aust. Mus. Mag. 10 1950 pp. 95–98 2 figs.
- 1380.—Tryon, C. A., Jr. and Buck, P. D. Montana records of Antelope embryos and reproductive tracts. J. Mammal. Baltimore 31 1950 pp. 192–193.

Tsuchiya, T. vide Akiba.

- 1381.—Turchini, J. Alcuni aspetti dell'istofisiologia della ghiandola mammaria. Monit. zool. ital. Firenze 57 1950 Suppl. pp. 91–92.
- 1382.—Turcek, F. Populations of some small mammals in a hardwood forest near Banska Stiavnica. Vest Ceskol. zool. Spolec. Praze 13 1949 pp. 348–363. [Czech with English res.]
- 1383.—Turcek, F. J. The population maximum of the field mouse (*Microtus arvālis* Pall.) in the year 1949 in Slovakia. Sborn. Cesk. Akad. Zem. 33 1950 pp. 238–248 4 figs. graphs. [English summary.]
- 1384.—Tyson, E. L. Summer food habits of the Raccoon in south-west Washington. J. Mammal. Baltimore 31 1950 pp. 448-449.
- 1385.—[Tzalkin, V. I.] [On Capra aegagrus turcmenicus subsp. nova in

- Turkmenia.] C.R. Aead. Sci. Moscow N.S. **70** 1950 pp. 323–326. [In Russian.]
 - Udin, K. A. vide Stroganova.
- 1386.—Ullrich, H. Wärmehaushalt, geographische Verbreitung, Biotop und Akklimatisation. Zool. Garten Leipzig 17 1950 pp. 74–84.
- 1387.—Ulmer, F. A. The Raccoon. Zoo Life London 5 1950 pp. 67-71 5 figs.

Umehara, M. vide Akiba.

- 1388.—Urbain, A. Sur la biologie du Castor du Rhone (Castor fiber L.). Bijdr. Dierk. 28 1949 pp. 472–476 2 figs.
- 1389.—Urbain, A. and Bullier, P. Un cas de pseudo-albinisme chez une Antilope kob de Buffon (*Adenota kob* Erxleben). Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 63-64 1 fig.
- 1390.—Urbain, A., Bullier, P. and Weill, J. Comportement du magot (Macaca sylvanus L.) vis-a-vis d'un systeme de cloture electrique. Mammalia Paris 14 1950 pp. 7-10.
- 1391.—Urbain, A. and Piette, G. Etude bactériologique de la septicémie des rats musqués (*Fiber zibethicus* [L.]). Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 443-444.
- 1392.—Urbain, A., Nouvel, J., Bullier, P. and Rinjard, J. Rapport sur la mortalité et la natalité enregistrées au Parc Zoologique du Bois de Vincennes pendant l'année 1949. Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 181–196.
- 1393.—Urbain, A. and Rinjard, J. Un hybride de tigre-lion au Parc Zoologique du Bois de Vincennes. Mammalia Paris 14 1950 pp. 103-104 1 pl.
- 1394.—Urbain, A. and Rode, P. Les singes anthropoides, Paris (Presses Universitaires de France) 1948 pp. 128 20 figs.
- 1395.—Ursin, E. Zoogeographical remarks on the mammals occurring on the Islands south of Funen (Denmark). Vidensk, Mcdd. Dansk, naturh. Foren. 112 1950 pp. 35–62 7 figs. tables.
- 1396.—Van der Horst, C. J. Some natural experiments in the embryological development of *Elephantulus*. C.R. 13e Congr. int. Zool. Paris 1948 [1949] p. 266.

- 1397.—Van der Horst, C. J. Amniogenesis, Bijdr. Dierk. 28 1949 pp. 205-211.
- 1398.—Van der Horst, C. J. The placentation of *Elephantulus*. Trans. roy. Soc. S. Afr. 32 1950 pp. 435-629 71 figs.
- 1399.—Van der Horst, C. J. The effect of insemination on the uterine epithelium of *Elephantulus*. Proc. K. ned. Akad. Wet. 53 10 1950 pp. 1511–1514 3 figs.
- 1400.—Van Dorp, A. W. V. and Deane, H. W. A morphological and cytochemical study of the post-natal development of the Rat's adrenal cortex. Anat. Rec. 107 1950 pp. 265–281 16 figs.
- Van Wagenen, G. vide Duran-Reynals.
- 1401.—[Varshavski, S. N.] [Age determination in Mus musculus and Mus musculus hortulanus.] Bull. Soc. Nat. Moscow Sect. Biol. 55 1950 pp. 21–34 figs. [In Russian.]
- 1402.—Veit, O. Uber das Problem Wirbeltierkopf. Vorlesungen für Studierende der Medizin, Kempen, Niederrhein (Thomas-Verlag) 1947 102 pp. 59 pls.
- 1403.—Venge, O. Studies of the maternal influence on the birth weight in Rabbits. Acta zool. Stockholm 1950 31 pp. 1-148 27 figs.
- 1404.—Venzo, S. Rinvenimento di Anancus arvernensis nel villafranchiano dell'Adda di Paderno di Archidiskodon meridionalis e Cervus a Leffe. Stratigrafia e clima del Villafranchiano bergamasco. Atti Soc. ital. Milano 89 1950 pp. 43–122 10 figs.

Vetter, M. H. vide Nicholson.

- 1405.—Vibe, C. The marine mammals and the marine fauna in the Thule district (Northwest Greenland) with observations on ice conditions in 1939-41. Medd. Gronland. 150 6 1950 p. 1-117 35 figs. tables.
- 1406.—Vidovich, V. and Popovich, V. L'evolution de la thermorégulation au cours de l'ontogénèse chez Citellus citellus. Arch. biol. Sci. Belgrade 1 2 1949 pp. 137-155 6 figs. tables. [French résumé.]

- 1407.—Vieira, C. Nova contribuicao ao conhecimento dos mamiferos do Rio Jurua. Bol. Mus. Paraense Emilio Goeldi 10 1949 pp. 239–274.
- 1408.—Vieira, C. Xenartros e Marsupiais do Estado de Sao Paulo. Arq. Zool, S. Paulo 7 1950 pp. 325–362.

Vilaghi, M. vide Botar.

- 1409.—Villa, R. B. Status de Oryzomys of. melanotis. An. Inst. Biol. Mex. 21 1950 p. 241.
- 1410.—Villa, R. B. El murcielago blanco, genero *Diclidurus*, registrado por primera vez en Mexico. An. Inst. Biol. Mexico 21 1950 pp. 435-437 2 figs.

Villa, R. B. vide Hall.

Villa, R. B. vide Hatt.

Villa, R. B. vide Hibbard.

- 1411.—Villalta, J. F. de. Una nueva especie de *Hipparion* del Villafranquiense. Arrahona, Rev. Mus. Sabadell 1–2 1950. [N.V.]
- 1412.—Villalta, J. F. de and Crusafont Pairo, M. *Indarctos vireti* nova sp. un nuevo Ursido del grupo de los Hemicionidos del Mioceno sup. del Vallés. Cons. Sup. Invest. Cientif. Centro "Lucas Mallada" Madrid 1943. [N.V.]
- 1413.—Villalta Comella, J. F. de. Sobre un Esciuróptero del Vindoboniense del Vallés-Penedés. Bol. Soc. esp. Hist. nat. 48 Geol. 1 1950 pp. 53-59 1 pl.
- 1414.—Villalta Comella, J. F. de and Crusafont Pairo, M. Sobre el Pleistaceno de Baleares y sus nuevos yacimientos de mamiferos. Nota preliminar. Estud. Geol. Madrid 6 1947 pp. 69-77 1 fig.
- 1415.—Villalta, J. F. de and Crusafont Pairo, M. Un nuevo yacimiento pleistocenico en Castelldefels. Rev. Estud. Geol. Inst. "Lucas Mallada" 6 12 1950 pp. 273–285.
- 1416.—Vinson, J. L'ile Ronde et l'ile aus Serpents. Proc. R. Soc. Mauritius 1 1 1950 pp. 32–52 4 pls. 2 figs.
- 1417.—Viret, J. Observations complémentaires sur quelques mammifères fossiles de Soblay. Eclog. geol. Helvet. 42 1949 [1950] pp. 469-476 5 figs.
- 1418.—Viret, J. Sur l'identité générique des Mustélidés fossiles désignés sous

les noms de Pannonictis pilgrimi et d'Enhydrictis galictoides. C.R. Soc. Geol. France 9-10 1950 pp. 165-166.

1419.—[Vitt, V. O.] [Theory of age selection of animals. I. Influence of age of animals on characteristics of progeny.] J. Gen. Biol. Moscow 10 1949 pp. 161–179. [In Russian.]

1420.—Vlasak, J. Uber künstliche Aufzucht eines Eisbären *Thalarctos* maritimus Phipps. Zool. Gart. Lpz. 16 1950 pp. 159–179 9 figs.

1421.—Voge, M. Cannibalism in *Microtus californicus*. J. Mammal. Baltimore 31 1950 p. 96.

1422.—Vogel, Jr., H. H., Scott, J. P. Marston, M.-V. Social facilitation and allelomimetic behavior in dogs. I. Social facilitation in a non-competitive situation. Behaviour Leiden 2 1950 pp. 121-134.

1423.—[Voronin, G. N.] [Regeneration of fractured bone tissue in mice and rats.] C.R. Acad. Sci. Moscow N.S. 73 1 1950 pp. 171–173. [In Russian.]

1424.—Vos, A. de. The status and protection of ten vanishing mammal species. Proc. & Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 pp. 499–500.

1425.—Vrydagh, J.-M. Probleme des grands troupeaux de gros gibier en voie de disparition dans certaines regions du globe et notamment en Asie et en Afrique. Etude des rapports qui existent en pays neufs entre les trois elements du probleme : le progres de la civilisation, la population indigene et la faune sauvage. Proc. and Pap. Internat. tech. Conf. Protect Nature Paris 1949 1950 pp. 453-469.

Waard, K. vide Bigalke.

1426.—Wade, O. Soil temperatures, weather conditions, and emergence of Ground Squirrels from hibernation. J. Mammal. Baltimore 31 1950 pp. 158-161 3 figs.

1427.—Wagner, W. Diluviale Tektonik im Senkungsbereich des nördlichen Rheintalgrabens und an seinen Rändern. Notizbl. hess. Landesamt. 6 1950 pp. 177–192.

1428.—Walander, A. Parental development of the epithelial primordium of

the larynx in rat. Acta anat. Suppl. 13 1950 pp. 1-140 60 figs.

1429.—Walker, D. G. and others. Growth and differentiation in the Rat following hypophysectomy at 6 days of age. Anat. Rec. 106 1950 pp. 539-554 6 figs.

1430.—Walker, D. M. Observations on behaviour in young calves. Bull. Animal Behaviour London 8 1950 pp. 5-10 3 figs. 2 tabs.

1431.—Walker, E. P. More about animal behaviour. Smithsonian Report 1949 [1950] pp. 261-292 16 pls.

1432.—Walker, L. W. The Fish Bats of Pescadora. Audubon Mag. New York 52 1950 pp. 294-299 7 figs.

1433.—Wallace, F. An Exhibition of sporting trophies. Country Life London 108 1950 pp. 144-147 2 figs.

1434.—Wallace, F. Sporting trophies. Country Life London 108 1950 p. 527 1 fig.

1435.—Wallace, M. E. A mutation from black to brown in *Mus musculus*. Heredity London 4 1950 p. 259.

1436.—Wallace, M. E. Locus of the gene 'fidget' in the house mouse. Nature London 116 1950 p. 407.

1437.—Walters, R. D. and Roth, V. D. Faunal nest study of the Woodrat, *Neotoma fuscipes monochrowra* Rhoads. J. Mammal. Baltimore 31 1950 pp. 290-292.

Walters, V. vide Scholander.

1438.—Wanson, W. and Camphyn, R. Propriétés raticides au D.D.T. Ann. Soc. belge Méd. trop. 29 4 1949 pp. 549-555.

1439.—Ward, J. N. and Sorrell, D. S. The fauna of Jubaland. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 26-34 map.

1440.—Warham, J. Bats in flight. Country Life London 107 1950 p. 27 4 photos.

Waring, H. vide Feakes.

Washburn, S. L. vide Raven.

1441.—Wassif, K. Trident Bat (Asellia tridens) in the Egyptian oasis of Kharga. Bull. Zool. Soc. Egypt 8 1949 pp. 9–12 4 figs.

1442.—Wassif, K. The tensor tympani muscle of Bats. Ann. Mag. Nat. Hist. (12) 3 1950 pp. 811-812.

1443.—Waterer, R. R. Protection of the Cyprus Mouflon. Proc. & Pap. Internat. tech. Conf. Protect. Nature, Paris 1949 1950 p. 550.

Watkins, A. R. vide Sanborn.

Watson, G. W. vide Crabb.

1444.—Watson, D. M. S. Clive Forster-Cooper 1880–1947. Obit. Not. roy. Soc. Lond. **7** 19 1950 pp. 83–93 pl.

1445.—Watson, J. M. The wild mammals of Teso and Karamoja. IV. Rodentia pp. 53–84 18 figs. V. Carnivora pp. 163–203 16 figs. Uganda J. London 14 1950.

1446.—Watson, J. S. Some observations on the reproduction of *Rattus* rattus L. Proc. zool. Soc. London 120 1950 pp. 1–12.

1447.—Waugh, D. F. The ultrastructure of the envelope of mammalian erythrocytes. Ann. N.Y. Acad. Sci. 50 1950 pp. 835–853 9 figs.

1448.—Weber, A. F., McNutt, S. H. and Morgan, B. B. Structure and arrangement of zona glomerulosa cells in the bovine adrenal. J. Morph. Philadelphia 87 1950 pp. 393-415 8 figs.

1449.—Weber, N. A. The role of Lemmings at Point Barrow, Alaska. Science, Laneaster, Pa. 111 1950 pp. 552-553.

1450.—Weber, W. (see also Gruneberg). Genetical studies on the skeleton of the Mouse. HI. Skeletal variation in wild populations. J. Genetics London 50 1950 pp. 174–178 5 figs.

1451.—Wegner, A. M. R. The cause of the enormous proportions and the extraordinary shape of some buffalo horns from the Island of Samba. Hemera Zoo. Buitenzorg 57 11 1950 pp. 708-710 1 fig.

1452.—Wehrli, H. Die Chalicotherien aus den Dinotheriensanden Rheinhessens. Mitt. Reichst. Bodenforsch. Darmstadt 5 1939 pp. 26-33 2 pls. 1 table. 1453.—Weidman, S. M. and Rogers, H. J. Studies on the skeletal tissues. 1. The degree of calcification of selected mammalian bones. Bio-chem. J. 47 1950 pp. 493—497.

1454.—Weigelt, J. Biometrische Studien an paleozanen Säugetieren und ihre Bedeutung für die Beurteilung des Evolutionsgeschehens. Forsch u. Fortschr. 21/23 (7, 8, 9): 1947 pp. 88– 89 figs. [N.V.]

1455.—Weigelt, J. Die tektonische Prädestination des Lebensraumes alttertertiärer Wirbeltierfaunen Deutschlands. Z. deutsch. geol. Ges. 100 (1948) 1950 Jubiläumsband pp. 410– 426 2 figs.

Weill, J. vide Urbain.

1456.—Weir, J. A. The temperature of the mouse in health and disease. Proc. Iowa Acad. Sci. 54 1947 pp. 383-388

1457.—**Welch**, F. D. Antler Bulge. Field London **195** 1950 p. 762 fig. **196** 1950 p. 69.

1458.—Wells, L. J. Subjection of fetal rats to surgery and repeated subcutaneous injections: method and survival. Anat. Rec. 108 1950 pp. 309–332 2 figs.

1459.—Wendnagel, W. Okapi-Transport Stanleyville-Basel 1949. Acta Tropica Basel 7 1950 pp. 112– 118 2 figs.

Wendnagel, W. vide Scheidegger.

1460.—Werff, A. van der. On a characteristic diatom from the skin film of whales. Amsterdam Nat. 1 1950 pp. 91-93 2 figs.

1461.—Werner, H. J., Dalquest, W. W. and Roberts, J. H. Histological aspects of the glands of the bat, Tadarida cynocephala (Le Conte). J. Mammal. Baltimore 31 1950 pp. 395 – 399 2 pls.

1462.—West Country. Otters in the stream. Field London 196 1950 p. 255 2 figs.

1463.—Wetzel, R. M. Additional records of Illinois mammals. Trans. Ill. Acad. Sci. 40 1947 pp. 228-233.

1464.—Wezel, R. Uber die Geweihformen der Schönbuchhirsche unter

- Hinweis auf Beziehungen zu diluvialen Funden. Jh. Ver. vaterl. Naturk. Württemb. 97–101 1949 pp. 151–198 36 figs.
- 1465.—Wharton, C. H. The Tarsier in captivity. J. Mammal, Baltimore 31 1950 pp. 260-268.
- 1466.—Wharton, C. H. Notes on the life history of the Flying Lemur. J. Mammal. Baltimore 31 1950 pp. 269-273.
- 1467.—Wharton, C. H. Notes on the Philippine Tree Shrew, *Urogale* everetti Thomas. J. Mammal. Baltimore 31 1950 pp. 352-354.
- 1468.—Wheeler, J. F. G. The southern whaling industry and the problem of age in whales. Trans. R. Soc. Arts Sci. Mauritius Scr. C. No. 12 1945 pp. 25–36 2 graphs.
 - White, R. R. vide Wood.
- 1469.—Whitehead, G. K. Deer and their management in the Deer Parks of Great Britain and Ireland. London 1950 pp. 370 132 photos.
- 1470.—Whitehead, G. K. Deer stalking season, 1949. Field London 195 1950 pp. 264–265 4 figs.
 - 1471.—Whitehead, G. K. Measuring Chamois heads. Field London 195 1950 p. 884.
 - 1472.—Whitehead, G. K. Wild White Cattle. Field London 195 1950 p. 928 1 fig.
 - 1473.—Whitehead, G. K. White Fallow Deer. Field London 196 1950 p. 225 1 fig.
 - 1474.—Whitehead, G. K. Twin Red Deer calves. Field London 196 1950 p. 380.
 - 1475.—Whitehead, G. K. Malformed Roe-buck head. Field London 196 1950 p. 420.
 - **1476.**—Whitehead, G. K. Deer in Britain. Field London **196** 1950 p. 686 l fig.
 - 1477.—Whitehead, G. K. Malformed Roe-buck head. Field London 196 1950 p. 969.
 - 1478.—Whitehead, G. K. Albino at Woburn. Field London 196 1950 p. 1100 l fig.

- 1479.—Whitehead, G. K. A close season for Deer. Country Life London 107 1950 pp. 948-949 1 fig.
- 1480.—Whitehead, G. K. Saving the Steinbock from extinction. Country Life London 107 1950 pp. 1229-1231 3 figs.
- 1481.—Whitehead, G. K. Habits of the Steinbock on the Gran Paradiso. Country Life London 107 1950 pp. 1487– 1488 2 figs.
- 1482.—Whitehead, G. K. Steinbock in the Gran Paradiso. Country Life London 107 1950 pp. 1724-1727.
- 1483.—Whitehead, G. K. Deer Parks in Britain. Country Life London 108 1950 pp. 2208-2210 4 figs.
- 1484.—Whitlock, S. C. The Black Bear as a predator of man. J. Mammal. Baltimore 31 1950 pp. 135-137 1 fig.
- 1485.—Whittleton, W. G. Nature of the milk-ejection process. Nature London 166 1950 p. 994.
- 1486.—Widdowson, E. M. Chemical composition of newly-born mammals. Nature London, 166 1950 pp. 626–628.
- 1487.—Wieman, H. L. An Introduction to Vertebrate Embryology, 2nd ed., New York (McGraw Hill) 1949, 412 pp. 247 figs.
- 1488.—Wierda, J. L. A comparison of the weight of the intestine with the body and kidney weights in rats which were fed artificial unbalanced diets. Anat. Rec. 107 1950 pp. 221–233.
- 1489.—Wilber, C. G. and Musacchia, X. J. A comparative study of lipids in Arctic marine mammals. J. Mammal. Baltimore 31 1950 pp. 162-167.
- 1490.—Wilber, C. G. and Musacchia, X. J. Fat metabolism in the Arctic Ground Squirrel. J. Mammal. Baltimore 31 1950 pp. 304-309.
- 1491.—Wilcox, H. H. Histology of the skin and hair of the adult Chinchilla. Anat. Rec. 108 1950 pp. 385–397 l1 figs.
- 1492.—Wildash P. C. T. Black Squirrels. Field London 195 1950 p. 680.
 - Wilke, F. vide Scheffer.

1493.—Willemse, M. C. A. The shifting of the molar row with regard to the orbit in *Equus* and *Giraffa*. Zool. Meded. Leiden 30 1950 pp. 311–326 tables.

1494.—Williams, R. G. and Roberts, B. An improved tantalum chamber for prolonged microscopic study of living cells in mammals. Anat. Rec. 107 1950 pp. 359-372 l pl. 3 figs.

1495.—Willis, G. G. Pine Marten and Polecat. Field London **196** 1950 p. 1137.

1496.—Willoughby, D. P. The Gorilla—largest living Primate. Scient. Monthly 70 1950 pp. 48-57 7 figs.

Willoughby, R. vide Huestis.

Wilson, J. A. vide Hibbard.

1497.—Winge, O. Inheritance in Dogs, with special reference to hunting breeds. Ithaca N.Y. (Comstock Publishing Co.) 1950 pp. ix+153 5 pls. 5 figs 46 diagrams.

1498.—**Winston,** W. C. The largest whale ever weighed. Nat. Hist. N.Y. **59** 1950 pp. 393–399 12 figs.

1499.—Wirz, K Studien über die Cerebralisation: zur quantitativen Bestimmung der Rangordnung bei Säugetieren. Acta Anatomica Basel 9 1950 pp. 134–196.

Wirz, K vide Portmann.

1500.—Wiseman, G. L. and Hendrickson, G. O. Notes on the life history and ecology of the Opossum in southeast Iowa. J. Mammal. Baltimore 31 1950 pp. 331-337.

1501.—With, T. The biology of bile pigments. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 104-107.

1502.—With, T. Animal biology of the carotenoids. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 107–110.

1503.—W., M. British White Cattle. Field London 196 1950 p. 148 I fig.

1504.—Wodzicki, K. A. Introduced mammals of New Zealand, an ecological and economic survey. Bull. Dep. Sci. Ind. Res. Wellington No. 98 1950 pp. 255 50 figs. 1505.—Wojtusiak, R. J. Extinct and vanishing mammals. Ochrona Przijrody Krakow No. 19 1950 pp. 71-101 13 figs. [Polish with English summary].

1506.—Wood, A. E. Porcupines, paleogeography and parallelism. Evolution Lancaster Pa. 4 1950 pp. 87–98 2 figs.

1507.—Wood, A. E. and White, R. R. The myology of the Chinchilla. J. Morph. Philadelphia 86 1950 pp. 547–597 27 figs.

1508.—Woodruff, M. F. A. and H. G. The transplantation of normal tissues: with special reference to auto- and homotransplants of thyroid and spleen in the anterior chamber of the eye, and subcutaneously, in guinea-pigs. Philos. Trans. roy. Soc. London 234B 1950 pp. 559-582 3 pls. tables.

Woodville, H. C. vide Harrison.

Woolley, G. W. vide Dickie.

1509.—Worth, C. B. Field and laboratory observations on Roof Rats, Rattus rattus (Linnaeus), in Florida. J. Mammal. Baltimore, 31 1950 pp. 293—304 2 pls.

1510.—Worth, C. B. Observations on the behavior and breeding of captive Rice Rats and Woodrats. J. Mammal. Baltimore 31 1950 pp. 421-426.

1511.—Worthington, E. B. The future of the African fauna. Oryx (J. Faun. Pres. Soc.) 1 1950 pp. 44-50.

1512.—Wright, M. K. The definitionof the preoptic region in sub-primate mammalian brains, with special reference to the elephant shrew. S. Afr. J. med. Sci. 15 1950 pp. 15-32 4 pls.

1513.—Wright, P. L. Synaptomys borealis from Glacier National Park, Montana. J. Mammal. Baltimore 31 1950 p. 460.

1514.—Wright, P. L. and Conaway, C. H. Golden-mantled Marmot in Northwestern Montana. Murrelet, Seattle 31 1950 p. 32.

1515.—Wright, S. On the genetics of hair direction in the Guinea Pig. III. Interactions between the processes

due to the loci R. and St. J. exper. zool. Philadelphia 113 1950 pp. 33-63 4 figs.

1516.—Wyatt, C. Vicissitudes of the Alpine Ibex. Country Life London 107 1950 p. 1139-1143 5 figs.

1517.—Wyatt, C. Wild life in the Alps. Country Life London **107** 1950 pp. 1395–1399 6 photos.

1518.—Wynter-Blyth, M. A. Report on the Lions of the Gir Forest 1950 pp. 1-25 1 map (Privately printed Rajkot).

1519.—Wynter-Blyth, M. A. A. Census of Lions. Field London 196 1950 p. 326-327 4 figs.

1520.—Wynter-Blyth, M. A. and Dharmakumarsinhji, K. S. The Gir Forest and its lions, Part II. J. Bombay nat. Hist. Soc. 49 1950 pp. 456–470 1 pl.

Yang, S. H. vide Findlay.

Yaxley, D. C. vide Chance.

1521.—Yebes, Count. A Big-game hunting record? Country Life London 107 1950 pp. 379-380 3 figs.

1522.—Yepes, J. A propos des sous-espèces de *Phyllotis darwini* (Rodentia-Cricetidae) distribuées au flanc oriental des Andes méridionales. C.R. 13e Congr. int. Zool. Paris 1948 [1949] p. 402.

1523.—Yocom, C. F. Fox Squirrels in Asotin County, Washington. Murrelet Seattle 31 1950 p. 34.

1524.—Yoffey, J. M. The mammalian lymphocyte. Biol. Rev. Cambridge 25 1950 pp. 314–343.

Yoffey, J. M. vide Robinson.

1525.—Yoshida, M. Research on methionine in Whale. Sci. Rep. Whales Res. Inst. Tokyo 3 1950 pp. 102–105.

1526.—Young, C.-C. Notes on the Pontian mammalian fauna from Eastern Kansu. Nat. Peking Univ. 50th Ann. Pap. 1948 pp. 53–56.

1526A.—Young, C.-C. and Liu, P. T. Notes on a mammalian collection probably from the Yüshê series (Pliocene), Yüshê, Shansi, China. Contrib. Nat. Res. Inst. Geol. Acad. Sinica 8 1948 pp. 273–291 4 pls. 1 fig.

1527.—Young, H., Strecker, R. L. and Emlen, J. T. Jr. Localization of activity in two indoor populations of House Mice, *Mus musculus*. J. Mammal. Baltimore 31 1950 pp. 403-410 3 figs.

1528.—Young, J. Z. The Life of Vertebrates, Oxford 1950 pp. xvi+767 497 figs.

1529.—Yü-Ch'üan Tsang. The superficial arterial pattern of the ruminant brain. Peking nat. Hist. Bull. 18 1949 pp. 107–117 5 pls.

1530.—Yü-Ch'üan Tsang. Visual centers in the rat and the mole-rat. Peking nat. Hist. Bull. 18 1950 pp. 255–273 8 figs.

1531—Yü-Ch'üan Tsang. Ventralhorn cell columns in the cervical and lumbar enlargements of the spinal cord of the bat. Peking nat. Hist. Bull 17 1949 pp. 175–182 2 pls.

1532.—Zabinski, J. The birth of a Lycaon pictus L. in the zoological garden of Warszawa. Bijdr. Dierk. 28 1949 pp. 550–555.

1533.—Zabinski, J. Work on restitution of the European bison. Ochrona Przyrody Krakow No. 19 1950 pp. 101–115 6 figs. [Polish with English summary.]

1534.—Zangerl, R. and Denison, R. H. Discovery of early Cretaceous Mammals and frogs in Texas. Science Lancaster Pa. 112 1950 p. 61.

1535.—Zapfe, H. Die Fauna der miozänen Spaltenfüllung von Neudorf an der March (C.S.R.) Chiroptera. Sitz.Ber. öst Akad. Wiss. Abt. I 159 1950 pp. 51–64 9 figs.

1536.—Zapfe, H. Die Fauna der miozänen Spalten-füllung von Neudorf an der March (C.S.R.) Carnivora. Sitz. Ber. öst Akad. Wiss. Abt. 1 159 1950 pp. 109-141 17 figs.

1537.—Zaphiro, B. D. Notes on Loelli game. Sudan Wild Life 1 No. 2 1949 pp. 6-17 1 map 1 chart.

1538.—[Zemski, V. A.] [Materials for the study of embryonic development of Balaenoptera physalus L. in the Antarctic.] Bull. Soc. Nat. Moscow Sect. Biol. 55 1950 pp. 15-20. [In Russian.]

1539.—[Zhedenov, V. N.] [Classification of the types of lungs in mammals.] C.R. Acad. Sci. Moscow N.S. 74 1950 pp. 393-396. [In Russian.]

1540.—Zimmermann, K. Zur Kenntnis der mitteleuropäischen Hausmäuse. Zool. Jahrb. Jena (Syst.) 78 1949 pp. 301–322 2 figs.

1541.—Zimmermann, K. Die Randformen der mitteleuropäischen Wülhmäuse. Syll. biol. (Festschrift Kleinschmidt) Lutherstad 1950 pp. 454– 471 2 figs.

1542.—Zinner, E. Neue Angaben über das Verhalten der Tiere bei Sonnenfinsternissen. Ber. naturf. Ges. Bamberg 1950 No. 32 pp. 35–50.

1543.—Zuckerman, S. South African fossil anthropoids. Nature, London 165 1950 p. 652.

1544.—Zuckerman, S. South African fossil hominoids. Nature London 166 1950 pp. 158–159.

1545.—Zuckerman, S. Taxonomy and human evolution. Biol. Rev. Cambridge 25 1950 pp. 435–485 tables.

Zuckerman, S. vide Ashton.

1546.—Zukowsky, L. Grosssäuger, die Hagenbeck entdeckte. Zool. Garten Leipzig 17 1950 pp. 211–221 7 figs.

II.—SUBJECT INDEX

GENERAL LITERATURE AND HISTORY

Text Books and General Works.—Introduction to mammalogy, Bresse 186; Life of vertebrates, J. Z. Young 1528; Vertebrate embryology, Wieman 1487; Textbook of paleozoology, Kuhn 841; Anthropoid apes, Urbain and Robe 1394; The rabbit, Lincke 887; The beaver, Hinze 683; Anatomy and physiology of larynx, Negus 1004.

Faunal Works.—Mammals of U.S.S.R., Vol. 7, OGNEV 1029; Small mammals of Kenya, Copley 317; Mammals of Victoria, Brazenor 185.

History.—Early Hindu animal knowledge, JAYARAM 750; The classical rhinoceros, Gowers 553; Important mammal discoveries of last century, M. BURTON 230; Californian mammals in Hakluyt (1589), Ora 1045; History of marsupial discoveries in W. Australia, GLAUERT 536; Unpublished Huxleyan anthropoid eraniology plates, KEITH 790; References to Yak in classics. PRELL 1115.

Obituaries.—C. Forster-Cooper, D. M. S. Watson 1444; Sir Sidney Harmer, Kere 799; C. B. Kloss, Banks 95; L. Kraglievich, Huergo and Glai 718; H. G. Maurice, Cansdale 261, Hindle 681; H. C. Raven, Gregory 1135.

Bibliography.—C. B. Kloss, Banks 95; H. C. Raven, Raven and others 1135; Bibliography of big game shooting in India and E. Asia, R. W. Burton 236; Okapia, Bruhin 207.

Taxonomy and Classification.—Reforms in nomenclature from Paris Congress, 1948, Hemming 652.

Museums and Collections.—History of the Paris Museum collections, Berlioz 138; Spanish Big Game exhibition, Bolin 157, F. Wallace 1433; Craniostat and projector for measuring skulls, Ashton and Pardoe 66.

Zoological Gardens.—Zoos and their management, Hediger 643; Usefulness of Zoos, M. Burton 228; Identification marks for zoo animals, Schneider 1236; Electric fences for zoos, Urbain and others 1390; Problems of Okapi keeping, Hediger 645; History of Woburn Park, Bedford 119; Present status of Woburn Collection, Bedford 123; List of new mammals imported by Hagenbeck, Zukowsky 1546.

STRUCTURE

General.—The mammalian head, Veit 1402; Physical distinctions of man among primates, A. H. SCHULTZ 1250; Gorilla anatomy, RAVEN and others 1135; Foot of Tapirus, BRESSOU 188; Types of lungs, Zhedenov 1539.

Integumentary and Epidermal Structures.—Cuticle of mammalian hair, APPLEYARD and GREVILLE 58; Egg-

tooth in monotremes and marsupials, Hill and de Beer 675; Hair tracts in marsupials, Boardman 154, 155; Relation between nail and toe in primates, Gasser 507; Hair structure and colour factors in Oryctolagus, Danneel 351, 352, 353; Skin and hair of Chinchilla, Wilcox 1491; Sinus hairs of fin whale, Ocawa and Shida 1028; Hair character in dogs, Beemblossom 126, Takenouchi 1335; Hair and bristles in pinnipeds, E. Mohre 968; Structure of hoof in horse, Straunard 1322; Hair distribution in Siamese twin calves, Dathe 358; Dimensions of follicles in sheep skin, Burns and Clarkson 220; Wool analysis of Scotch blackfaced sheep, Sliwa 1280, Szalajko 1333.

Osteology: General.—Calcification of mammalian bones, WEIDMAN and ROGERS 1453: Skeletal key to U.S.S.R. mammals, GROMOVA 568; Feet structure in various mammals, Kasyanenko 781; Knee in some mammals, Kas-YANENKO 782; Pelvis form in relation to function in primates, Kleinschmidt 807: Skeletal analogies between armadillos and pangolins, Frechkop 479; Foot in Duplicidentates, KASYAMENKO 783; Skeletal polymorphism in Mus, GRUNEBERG 574; Marrow of Cricetus auratus, TRINCAO and others 1376; Bone marrow distribution in Fin Whale, OHE 1032; Baculum in Procyonidae and Ursidae, DIDIER 391; Baculum growth in Callorhinus, V. B. SCHEFFER 1217.

Osteology: Skull.—Prognathism in mammals, Husson 727; Frontal sinus evolution, Edinger 412; Homology of pterygoid, Eloff 429; Interior nasal skeletal structure, Gompper 544; Interorbital septum, phylogenetic study Haines 585; Value of cranial capacity in systematics, Bourdelle and Dezillere 174; Variations in vomer in Cebus, Della Serra 384; Embryonie skull of Manis javanica, Starck 1294; Nasal region of Lepus capensis, Eloff 428; Vomer-ethmoidal relation in rodents, Eloff 427; Foetal skull of Monodon, Eales 405; Sexual dimorphism in carnivores, Bouchud 173; Fossa rhomboides in elephant, Hirokawa and Egawa 684.

Dentition.—Teeth as subject for comparative biological study, Port-

MANN 1107; Biochemistry of tooth enamel, Bennejeant 136; Milk dentition in Nyctalus, Matthews 941; Statistical analysis of ape teeth variations, Ashton and Zuckerman 67; Dentition and age in farm animals, Sir G. Brown 203; Histology and pathology of fossil teeth, Brauer 183.

Myology.—Quantitative - histological analysis of red and white muscle, Graf 556; Tensor tympani muscle in bats, Wassif 1442; Facial musculature of rat, hamster, vole and lemming, Meinertz 949; Variations in superficial back muscles in Rattus, Hoyer and Lane 714; Muscle fibres of rat diaphragm, Sitaramayaya 1275; Cranial musculature in Reithrodontomys, Rinker and Hooper 1156; Myology of Chinchilla, Wood and White 1507; Flexor muscles of forelimb in Felis, Haines 586; Ligaments of leg-joints in Equus, Ghette and Riga 523; Pelvic ligament in Sus, Preuss 1116.

Heart and Circulation.-Method for of arterial anastomoses, McDonald and Potter 907; Comparative anatomy of anthropoid hearts, LEIDEL 873; Aorta of Gorilla, KLEIN-SCHMIDT 808; Blood supply to brain in New World primates, DECESIRY 375; Azygous veins in rabbit, BUTLER 243; Atrioventricular system of dog heart, BAIRD and ROBB 85; Coronary vessels in Canis dom., KAZZAZ and SHANKLIN 787; Heart in seals. MULLER 991; Heart of Indian elephant, FIGULA 447; Blood supply of ruminant brain, Yu-Ch'uan Tsang 1529; Cardiac conduction system in Bos, Bor-SETTO 167; Blood supply of mesonephros in Ovis dom., J. DAVIES 361.

Haematology.—Leucocyte structure, Skvortzov 1278; Haemoglobin content of blood, Bondt 158; Erythrocytes of triploid rabbits, Hagggvist and Bane 583; Blood of Cricetus auratus, Trincao and others 1376; Secretion of red blood corpuscles in Camelus, Duran-Jorda 402.

Lymph and its Organs.—Mammalian lymphocyte, Yoffey 1524; Lymphatic system in some hystricoids, Ottaviani 1052, in *Hydrochoerus*, Ottaviani 1053; Postnatal histogenesis of lymphatic system in *Cavia*, Gyllensten 578.

Nervous System: General.—Comparative size of nerve fibres in various mammals, Haggqvist 581; Nervous system of mouth in suckling mammals, Pieper 1094; Nerve cells of vagus, Botar and others 171; Progress in paleoneurology, Edinger 411; Spinal cord cells in Eptesicus, Yu-Ch'uan Tsang 1531; Rami communicantes in monkeys, Botar and others 172; Sensory apparatus of fin whale mouth and lips, Ogawa and Shida 1028; Plexus brachialis in elephant, Mayeda and Susuki 945; Spinal cord in Equus, Braun 184.

Nervous System : Brain.—Degrees of cerebralisation in mammals, 1499; Brain in rodents, insectivores and carnivores, BAIRATI and CONTU 84; Reduction of ectosylvia in brain of carnivores and primates, FRIANT 483; Preoptic region in Elephantulus, M. K. WRIGHT 1512; Thalamus in Rhinolophus, Iso 739; Primate brain external morphology, Connolly 311; Insula in primate brain, LANDAU 851; External morphology of Alouatta and Cebus brains, J. Anthony 55; Endocranial casts of Plesianthropus, Broom and others 202; Fornix of rabbit brain, SPRAGUE and MEYER 1291: Brain of rodents, CARETTE 265: Pyramidal tract in rodents, Douglas and BARR 396; Brain morphology in dogs, OBOUSSIER 1024; Brain of Vulpes, J. ANTHONY 56; Medulla oblongata in elephant, Egawa and HIROKAWA 413; Brain of Ungulates, CONTU and MACCAGNANI 312; Brain in Rhinoceroses and other Perissodactyles, FRIANT 487; Cerebral index of Okapi, PORTMANN and WIRZ 1108.

Sense organs.—Degeneration in mammalian eye, CEI 281; Histology of rabbit cornea, GRIGORYEVA 567; Visual centres of rat and mole rat, Yü, CH'ÜAN TSANG 1530; Eye in dog, SILVA 12/0; Olfactory apparatus of elephant, KOIKEGAMI and others 825; Eye of Okapia, BRÜCKNER 206; Iris of Sus, Theller 1353.

Vocal Organs.—Larynx anatomy, NEGUS 1004; Larynx in primates, KLEINSCHMIDT 809; Larynx in Cetacea HOSOKAWA 710.

Alimentary System.—Pyloric and duodenal glands, Burkl 219; Vascular arrangements of spleen, Snook 1286;

Liver structure, Elias 424; Size of liver and spleen, Garven 505; Microscopic structure of gall bladder and intestinal epithelium in primates, Ralph 1127; Alimentary system of Arctocebus, W. C. O. Hill 676; Alimentary system of Gorilla, Kleinschmidt 810; Masticatory structure in Edentates, Kühlhorn 840; Appendix in rodents, Harder 605; Mucosal surface of rat intestine, Fisher and Parsons 453; Alimentary canal in Sigmodon, Blank 152; Anatomy of tongue and throat of Elephas, Ghetie 522; Urinary system of camel, Tayeb 1340; Liver and gall-bladder in Giraffa, Cave 280.

Reproductive System.—Utero-vaginal tract, PUJIULA 1120; Urogenital system in female Hypsiprymnodon, J. PEARSON 1068; Primate placenta, STIEVE 1307; Male external genitalia of Gorilla, Hill and Matthews 679: Anterior scrotal position in lagomorphs, PETRIDES 1084; Rudimentary mammary glands in rodent embryos, RAYNAUD 1140; Urinogenital tract in male Stenella frontalis, L. H. MATTHEWS 942; Structure and functions of milt in Equus, HARTWIG 626; Oviduct in Bos dom., LOMBARD and others 894; Morphology of normal bovine uterus and oviduct, Dawson 371; Reproductive tract in Antilocapra, TRYON and Buck 1380.

Endocrine Glands.—Relative size of endocrine glands in mammals, with special reference to the islet of Langerhans, Padour 1057; Thyroid follicle, S. E. Johnson 759; Cytology of thymus, Romieu and Stahl 1169; Glycogen in cortical thymic cells, Smith and Thomas 1283; Variations in adrenal cortex in Rattus, Cain and Harrison 251; Whale pituitary structure, G. W. Harris 611; Hypophysis in relation to body weight in dogs, Oboussier 1023; Thyroid weights in cattle, Campbell and Flux 260; Zona glomerulosa cells in bovine adrenal, Weber and others 1448.

Other Glands.—Submaxillary poison glands in shrews, O. P. Pearson 1071; Face glands in Tadarida, Werner et al. 1461; Salivary glands in Mus, Borghese 163; Snout gland in Hydrochoerus, Rewell 1149; Prenatal growth of mammary gland in Mus, Balinsky 92; Carpal glands in

Potamochoerus, DOUCET 395; Sweat glands in cattle, FINDLAY and YANG 448; Pancreatic duct in cattle, PAIVA and D'ERRICO 1059; Functional anatomy of prostate gland in cattle, SCHENKER 1230.

Teratology and Abnormalities.—Polygnathy in Neomys, CANTUEL and DIDIER 264; Man with tail, KOMAI 827: Deformed skulls in captive orangs, Scheidegger and Wendnagel 1227; Nasal bone anomaly in Bos, Rosatt 1171; Abnormal clavicle in tiger, Gibbs 525; Anatomical anomalies in Felis dom., Goodman 546; 3legged Rattus, Hüter 729; Tailless rat, Kobozieff and others 816; Anomalies in foetal Canis dom., LATIMER 860; Abnormal artery in Cervus, DAM 347; Carotid anomaly in Oryctologus, Reiter 1143; Anomalous heart circulation in Felis dom., FRON-TERA 490; 4-tusked elephant, Anon. 3; Dental anomalies in deer, EIDMANN 418; Abnormal Roe head, WHITEHEAD 1475, Welch 1457; Incomplete twinning in rabbit, Cock 304; Median eye in partially dicephalic Felis dom., ELLINGER and others 425; Siamese twin calves, Dathe 358; Genetic abnormalities in pigs, Dabczewski 339; Polydactyle strains in Mus, R. A. FISHER 452; X-ray induced abnormalities in Mus, L. B. RUSSELL 1182.

Histology and Cytology.—Cytology of thymus, Romieu and Stahl 1169; Striated border of intestinal epithelium, GRANGER and BAKER 558; Perinuclear bodies in mammalian epidermis, Mon-TAGNA 972; Technique for determination of mitotic activity, Christensen 294; Golgi apparatus of sympathetic neurones, Moussa and Gatenby 989; Cytology of the bone marrow in Rodents, Ayzenberg-Terentieva 80: Cytoplasm of rodent ova, Jones-SEATON 769; Sertoli cell cycle in Mus, ELFTMAN 423; Epicytes in Mus, MACKLIN 921; Histology of female genital tract in Otaria, Buno and others 217; Cytoplasmic basophily in mammalian ova, Jones-Seaton 770; Multiple sex chromosomes in marsupials, SHARMAN and others 1267: Chromosomes of triploid rabbit, MELANDER 950: Chromosomes of some rodents, HARPST and MARTIN 609: Mus chromosomes and new

technique for their study, SLIZYNSKI 1281; Sexual chromosomes of *Microtus*, MATTHEY 943; Tantalum chamber for study of living cells, WILLIAMS and ROBERTS 1494; New techniques for study of cytology, WAUGH 1447.

Biochemistry.—Biochemistry newly born mammals, Widdowson 1486: Analysis of animal droppings. HUTCHINSON 728; Effect of trace elements on growth, Klosterman and others 813; Carotenoid biology, WITH 1502; Bile pigments, WITH 1501; Biochemical structure of enamel, BENNEJEANT 136; Alkaline phosphatase in dentinogenesis, E. S. HARRIS 610; Alkaline phosphatase in Rattus intestine, Hebert 640; Phosphatase secretion in rabbit liver, HARD and HAWKINS 602; Acid mucopolysaccharides, Bunting 218; Hydrocyanic acid formation in sheep rumen, BLAKLEY and Coop 151; Vanadium in animals, BERTRAND 141; Choline esterase in dog nerve, HARD and Lipids in arctic Peterson 603: mammals. marine WILBER MUSACOHIA 1489; Biochemistry of lactation in Bos, ACHAYA and HIL-DITCH 30; Analysis of whale fats and oils, Mori and Saiki 984; Methionine content in whale meat, YOSHIDA 1525; Iodine values in whale stocks, LUND 896, 897; Insulin content of whale pancreas, JORPES 771; Whale oil fatty acids, PEDERSEN Respiratory pigments of cetacea, TAWARA 1339.

Techniques.—Coloured plastic injections to demonstrate circulation, KAZZAZ and SHANKLIN 787; Electronmicroscopic techniques, BRETSCHNEIDER 189; Iron stain for study of alveolar development in mammary gland, RAWLINSON 1136.

PHYSIOLOGY

General.—Morphology modified by physiological adaptations, Dechambre 376; Trichobezoars in Peromyscus, Horner 708; Endourethral easts in Castor, G. F. Jones 766; Deathfeigning, Hartman 625; Dwarfism in African goats, Chang and Landauer 286; Histology of tail regeneration in dormice, Haffner 579; Elasticity of ox synovial fluid, Ogston and others

1031; Glycogen relation to mitosis, Bullough and Eisa 215; Appendix in rodents, Harder 605.

Integument.—Development of mammary glands and epidermal structures, BALINSKY 91; The hoof in horse, STRAUNARD 1322; Differentiation of epidermis in tissue culture, Hanson 599.

Nutrition and Metabolism.—Effect of humidity on metabolism. HART 622: Metabolism—temperature relations, HART 623: Magnesium of grass availability to ruminants. GARNER 503: Fermentation in sheep rumen, GRAY and PILGRIM 559; Fat accumulation in pig embryos, ALEXANDROWICZ 43; Water metabolism in newly born Rattus, Schreiber 1245; Water requirements of breeding Peromyscus, LINDEBORG 888; Desert animals and water requirements, St. John 1311; Water metabolism of desert rodents, SCHMIDT-NIELSEN 1232: Pulmonary water loss in desert rodents, SCHMIDT-NIELSEN 1233: Kangaroo rats and salt water, SCHMIDT-NIELSEN 1234: Toxicity of sea water, Albrecht 42; Fat metabolism in arctic marine mammals, WILBER and MUSACCHIA 1489 : Fat metabolism in arctic Citellus, WILBER and MUSACCHIA 1490 : Sweat glands and adaptation of cattle to tropical climates, FINDLAY and YANG 448; Intestine and body weights of rats on unbalanced diets; WIERDA 1488; Phosphorus metabolism brain in Mus, DAWSON and RICHTER 372; Dietetic resistance to audiogenic seizures. Griffiths 566: Effect of growth on metabolic balance in Cavia, FLEXNER and FLEXNER 463; Digestive power of whale pancreatic enzyme, ISHIKAWA 738; Action of vitamin A on bone, Barnicor 103; Coprophagy in rabbits, HARDER 605.

Heart, Circulation and Blood.
Prenatal circulation physiology, Brambell and others 181; Splenic circulation in Rattus, Gall and Maegraith 496; Pituitary extract effects on blood pressure in Ornithorhynchus, Feakes and others 437; Catalasic activity in blood, Bondi 158; Blood transfusion in laboratory animals, GONZALEZ 545; Haemolysis of mammalian red cells by heat, PONDER 1104; Pelger-anomaly of leucocytes, Nachtsheim 994; Formation of new

blood vessels in cat, TROITSKI 1377; Pulmonary blood in postnatal Cavia, SINHA 1274; Serological identity of camel and lama, MASKAR 936; Serological affinities of Cetacea, BOYDEN and GEMEROY 179.

Nervous System.—Function of brain areas, Lashley 857; Phosphorus metabolism of brain in Mus, Dawson and Richter 372; Glycogen relation to brain convulsions, Chance and Yaxley 283; Restoration of motor function in Macaca, Glees and Cole 538; Hypothalamic control of food intake in rats, Kennedy 798; Nerve centres in dogs, Popov 1105; Control of nerve-cell activity, Adrian 37; Nerve implants in muscle, Aitken 40; Nerve transplants, Tchkunova 1342.

Muscle, Bone and Teeth.-Muscular dynamics and locomotion, A. V. HILL 674: Muscle regeneration, IGNATYEVA 731; Studies in rigor mortis, DALE SMITH 342; Physiology of movable joints, E. Gardner 499; Bone healing in wild mammals, Heinzerling 647; Regeneration of fractured bones, VORONIN 1423: Genetic variations in sternum in rabbit, PECK and SAWIN 1073: Histological investigations on experimental osteogenesis, Levikova 883; Shortening of molar row in Equus and Giraffa, WILLEMSE 1493; Naturally shed molars in elephant and rhinoceros, E. Mohr 967; Resorption defects in recent and fossil mammal teeth, Tauber 1338; Tooth tissue absorption in *Physeter*, Boschma 168; Influence of diet on dental development in sheep, Franklin 471; Experimental enamel hypoplasia, J. T. Irving 736.

Sense Organs. -- Orientation in bats. Möhres 969; Function of noseleaves in bats, Möhres 970; Orientation and homing in bats, Möhres and OETTINGEN-SIELBERG 971; Orientation in Mus, Neuhaus 1005 : Tasting powers of animals, BAGNALL 83; Scenting powers in dogs, R. W. Burton 235; Sense of smell in sheep, TRIBE 1374; Hearing in "short-ear" mice. Bundy 216; Audiogenic seizures and diet, Griffiths 566; Colour vision in grazing sheep, TRIBE and GORDON 1375; Age changes in whale eye colour, NISHIWAKI 1015; Specificity of corneal epithelium, BILLINGHAM and MEDAWAR 149.

Endocrinology.—Text book of hormone physiology, Buddenbrock 210; Pituitary regeneration, HARRIS and Johnson 612; Pituitary extract effects on submaxillary gland in Rattus, GABE, 494; Adreno-pituitary exhaustion in rodent cycles, Christian 298; Pituitary grafts, MARTINOVITCH 935; Effect of domestication on Sus hypophysis, Oboussier 1022: Comparative investigation of hypophysis in domestic animals, HERRE 660; Effect of hypophysectomy on growth in Rattus, WALKER and others 1429; Hypophysectomy effect on skeletal growth in Rattus, Asling and others 70; Thymus and body weight relation, G. Dahlberg 341; Histochemical reactions of adrenal cortical cells, FELDMAN 439; Effect of low temperatures on suprarenal cortex in Rattus, Robinson and Yoffey 1167; Effect of DOCA on adrenal cortex in Rattus, OVERZIER 1055; Postnatal development of adrenal cortex in Rattus, VAN DORP and DEANE 1400; Rate of secretion of thyroxine in rabbit, Magsood 932.

Other Glands.—Physiology of lactation, Whittleton 1485; Histo-physiology of mammary gland, Turchini 1381; Physiology of milk secretion, Folley 464; Biochemistry of lactation, experimental studies, Peeters and Massart 1075; Mammary gland development and effect of testosterone, Graaf and others 555; Pituitary stimulus to lactation, Gross and Harris 328; Development in vitro of mammary glands in Mus, M.-H. Hardy 607; Regeneration of sebaceous glands, Montagna and Chase 973; Function of cheek gland in Arvicola, Ortmann 1049; Submandibular and sublingual glands in Mus, Borghese 161; Development of salivary gland in Mus, Borghese 161; Development of salivary gland, results of pituitary treatment, Gabe 494.

Growth, Weight, Mensuration.

Growth measurement in farm animals, Hammond 595; Age of farm animals determined by teeth, Sir G. Brown 203; Growth in polyploid rabbits, Haggovist and Bane 584; Age determination in Mus musculus, Varshavski 1401; Comparative intestine body weights of rats on unbalanced diets, Wierda 1488; Body size and organ weight, Addis and Gray 34;

Body size and suprarenal weight, Addis and Gray 35; Body size and gonad weight, ADDIS and GRAY 36: Growth in Bandicota, HARRISON and WOODVILLE 619; Prenatal growth in Cricetus, PURDY and HILLEMANN 1125 ; Size and muscular dynamics, A. V. HILL 674; Growth marks on Pinnipedia teeth, V. B. SCHEFFER 1220; Carcase weight relationships in Odocoileus, HAMERSTROM and CAMBURN 592: Record Leopard? James 747; Growth of white rhino in captivity, Brealke and others 147; Growth of captive born Elephas maximus, E. M. HINDLE 680; ? Record African elephant tusk, BORMANS 166; Growth in Giraffa, REVENTLOW 1147; Artificially produced giant horns in Bos bubalis, WEGNER 1451: Record Scotch deer heads, 1949, WHITEHEAD 1470; Red Deer, heights, Johnstone 761; Antler growth and variation in red deer in Germany, Wezel 1464; Growth of young chimpanzee, CATEL 278; Gorilla measurements and weights, WILLOUGH-BY 1496; Age determination in fur Pelts, Petrides 1083; Hypophysectomy effect on growth in Ratus, Walker and others 1429; Hypophysectomy effect on skeletal growth in Ratus, Asling and others 70; Skeletal development in Cricetus, BEATTY and HILLEMANN 116; Problem of age in whales, WHEELER 1468; Age and growth in blue whales, OTTESTAD 1054: Age determination in Balaenoptera, RUUD 1186; Age and growth analysis of blue whales, Ruun and JONSGARD 1187; Age factors in baleen plates, NISHIWAKI 1016; Whale body weight data, Nishiwaki 1017; Weight data for whales, Omura 1041; Weight of large blue whale, Winston 1498.

Longevity.—Longevity in Eptestcus fuscus, Banfield 94; Longevity in Myotis, Barbour 99; Longevity in Sciurus niger, Greene 562; Longevity in Halichoerus, Matheson 940; In elephants, H. A. All 45.

Mortality.—Heavy mortality at sea of young fur seals, V. B. Scheffer 1224; Mortality in wild elephants in Assam, Gee 512, 515; Mortality and longevity in Bandicota, Harrison and Woodville 619; Mortality in London Zoo, 1948, Rewell 1148; 1949, Rewell 1150; Deaths in Vincennes Zoo, 1949, Urbain and others 1392.

Respiratory Organs.—Alveolar epithelium in the lung, Short 1269; Respiratory pigments of cetacea, Tawara 1339.

Voice.—Larynx physiology, Negus 1004; Development of epithelial primordium of rat larynx, Walander 1428; Larynx in cetacea, Hosokawa 710; Death cry of tiger, R. W. Burton 238.

Locomotion.—Speed and muscular dynamics, A. V. Hill 674; Tractive power in horses, Prawochenski and others 1114; Jumping ability of mammals, M. Burton 229; Horsepower of whale, Colam and Hill 306; Speed of dolphins, G. A. Steven 1302; Speed of rhinoceros, Eble 408; S. J. Moore 978; Bat flight photos, Cassel 277; Rat and mouse tracks, Kemper 797.

Albinism, Melanism.—Albinistic and melanic rats in wild populations, J. L. Harrison 616; Albinism in bats, Setzer 1260; in wild Rattus, Gibson-Hill 527; Giraffe, Petzsch 1090; in Dama, Whitehead 1473; in Red Deer at Woburn, Bedford 121; Whitehead 1478; in Damaliscus, Frechkop 480; in Adenoia, Urbain and Bullier 1389; Melanism in British grey squirrels, Bedford 118; Black squirrels in Cambridgeshire, G. Care 268.

Moult and Pelage Change.—Arctic hare retaining winter coat, Donovan 393.

Hibernation.—Physiology of hibernation, KAYSER 785, 786; Hibernation metabolism, LYMEN and CHATFIELD 901; Recent knowledge, M. BURTON 225; Comparative hypoxic resistance of hibernators and non-hibernators, HIESTAND and others 673; Experiments on hibernation in Citellus, Arbuzov 61; Barometric pressure and hibernation in Citellus, GAJE 495; Soil temperature and emergence from hibernation in Citellus, Wade 1426; Stomachal secretion during the wintersleep in Citellus suslica, Person 1079; Waking mechanisms in hibernating Cricetus, LYMAN and CHATFIELD 902; Artificial insulin hibernation in Erinaceus, P. SUOMALAINEN 1328.

Light and Temperature Studies, etc.— Influence of light on breeding, BELAYEV 181; Influence of light on Citellus suslica Gueld, JERASIMENKO 520; Effects of simulated high altitudes on Rattus physiology, MALMEJAC and others 925; Body insulation in arctic mammals, Scholander and others 1241; Heat regulation in arctic and tropics, SCHOLANDER and others 1242, 1243; Physiology of arctic mammals, L. IRVING 737; Body temperature in relation to distribution and habitat, ULLRICH 1386; Effect of low temperature on heart, GIAJA and ANDJUS 524; Thermoregulation and oxygen consumption, O'CONNOR 1025; O'CONNOR and McKeever 1026; Temperature of Mus dom., WEIR 1456; Temperature and oxygen in Mus, MEDVEDEVA 947; Temperature and age in Microtus socialis, Polyakov and Pegelman Thermoregulation in onto-1103: genesis in Citellus, VIDOVICH and Popovich 1406.

Pathology. - Congenital photosensitivity in sheep, HANCOCK 597; Adrenopituitary exhaustion in rodent cycles, CHRISTIAN 298; Natural and experimental caries, Ken. 788; Pathological investigation of fossil teeth, BRAUER 183: Skull deformities in captive orangs, Scheidegger and Wendnagel 1227: Causes of mortality in London Zoo, 1949, Rewell 1150; Causes of deaths in Vincennes Zoo, Urbain and others 1392; Skin tumors in deer, HERMAN and BISCHOFF 658; Tumours in whales, Stolk 1317; Septicaemia in Fiber, Urbain and Piette 1391; Rabies in tigers, R. W. Burton 239; Tuberculosis in primates, MEYN 957: Spirillum minus in Kenya rats, Heisch 648: Peromyscus immunity to reinfection with Trypanosoma, PACK-CHANIAN 1056; Tularemia in Zapus, NAKAMURA 996: Insectivores and tularemia, OLSUFYEV and DUNAEVA 1040; Scrub typhus in Malayan rats, TRAUB and others 1372; Epidemic in elephants, GEE 516; Elephantulus as malaria vector, HOOGSTRAAL 696; Rats and plague in Uganda, HOPKINS 707; Yellow fever tests on Brazil mammals, Hughes and Perlowagora 720; Immunity of Brazilian primates to yellow fever, Kumm and LAEMMERT 845; Alouatta susceptibility to yellow fever, LAEMMERT and KUMM 848: Sylvatic plague in Meriones, BALTAZARD and Mofidi 93; Sylvatic plague in Cynomys, Ecke and Johnson 409: Clinical observations on Okapia, E. M. Lang 852; Helminthiasis in Okapia, Scheideger 1226.

Transplants and Gratts.—Transplants of tissue, Woodruff 1508; Transplantation of hematopoietic tissues into bloodstream, Osogoe 1051; Pigment spread grafting experiments, Billingham and Medawar 148; Stomach lining grafts in Mus, Coquoin-Carnor 318; Corneal epithelium, Billingham and Medawar 149; Pituitary explant grafts, Martinovitch 935.

Laboratory Technique.—Laboratory animal breeding methods, Specht 1288; Method of blood transfusion in laboratory animals, Gonzalez 545; Method for study of arterial anastomoses, McDonald and Potter 907; Technique of surgery on foetal rats, Wells. 1458.

REPRODUCTION AND SEX

General Problems .- Mechanism of sex differentiation, DANTCHAKOFF 354: Review of experimental work on sex differentiation, Petter 1088; Sex ratios in Rattus, Schein 1228; Productivity and sex ratio in Cervus canadensis, H. V. GREEN 560; Tests for reproductive status in male small mammals, Christian 295; Sex determination in fur pelts, Petrides 1083; Breeding biology of Canidae in captivity, SCHNEIDER 1240; "Fairy rings" of Roe Deer, Buxton 246; Review of methods of artificial insemination, Bressou 187; Reproduction and maternal influence on birth weight in Oryctolagus, VENGE 1403; Influence of age on progeny in Equus, VITT 1419; Genetics of sterility in male Mus, GLUECKSOHN-SCHOENHEIMER and others 539; Intra-uterine mortality in Mus, HOLLANDER and STRONG 694; Reproduction in some Indian bats, IYER 742: Prenatal growth in Cricetus, PURDY and HILLEMANN 1125; Histology of corpora lutea in whales, LENNEP 875; Experimental techniques on rabbits, MATHER 937; Epithelial changes in uterus of Elephantulus, VAN DER HORST 1399; Testes and baculum growth in Callorhinus, V. B. Scheffer 1217; Twinning in Red Deer, Macnaughton 922; WHITEHEAD 1474.

Reproduction in Special Forms.—
Ornithorhynchus reproduction in captivity, Fleav 462; Reproduction in Erinaceus, Stieve 1308; Early development in Elephantulus rozeti, Lange 854; Seasonal breeding activity in Apodemus, Raynaud 1137, 1138; External factors affecting sexual activity in Apodenus, Raynaud 1139; Rattus rattus in London and Cyprus, J. S. Watson 1446; Reproductive capacity in Ondatra, Gashwiler 508; Mating in whales, Nishiwaki and Hayashi 1018; Reproduction in Antarctic fin whales, Lemski 374; Reproduction in Lynx rufus, Pollack 1101; Breeding of Lycaon in captivity, Zabinski 1532; Breeding biology of Capreolus, Stieve 1310; Roe and their rings, Buxton 245.

Ovary and Ovulation Problems.—Ovulation in post-parturitional Mus, RUNNER and LADMAN 1181; Connective tissue in oogenesis, Keller 791; Polyovular follicles in Mus, Fekete 438; in Rattus norvegicus, Davis and Hall 366; in Marmota, Christian 297; Cytoplasmic structure of rodent ova, Jones-Seaton 769; Cleavage of unfertilized ova in ferrets, Chang 285; Technique for rat egg fertilization study, Austin 78; Rabbit ovum transplants, Chang 284; Transplantation of fertilized ova, Dowling 397.

Oestrous and Sex Cycle.—Oestrous changes in oviduct of Bos dom., Lombard and others 894; Oestrous cycle in Mus under colchicine treatment, H. SUOMALAINEN 1327; Sex skin changes in Macaca, DURANREYNALS and others 403.

Pregnancy and Gestation Periods.—Physiology of delayed gestation in Capreolus, STIEVE 1309; Superfoctation in Didelphis? Hartman 624; Winter foctus in Myotis, GUILDAY 576; Gestation in Ochotona, SEVEBAID 1264; Gestation in Marmota, HOYT 715; Prenatal mortality in Cricetus, PURDY and HILLEMANN 1123; Foctal study, and pregnancy in whales, MIZUE and JIMBO 961.

Placentation.—Placentation in Elephantulus, Van der Horst 1398; in Scotophilus, Gopalakrishna 549; in Lyroderma, Gopalakrishna 550; Placental tissue changes in Cricctus, PURDY and HILLEMANN 1124; Placental development in *Cricetus auratus*, ADAMS and HILLEMANN 33; Amniotic fluid production in *Cricetus*, PURDY and HILLEMANN 1122; Amniogenesis, VAN DER HORST 1397.

Testes and Spermatozoa.—Precocious young male Microtus, Christian 296; Method of determining fecundity in male small mammals, Jameson 749; Temperature experiments on mouse spermatozoa, Hardberger 604; Electron microscopy of bull sperm, Raven 1134; Cytoplasm of male germ-cell in rat and mouse, Gresson 565; Spermatozoa in vitro penetration of ovum, Moricard 985; Uterine fluid effect on uterine sperm, Leonard 876.

Parturition.—Head presentation in Indian bates, Ramarrishna 1128; Birth of kangaroo, Dathe 357; Pregnancy and parturition in Cetacea, SLIPPER 1279.

Lactation.—Review of physiology of lactation, Folley 464; Biochemistry of lactation, Petters and Massatt 1075; Effect of testosterone on mammary gland development, Graaf and others, 555.

Intersex.—Hermaphrodite ferret, ROSE, 1172; A maned lioness, SCHNEIDER 1235; Antiered female Axis, CHUR 301; Cryptorchid Cervus, G. E. Hudson 716.

Hybridization.—Primate hybrids, Montagu 974; Lion-tiger hybrids, Leyhausen 885; Tiger-lion hybrid in Paris, Urbain and Rinjard 1393; Thalarctos × Ursus hybrids, M. Davis 368; Hybrid zebra at Schönbrunn, Antonius, 57; Hybridization in zebras, Rzasnicki 1189.

DEVELOPMENT

Early Stages.—Vertebrate embryology, Wieman 1487; Development of egg-tooth in monotremes and marsupials, Hill and de Beer 675; Early embryology in Scotophilus, Gopalakrishna 548; Abnormalities in embryo Elephantulus, van der Horst 1396; Embryology of Balaenoptera, Zemski 1538; External characters of three foetuses of Indian elephant, Axer and Mariappa 79; Foetal development of Odocoileus, Armstrong

64; Mouse embryo development BONNEVIE 159.

Nervous System.—Development of mesonephros in *Ovis* dom., J. and D. V. Davis 362.

Glands.—Submandibular and sublingual glands in Mus, Borghese 161; Submandibular gland in Mus, Borghese 162; Development of mammary glands and epidermal structures, Balinsky 91; Mammary gland in Mus, Balinsky 92; Mammary glands of Mus in vitro, M. H. Hardy 607.

Other Organs.—Foetal yolk-sac of rabbit, B. Morris 986; Development of azygous vein in Ratus, BUTLER 243; Osteogenesis in Cricetus, Beatty and Hillemann 116; Embryonic development of urogenital tract in insectivores, Godet 541; Nose leaf structure in embryonic Rhinolophus, Sitt 1276; Prenatal larynx epithelium in Ratus, Walander 1428.

EVOLUTION AND GENETICS

Evolution; General.—Some factors in evolution, Rensch 1144; Time series and trends in evolution, Romer 1168; Non-specialization in evolution, EISELEY 419; Brain evolution results of paleoneurological development, EDINGER 411; Size inheritance, BUTLER and METRAKOS 244; Phylogeny of vision in mammals, Cri 281; Evolution of neotropical mammals, SIMPSON 1272; Frontal sinus evolution, EDINGER 412; Pelger anomaly, NACHTSHEIM 995.

Evolution : Primates.—Textbook introduction to anthropology, HOEBEL 687; History of primate evolution, LE GROS CLARK 866; New evidence on origins of Hominoidea, LE GROS CLARK 870; New views on early man, HEBERER 639; Taxonomy and human evolution, Zuckerman 1545; Man's relation to apes, W. C. O. HILL 677; Relationships of early primates, BARTH 105: Review of recent work on human evolution, DAWE 370: Human palaeontology, Charles 288; The "missing link," Broom 192; Relationships of Australopithecinae, BROOM and Robinson 195; Pelvis in S. African ape-men, Broom and Robinson 198; Additional evidence on structure and relationships of Plesianthropus, Broom and others 202; Position of Australopithecinae, Sauter
1202; Quantitative dental characters
of fossil anthropoids, Ashton and
Zuckerman 68; Effect of isolation
on Cercopithecus teeth, Ashton and
Zuckerman 69; New classification of
fossil man, Frassetto 477; Evolutionary significance of protostylid
A. A. Dahlberg 340.

Evolution: Other Orders.—Evolution in Arctocyonid teeth and jaws, Weigelt 1454; Cetacea and Artiodactyla serological affinities, Boyden and Gemeroy 179.

Mutation and Variability.—Mutation rates and detection, Falconer 436; Black to brown mutation, M. E. Wallace 1435; Piebald mutation in sheep, P. W. Gregory 564; Pattern variation in Glauconycteris, Hayman and Jones 635; Abnormal colour pattern in Tamias, Svihla and Larrison 1329; Colour variations in Rangifer Herre 661.

Genetics: General Problems.— Chemically-induced polyploidy, Haggqvist and Bane 582, 583, 584; Chromosomes of triploid rabbit, Me-Lander 950; Polyploidy in Oryctolagus, a criticism, Beatty and Fischberg 117.

Genetics; Researches in Mus.—Embryology of Mus genes reviewed, Gruneberg 572; Skeletal polymorphism in Mus Gruneberg 573, 574; Male sterility, Gluecksohn-Schoenheimer 539; X-ray induced abnormalities, L. B. Russell 1182; Skeletal variations in wild Mus, W. Weber 1450; Polydactyle strains, R. A. Fisher 452; Linkage between fidget and agouti, Carter and Gruneberg 270; Gene order in fifth linkage group, Borger 160, Carter and Phillips 271, 272, Dickie and Woolley 390, Dunn and Gluecksohn-Schoenheimer 401, Fuller and others 491, Garber and Houth 498; J. W. B. King 802, Kobozieff and others 15, 817, 818, McDowell 911, Making 923, Morgan 983, M. E. Wallace 1436.

Genetics: Studies of Other than Mus.
Genetics in Oryctolagus. dom., VENGE
1403; Genetics of hair colour in

Oryctolagus, Danneel 352: Genetical variation in epiphyseal growth in rabbits, Sawin and Dietz 1203; Genetic variations in sternum in rabbit, PECK and SAWIN 1073: Incomplete twinning in rabbit, Cock 304; Hair direction genetics in Cavia, S. WRIGHT 1515; Pigment spread in Cavia, BILLINGHAM and MEDAWAR 143; Heterochromia in Peromyscus, HUESTIS and WILLOUGHBY 719; Genetics of Vulpes, colour phases, Calhoun 253; Inheritance of coat colour in dogs, Winge 1497; Inheritance of whorls in dogs, Pullio 1121; Problem of tailless cats, Schwangart 1253; Genetics of Siamese cats, Moutschen 990; Gene frequencies of London cats, SEARLE 1258; Genetics of teratology in Sus dom., DABCZEWSKI 339; New sublethal factor in sheep, HANCOCK 597; Twinning in cattle, HANCOCK 596: Monozygous cattle twins, ROBERTSON 1165; Polled cattle breeding, HAM-MOND 594; Cattle genetics, BAKER and others 86, JOHNSON and others 758. KIDWELL and GUILBERT 801.

ECOLOGY AND HABITS

General.—Game management textbook, Byron 248; Relation of moon phases to deer use of salt lick, Buss and Harbert 242; Ratius and Mus ecology in a Kansas city, O. M. King 804; Track making by domestic animals, Bates 112; Introduced mammals in New Zealand, Wodzicki 1504.

Habits of Special Forms.—Castor in New York, Tevis 1352; Ecology and speciation in Peromyscus, Blair 150; Three species of Peromyscus, McCabe and Blanchard 905; Anti-locapra in Texas, Buechner 213; Odocoileus in California, Cronemiller and Bartholomew 327.

Food Habits and Predation.—Food range of Microchiroptera, EISENTRAUT 422; Blood-sucking in Desmodus, Mann 926; Carnivorous habits in Eptesicus, KRUTZSCH 838; Fruit-bat feeding on flowers, BERWICK 142; Bats as food of bat falcon, BEEBE 125; Hedgehogs storing worms, W. P. Hudden 1717; Rat suspected of storing worms, HASSELLS-YATES 627, JOHNSTONE 760, PICKFORD 1093; Rats

storing food, etc., KAYE 784; Cannibalism in white rats, LAFITTE 849; Citellus eating fish eggs, Olson 1039; Grey squirrel killing young birds, DALTON 346; Muskrats eating mussels, RIEDEL 1154; Cannibalism in Microtus, Voge 1421; Crows feeding on young Sylvilagus, KIRKPATRICK 805; Canis lupus, attacks on man, BURR 221; Ursus americanus preying on man, Whitlook 1484; Martes americana food habits, Cowan and Mackay 322; Mink eating bats, GOODPASTER and HOFFMEISTER 547; Food choice of Otters, BRYANT 209, G. A. MACKENZIE 917; Taxidea fishing, DRAKE and PRESNALL 398; Mongoose predation on frogs, BENCE-JONES 135; Cat killing stoat, DATHE 356: Cats eating weasels, GAUGHRAN 508; Food of Alaska fur seal, V. B. Scheffer 1222. 1223: Antilocapra in California, FERREL and LEACH 445; Plant foods of Odocoileus in California, FERREL and Leach 444; Alces in Brit. Columbia, Cowan and others 321; Grazing habits of cattle in tropics, Barisson Villares 102.

Aquatic Habits.—Aquatic ability of Lepus americanus, G. S. Hunt 723; Backward swimming in Ondatra, A. W. Peterson 1081; Swimming ability of Zapus, J. K. Jones 767; Erethizon swimming for food, Dean 373.

Fossorial Habits.—Formation of mole hills and runs, M. Burton 232.

Breeding Habits.—Stoat breeding in bird's nest, Newman 1007; Habits of Red Deer during and after rut, R. Perry 1078.

Miscellaneous Habits.—Nocturnal habits of animals, E. Neal 998; Common Shrew carrying young attached to teats, Macintyre 916; Cetacea in captivity, Mertens 954; Coyote as seed distributor, Jaeger 744; Barking in foxes, Merlen 953; Defence instinct in ungulates, Jobaert 755; Drumming of the Mouse-deer, Kempe 796; Locked horns in two kudus, Glynn-Baker 540.

Associations.—List of animals found in the burrows of beaver, Barabash-Nikiforov 97; Rodents found in the burrow of Desmans in Russia, Barabash-Nikiforov 98; Association of raccoon and rat, Callery 255; Cat-

Fox association, F. H. Schultz 1252; Badger-coyote hunting "partnership," Cahalane 250.

Psychology.—Dominance patterns in mammals, Collias 310; Wild animals in captivity, Hediger 643; Animal behaviour in captivity, HINDLE 682; Aspects of animal behaviour, E. P. WALKER 1431; Mammalian reactions to eclipses, ZINNER 1542; Training a chimpanzee, BIERENS de HAAN 145; Learning ability of young chimpanzee, SCHNEIDER 1239; Brown rat intelligence, STEINIGER 1300 : Dominance in Mus, ROTH 1175; Behaviour patterns in dogs and wolves, J. P. SCOTT 1255; Social behaviour tests of dogs, Scott and Marston 1256; Social behaviour tests of dogs, Voger and others 1422; Can dogs distinguish pictures? HELLER 651; Defecation behaviour of dogs, Ross 1174; Behaviour studies of Vulpes in captivity. Seitz 1259; Play habits of badgers, Neal 999; Lynx behaviour in captivity, LINDEMANN 889; Elephant intelligence, GEE 511; Behaviour patterns in British cattle, BROWNLEE 205, in Asiatic buffalo, MacGregor 912, in young calves, D. M. WALKER 1430; Mountain sheep aggression to deer at food, HUNTER and KINGHORN

Migration and Homing.—Orientation in mice, Neuhaus 1006; Bat ringing results, Abel 29; Bat movements in Devon, Hooper and others 706; Migration of Lasiurus, Carter 273; Homing in marked fur-seals, V. B. Scheffer 1221; Game migration in Sudan, A. B. Anderson 52, Zaphiro 1537.

Home Range and Territory.—Environment of bats, EISENTRAUT 420; Territorial marking by mammals, Hedder 642; Home range in *Microtus*, comparative determination methods, Hayne 636; No timber wolf runways? DE Vos 388; African elephant distribution relation to geology, Hyde 730.

Population Studies.—Game cycles, Grange 557; Fluctuations in Canadian Arctic, Chitty 292; Population cycles in Arctic mammals, Kalela 777; Hypothesis of adreno-pituitary exhaustion in rodent cycles, Christian 298; Small mammal population of isolated prairie grove, G. C. Sanderson 1198;

Island population study, Manville 930; Census methods in Africa, Jobaert 754; Origin and spread of mammals in N.E. Polder, Holland, Dammerman 348; Small mammals in Czecho-Slovakia, Turcek 1382: Population study of small mammals Poland, KOWALSKI 830: Fluctuations in Illinois, C. O. Mohr 962; Soil temperature influence on Talpa populations, LIKHATCHEV 886; Composition of Texas Tadarida colony, CAGLE 249; Lepus americanus cycles, 1946-48 report, Chitty 291; Variation in laboratory-bred stocks of *Peromyscus*, HAYNE 637; Population cycle in Neotoma, NEGUS 1001; Population study of Ondatra in Manitoba, McLEOD 920; Microtus cycle in Slovakia, TURCEK 1383; Home range in Mus musculus, Young and others 1527; Causes of rat population variation, D. E. DAVIS 364; Rat population of New York, D. E. Davis 363; Rat population of Baltimore, Davis and Fales 365; Controlled population study of Rattus, CALHOUN 254; Relative census method for Rattus rattus, CZYZEWSKI 338; Rattus rattus in Florida, WORTH 1509.

Conservation.—Game management textbook, Byron 248; Conservation emergency action. Coolings 314: Need for game sanctuaries, STEVENSON-HAMILTON 1305: Review of conservation problems, VRYDAGH 1425; Conservation of vanishing species, Vos 1424; Future of African fauna, WORTHINGTON 1511; Effect of antrycide on African game, CALDWELL 252; African National Parks, illustrated account, W. R. Moore 977; Nairobi National Park, Tomkinson 1371; Kruger National Park, Jennings 753; N. Rhodesian National Park, Anon. 22: Kafue National Park, Anon. 24; Wankie Game Reserve, photos., Browne 204; Parc National Albert, HOIER 693; Problems arising in East Africa, C. Scott 1254; Game control in Kenya, RITCHIE 1157; 1950 Tanganyika Game Bill, Anon 23; Uganda Game Report, 1948, 1949 Pir-MAN 1097, 1098; Protection of arctic animals, Kosiba 829; Reserves in Assam, GEE 514; Conservation problems in India, DHARMAKUMARSINHJI 389; Enhydris recovery, Anon. 26; Sable conservation in U.S.S.R., Beli-SHEV 132; Census of lions of India, WYNTERBLYTH 1518, 1519; Indian lion, WINTER-BLYTH and DHARMA-KUMARSINHJI 1520: Present status of marine mammals, BERTRAM 140 : Exploitation of Odobenus, Matheson 939 : Return of Mirounga angustirostris. BARTHOLOMEW 106: Arctocephalus townsendi survival on San Nicolas Isl., California, BARTHOLOMEW 107; Criticism of elephant-catching in Garamba National Park, Belgian Congo, HEDIGER 646; Status of Addo Bush elephants, ARCHIBALD 62: Ceratotherium simum in Natal, present status, KLUGE 814, increase in Uganda, p. 26, PITMAN 1098; Indian Rhinoceros, GEE 518: Indian rhinoceros in Assam, recent survey, S. Ali 44; Mountain zebra status, Bigalke 146; Mountain zebra proposed reserve in Outeniqua ZEOTA Proposed reserve in Outeniqua.

Mts., S. Africa, MIDDLEMISS 958;
Hippos in Parc National Albert,
HOTER 692; Deer parks in Britain,
WHITEHEAD 1469; A suggested close
season for deer, JOHNSTONE 763,
WHITEHEAD 1479; Red deer conservation in Lake District, MooreHOUSE 979; Need for conservation of
Roce deer in British Isles RITERIE Roe deer in British Isles, RUFFLE 1179; Royal Danish Deer Park in Klampenborg, Benzon 137; Capra ibex conservation in Italy, White-HEAD 1480; History of present stocks of European bison, aims of restitution, Zabinski 1533; Bison bonasus conservation in Poland, Bedford 120, Burr 222; Bison in Wood Buffalo Park, Fuller 492; Status of Cadzow white cattle, Moorhouse 930; Reduction in number of Chillingham Wnite Cattle, PEATFIELD 1072.

Extermination.—Review of extinct and vanishing mammals, Wojtusiak 1505; Extinct or vanishing European mammals, Gams 497; Extinct mammals of France, Thevenin 1364; Capra lusitanica history in Portugal, Baeta-Neves 82; Eld's deer threatened extermination in Siam, Sanborn and Watkins 1195; Threats to African game, Forbes 468; Extermination of big game in Belgian Congo, Jobaert 756; Cape lion, Anon. 25; Reduced status of Diceros bicornis in Ubangui-Shari, Anna 53; Bubalis cauma reduction in Natal, Handley 598; Steller's Sea-cow, skin relic, E. Mohr 966.

Naturalization.—Additions to British mammal list, FITTER 455; History of introductions to New Zealand, WODZICKI 1504; Tooth changes in St. Kitt's stocks of Cercopithecus, ASHTON and ZUCKERMAN 69; Lepus europaeus introduction to Ontario. ALLIN 49; Sciurus carolinensis in S. Africa, D. H. S. Davis 367; Note on introduction of grey squirrel to England, French 481; Ondatra introduc-1811, at Havre, Maury 944; Nutria in Louisiana, Atwood 73; Glis glis history and status in England, map, CARRINGTON 269; Nyctereutes in Scandinavia, E. SUOMALAINEN 1325, 1326; Re-introduction of Ursus to Bialowieza Forest, Poland, Karpinski 780: Introduction of camels to N. America, R. B. GREEN 561; Introduced deer in Britain, WHITEHEAD 1476; Possible introduction of Rangifer to Scotland, PRAG 1113; Reindeer introduction to N. America results, E. ROBERTS 1160; Introduced reindeer on Pribilovs, 1947, THOMPSON 1367: Goat horn development on Juan Fernandez, KRIEG 834.

Domestication.—Problems of domestication origins, Herre 664, 665; Modifications of domestication, De-CHAMBRE 376; Oldest European domestic animals, LA BAUME 847; Origin of Inca dog, FRIANT 488; Elephant catching methods Assam, GEE 513; Malay elephant training methods, Kempe 795; Origins and domestication of horse, Lundholm 898: Origin of Sus dom. in N. Europe. HERRE 663: Effect of domestication on Sus hypophysis, Oboussier 1022: Influence of domestication on colour in 661; Rangifer, HERRE Earliest domestic cattle of Europe, HERRE 662; Origin of European cattle, KRUYTZER 839; History and characters of British cattle, E. J. ROBERTS 1161.

Parasitism.—Parasitology and evolution, Cameron 259; Lethal trap for collecting ectoparasites, Nicholson and Vetter 1010; Rats, mites and scrubtyphus, Gispen 535; Ectoparasites of Belgian mammals, Cooreman 316; Ectoparasites of Ontario mammals, Judd 772; External parasites of Blarina, Jameson 748; Ectoparasites of Urocyon, Eads and Menzies 404; Rat fleas in Uganda, Hopkins 707;

Faunal list from Neotoma nests, Walters and Roth 1437; Parasites of Scalopus, Olive 1036; Diatom infection of whales, Omura 1042; Malaria parasites in Epomophorus, Garnham 504; Larval Multiceps in Mus, Baldelli 89; Spirocerca first record in Uncia, Kelly and Penner 792; Sarcocystis in Alees, Kelly et al 793; Helminths of Okapia, Baer 81; Helminthiasis in Okapia, Scheideger 1226; Nematodes of Okapia, Keeis 833.

Economics: General.—Adaptations for domestic uses, Dechambre 376; Game conservation, GRANGE 557; Economic importance of game in Germany, Müller-Using 992; Value of game meat, S. Africa, 1949, SKEAD 1277: Asiatic buffalo as a suggested introduction to Belgian Congo, MARS-Boom 933; Deer as pest in New Zealand, N. Jones 768; Reindeer in Alaska, Lantis 856; Reindeer value of introduction to N. America, E. ROBERTS 1160; Value of polled cattle, HAMMOND 594; Value of Mustelidae Petrie 1085; Value of Otters to fisheries, West Country 1462; An Indian tiger-trap, DAVER 359; Musk supplies, Matheson 938; Kangaroo rat effect on range vegetation, REY-NOLDS 1151; Control of baboons, BEATON 115.

Economics: Fur and Wool.—Determination of sex and age ratios of fur animals, Petrides 1083; Breeding and naturalization of fur animals in U.S.S.R., Lavrov 862; Beaver management in Colorado, Hensley and Fox 655; Muskrats in Louisiana, O'Neill 1044; Farming Coypus in Denmark for fur and flesh, Graae 554; Alaska fur-seal report 1947, Thompson 1367; Importance of Pribilov fur seals, Bertram 139; Vicuana wool value, Hodge 686.

Economics: Rodent Control.— Oryctolagus control in Great Britain, IMRIE 733; Economic value of rabbits, F. D. SMITH 1284; Ecology and rodent control, OBOLENSKI 1021; Rodents harmful to grass in U.S.S.R., POLYAKOV 1102; Rodent control in forest protection, SVIRIDENKO 1330; Rodent pests in Polish agriculture, RUSZKOWSKI 1185; Citellus as forestry pest in U.S.S.R., STROGANOVA and UDIN 1324; Mouse control in orchards, Finlay 449; Rat control, Pereira 1077; Rat damage and control, M. Burton 234; Rat damage to a bird sanctuary, Steinhöfer 1298; Rat population of New York, D. E. Davis 363; Rat population of Baltimore, Davis and Fales 365; Control by poisoning of house rats in Rangoon, Harrison and Woodville 620; Muskrat control in post-war Germany, Klemm 812; Humane trap tested, M. Burton 226; Poison-scenting tests in rats, Czyzewski 337; D.D.T. rodenticides, Wanson and Camphyn 1438; Rodenticide warfarin (W.A.R.F. 42) Hayes and Gaines 631; Rodenticide (W.A.R.F. 42), Schein 1229; Hydrocyanic acid gas fumigation for control of plague rats, J. I. Roberts 1164.

Whaling.-Whaling Economics: regulations, Anon. 9; World catch 1949 Anon 21; Whaling statistics 1947-48, 1948-49 (Antarctic) and 1948 (other areas), Jahn and others 745; International Whaling Commission report, Anon. 19; International Whaling Commission statistics 1949-50, PAUL-SEN 1067; Summer season 1948, Anon. 12; Summer season 1949 catch statistics, Anon. 20; Antarctic season 1948–49, Anon. 16; Antarctic pelagic results 1948–49, Anon. 13; Antarctic catch 1949–50, Anon. 14, 17, 18; 1949– 50 pelagic Antarctic catch, Anon 8; Antaretic pelagic statistics 1949-50, ANON. 11: Blue whale stocks decline in Antarctic, Anon. 15; Southern whaling industry, WHEELER 1468; Norwegian coast catch statistics 1948, Anon. 10; Survey of Japanese whaling before 1946, Terry 1348; Japanese antarctic catch 1947-48, Nishiwaki and HAYASHI 1018; Whaling in Bonin Island region, 1948, MIZUE 960; Work of Discovery Committee, Mackin-TOSH 919; Megaptera whaling at Gaboon, BUDKER 212; Age studies on blue whales, Ruud and Jonsgard 1187; Bacteriological study on whale meat keeping qualities, AKIBA and others 41; Whale oil analysis, Pedersen 1074; Insulin from whale pancreas, JORPES 771.

Methods and Technique.—Cage for recording daily activity rhythms, KARLSON 778; D.D.T. effect on mammals, LINDUSKA 890; D.D.T. as protection of bait from ants, R. H. COLEMAN 309;

Two new live traps for small rodents, Aubry 74; New live-trap for small mammals, Fitch 454; Live trap for muskrats, Snead 1285; Lethal gas trap for small mammals, Nicholson and Vetter 1010; Mealworms for cleaning mammal skeletons, Allen and Neill 48; Dermestid beetle skull cleaning advantages, E. T. Hooper 701; Keeping shrews in captivity, O. P. Pearson 1070; Marking pinnipeds, V. B. Scheffer 1221.

DISTRIBUTION AND FAUNAS

PALAEARCTIC REGION

General.—Eurasia, Hinze 683; Asia, Deraniyagala 386.

Europe: General.—Gams 497, Gut 577, Klemm 811, Stein 1296, Zimmer-Mann 1540, 1541; Central Europe, ISSEL 741.

British Isles.—British Isles, BEDFORD 118, 124, FITTER 455, PIKE 1095. RUFFLE 1178, TEGNER 1343; Britain, WHITEHEAD 1476, 1483; London area. J. FISHER 451, FITTER 457; Regent's Hampstead, Dunn 400; Herts, Carrington 269; Essex, Burtsal 241, Willis 1495; Bedfordshire, BEDFORD 119, LEWIS 884, R. PALMER 1061; Dorset, W. D. LANG 853; Wiltshire, CARNE 266; S.W. England, Hewett 668; Somerset, Johnstone 762; Devon, J. H. D. Hooper 704, W. M. Hooper 705, HOOPER and others 706, HURRELL 725, JOHNSTONE 762; Cornwall, JOHN-STONE 762; Gloucestershire, FITTER 456; Warwickshire, Barryford 104, D. E. Allen 46; Cambridgeshire, G. Care 268; Norfolk, Le Strange 880; Northants, D. J. D. STEVENSON 1303; Derbyshire, Anon. 2; Yorkshire, Hazelwood 638; Cheshire, Riley 1155, J. E. Roberts 1163; Lakeland, Clapham 303, Moorhouse 979; Westmorland, Anon. 1; South Wales, W. 1503; Skomer Id., PHILLIPS (in BUXTON and LOCKLEY) 247: Caernarvonshire, R. C. B. GARDNER 502, WHITEHEAD 1472; Scotland, R. Perry 1078, WHITEHEAD 1470; Lanarkshire, Moorhouse 980; East Lothian, Anon. 7, D. STEVEN 1301; Ireland, B. C. E. 114, PREAGER 1112.

France.—ABADIE 28, CANTUEL 262, CHANUDET 287, DUCKERT 399, NIORT 1013, PETTER 1087, THEVENIN 1364, URBAIN 1388; S.W. France, ASTRE 72; W. France, NIORT 1012; Alsace, GOUIN 552; Yonne, CAUBERE 279; Loire, NIORT 1014.

Spain.—BOLIN 157, F. WALLACE 1433; Gibraltar, C. Hunt 721, Sir C. Russell 1184.

Portugal. — Baeta - Neves 82; Madeira, Sarmento 1201.

Italy,—Bolognari 156; N. Italy, Howell 713, Whitehead 1480, 1481, 1482.

Switzerland.—Bloch 153, WYATT 1516, 1517.

Belgium.—COOREMAN 316.

Holland.—Boschma 169, Dammerman 348, Husson 726.

Germany.—Felton 440, Goethe 542, Klemm 812, Kolb 826, Meyer 955, Mohr 964, Müller-Using 992, Oloff 1037, Steiniger 1299, Wezel 1464; W. Germany, Issel 740; N. Germany, Rittinghaus 1159; S. Germany, Kahmann 775; Kiel, Luttschwager 900; E. Prussia, Gottlieb 551; Bavarian Alps, Kahmann and Frisch 776; Württemberg, Lohrl 893.

Austria.—Abel 29; Austrian Alps, Kahmann and Frisch 776.

Yugoslavia. — Ruzhitch - Petrov 1188.

Bulgaria.—Caspers 276.

Cyprus.—Waterer 1443.

Czechoslovakia.—EHIK 415, FERIANC 443, GRULICH 571, HANZAK and ROSICKY 601, KOMAREK 828, KRATOCHVIL AND GRULICH 832, TURCEK 1382, 1383.

Denmark.—Danish islands, URSIN 1395.

Norway.—Anon. 10, Olberg 1033.

Sweden, — Neander 1000; W. Sweden, Hanstrom 600; Jungfrun I., Sweden, Curry-Lindahl 336.

Finland.—Brander 182, Kalela 778, E. Suomalainen 1325, 1326.

Poland.—Dehnel 381, Karpinski 780, Kowalski 830, Simm and Skuratowicz 1271.

U.S.S.R.—GROMOVA 568, LAVROV 862, OGNEV 1029, SVIRIDENKO 1231, TARASOV 1336; Ukraine, RESHETNIK 1146, SOKUR 1287; KAZAKSTAN, SLUDSKI 1282; Black Sea, CASPERS 276; Turkmenia, Heptner and Shukurov 656, Tzalkin 1385; Mongolia, Bannikov 96; E. Mongolia, Kutcheruk 846.

S.W. Asia.—S. Arabia, Hayman and Harrison 634; Mesopotamia, Deraniyagala 386; Persia, Deraniyagala 386

China.— DERANIYAGALA 386, PAO-SHAN CHENG 1064.

Japan.-OMURA 1043, TERRY 1348.

ETHIOPIAN REGION

General.—Africa, CHALMERS 282, FORAN 467, HAYMAN 633, W. R. MOORE 977, OELCKERS 1027, STOTT 1318, T, G. W. 1351, WORTHINGTON 1511; African high mountains, JEANNEL 751.

North Africa.—Spanish Morocco, MORALES-AGACINO 981; Tunisia, HELDT 649.

North-East Africa.—Kharga Oasis, Egypt, Wassif 1441; Jubaland, Ward and Sorrell 1439; Sudan, A. B. Anderson 52, Daniell 349, Zaphiro 1537; West Sudan, P.Z. Mackenzie 918; S. Sudan, A. B. Anderson 51; Imatong Mts., Sudan, Jackson and Owen 743.

East Africa.—Guggisberg 575, C. Scott 1254, Stockley 1315; Kenya, Copley 317, Foran 466, Ionides 735, Ritchie 1157, Stockley 1314; Tanganyika, Anon. 23, Bartlett 108, Ionides 735.

Uganda.—HOPKINS 707, Pitman 1097, 1098; N.E. Uganda, J. M. WATSON 1445.

South-East Africa.—P.E. Africa, HAYMAN 632; Natal, HANDLEY 598, KLUGE 814; Zululand, SCHACK 1204.

Rhodesias.—N. Rhodesia, Anon. 22, 24, Ansell 54, Poles 1100; S. Rhodesia, J. James 746.

South Africa.—Transvaal, Eloff 426; S. Africa, Astley Maberley 71, BIGALKE 146, BIGALKE and others 147, BROOM 194, BROOM and ROEINSON 196, D. H. DAVIES 360, DAVISON 369, MIDDLEMISS 958, E. M. PALMER 1060, RAND 1129; Cape Province, ARCHIBALD 62.

Angola,—Angola, Yebes 1521; N.E. Angola, Sanborn 1194.

Belgian Congo.—Belgian Congo, Marsboom 933; Parc National Albert, Belgian Congo, Frechkop 478, Hoier 693.

French Congo and Cameroons.— French Equatorial Africa, Fraser 474; Ubangui-Shari, Anna 53; Fr. Cameroons, Aellen 38.

Nigeria.—British Cameroons, HAYMAN 632; Nigeria, ROSEVEAR 1173; Togoland, DORST 394.

West Africa.—W. Africa, Bouvergnes 178, Cozens 323; Lower Congo, Bouvergnes 177; Gaboon, Bourdelle and Petter 176, Budker 212; Sierra Leone, Hayman and Jones 635; Portuguese Guinea, Frade and others 469; Dakar, Fraser 473; Rio de Oro, Postel 1109; Canary Is., E. Mohr 963.

Madagascar.—Decary 374, Doucer 395, Hoogstraal 695; Mauritius, Vinson 1416.

ORIENTAL REGION

India, Ceylon.—R. W. BURTON 236, GEE 517, GILLAN 533, JAYARAM 750, MOSES 983; Kashmir, G. E. C. GREGORY 563; Sikkim, Schafer 1205; Nepal, Sanborn 1191; N.E. India, GEE 518; Kathiawar, Wynter-Blyth 1518, 1519, Winter-Blyth and Dharmakumarsinhji 1520; Central India, F. L. Roberts 1162; S. India, DERANIYAGALA 386; Ceylon, PHILLIPS 1092; Cocos-Keeling Is., Gibson-Hill 531, Tate 1337.

Assam, Burma.—Assam, Gee 513, 514, S. Ali 44; Manipur, Roonwal 1170; Burma, Boswell 170, R. W. Burton 237, Harrison and Wood-ville 620.

Siam, Indo-China.—Siam, Sanborn and Watkins 1195; Indochina, Chochod 293.

Malaya.—Gibson-Hill 529, 530, J. L. Harrison 613, 614, 615, J. L. Harrison and Lim 617, Hislop 685, Kempe 796; Selangor, Harrison and TRAUB 618; Jarak Is., Malaya, AUDY 76, AUDY and HARRISON 77; Rhio Archipelago, Junge 774.

East Indies.—Java, Deraniyagala 386; Sunda Is., Pohle 1099; Sumba, Wegner 1451; Borneo, Deraniyagala 386, Gibson-Hill 528; N. Borneo, T. Harrisson 621; Sarawak, Gibson-Hill 532,

Philippines.—Sanborn 1193, Wharton 1465, 1466, 1467.

AUSTRALASIAN REGION

Australasian Islands.—New Hebrides, Sanborn and Nicholson 1196; Solomon Is., Sanborn and Nicholson 1196; New Caledonia, Sanborn and Nicholson 1196.

Australia.—Audas 75, E. Coleman 307, Fleay 458, 461, Troughton 1378, 1379; Queensland, Morrison-Scott and Sawyer 987; E. Australia, Fleay 460; S. Australia, Fleay 459; Victoria, Brazenor 185; W. Australia, Glauert 536, 537; Tasmania, Sharland 1266.

New Zealand.—N. Jones 768, Wodzicki 1504.

NEARCTIC REGION

General.—N. America, Blair 150, Chitty 291, Goldman 543, Grange 557, Hall and Dalquest 589, Hinze 683; Rocky Mts., McHugh 913.

Greenland.—DONOVAN 393, KOSIBA 829; W. Greenland, Lesse 879; N.W. Greenland, VIBE 1405.

Canada.—Calhoun 253, Chitty 292; Cape Breton, Cameron 257; Montreal Island, Philippe 1091; Quebec, Cameron 256, Cameron and Orkin 258; Ontario, Elsey 430; Manitoba, Criddle 325, Fuller 492, McLeod 920, R. L. Peterson 1082, G. C. Sanderson 1198; Alberta, H. V. Green 560, Rowan 1177; Yukon, Judd 773.

U.S.A.: General.—EDDY and Honson 410, Pollack 1101, Ulmer 1387.

Eastern U.S.A.—New York, Hamilton 593; Maine, Gashwiler 506; Pennsylvania, Hamilton 593, Richmond and Grimm 1152, Richmond and Roslund 1153; Maryland, Cooper 315, Mansueti 928; Virginia, D. H.

Johnson 757, McAtee 904; W. Virginia, Barbour 100; Georgia, Jenkins and Johnston 752, Schantz and Jenkins 1210; N. Carolina, Adams 32; S. Carolina, R. H. Coleman 308, Penney 1076; Alabama, Hayne 637; Florida, R. Allen 47, Hayne 637, Pournelle 1110, 1111, Worth 1510.

Middle U.S.A.—Ohio, OLIVE 1035; Illinois, HOFFMEISTER 688, C. O. MOHR 962, WETZEL 1463; Michigan, MANVILLE 930, 931; Drummond Island, Michigan, MANVILLE 929; Wisconsin, BEER 127, SCHORGER 1244; IOWA, WISEMAN AND HENDRICKSON 1500; Kentucky, BARBOUR 101; Louisiana, O'NEILL 1044; Grand Isle, Louisiana, O'NEILL 1044; Grand Isle, Louisiana, BEHRE 128; Mississippi, MILLER and ROBERTSON 959; Oklahoma. ARVEY and GLASS 65.

Western U.S.A .- Texas, Anon. 27, BAKER 87, BUECHNER 213, CAGLE 249, Hermann 659; Kansas, Cockrum and BAKER 305, O. M. KING 804, SCHANTZ 1208, 1209; N. Dakota, SCHANTZ 1207; Montana, CRABB and Watson 324. Nicholson 1009, Schantz 1206, P. L. WRIGHT 1513, WRIGHT and CONAWAY 1514; Wyoming, BAKER and HANKINS 88, NEGUS 1002; Arizona HENSLEY and Fox 655, REYNOLDS 1151; Colorado, BEIDLEMAN 129, 130, GRUCHY 570, HENSLEY and Fox 655: Utah, M. C. GARDNER 501, R. HARDY 608, Kelson 794, Porter 1106, ROBINETTE and GASHWILER 1166; California, CHATTIN 289, CRONEMILLER and Bartholomew 327, Ferrel and LEACH 445, INGLES 734, F. L. JONES 764, 765, McCabe and Blanchard 905, ORR 1045, 1046, 1047, 1048, SCHEFFER and WILKE 1225, SEVERALD 1263, Stager 1293: Gulf of California. MAYER 946: San Nicolas Island. California, Bartholomew 107; Oregon CHATTIN 289; Washington, CRISLER 326, M. C. GARDNER 500, V. B. SCHEFFER 1216, 1218, Tyson 1384, Yocom 1523; N.W. Coast, V. B. SCHEFFER 1224; W. Coast N. America. V. B. Scheffer 1219.

Alaska and Hawaii.—Alaska, Anon 26, Imler and Sarber 732, Lantis 856, Rausch 1132, Scott and others 1257, N. A. Weber 1449; N. Alaska, Rausch 1133; Amchitka Island, Anon 5; Pribilovs, Bertram 139. Thompson 1367; Hawaii, Baldwin 90, Spencer and Davis 1290.

Mexico.—Mexico, Dalquest 344, Dalquest and others 345, Hall and Dalquest 587, Halt and Villa 628, E. T. Hooper 703, Villa 1410; Michoacan, Hall and Villa 590; Chiapas, E. T. Hooper 702; Pescadora. Gulf of Mexico, L. W. Walker 1432; Baja California, Mexico, Bartholomew 106.

NEOTROPICAL REGION

- C. America and West Indies.—C. and S. America, Simpson 1272; Panama, SETZER 1261; Honduras, A. F. CARR 267; St. Kitts, Ashton and Zuckerman 69.
- S. America.—Della Serra 383, Gilmore 534, Hershkovitz 666, Krumbiegel 836, 837, Yepes 1522; Venezuela, Beebe 125; Brazil, Kumm and Laemmert 845, Moojen 976, Jurua R., Vieira 1407; S. Paulo, Moojen 975, Vieira 1408; Colombia, Mac-Allister 903; N. Colombia, Hershkovitz 666; Peru, Friant 488, Hodge 686, Sanborn 1192; Bolivia, Sanborn 1192; Bolivia, Sanborn 1192; Paraguay, Krumbiegel 836; Uruguay, Acosta y Lara 31; Chile, Housse 711, Mann 927; Juan Fernandez, Krieg 834; Tierra del Fuego. Lopez 895; Falklands, Fraser 475; South Orkneys, Liversidge 891.

OCEANS AND SEAS

Arctic, Matheson 939; Indian Ocean, Gibson-Hill 526; Antarctic, Anon. 8, 11, 15, 16, 17, 18, Mackintosh 919, Jahn and others 745, Nishiwaki and Hayashi 1018, Ottestad 1054, Ruud and Jonsgard 1187; Pacific, Kirpitchnikov 806, Mizue 960; N. Pacific, V. B. Scheffer 1215; Campbell Island, South Pacific, Langley 855.

GEOLOGICAL (FOSSIL FAUNAS)

General Problems.—Fluorine test for age of Eoanthropus, Oakley and Hoskins 1019; Fluorine test of Miocene horse bones, Olsen 1038.

Cretaceous: Jurassic.—Cretaceous, Texas, Zangerl and Denison 1534;

Jurassic, Germany, Kuhne 842, Glamorgan, Kuhne 843.

Tertiary: Old World.—Spain, CRUSAFONT PAIRO 331, 332; Germany, BRAUER 183, LEHMANN 872, WEIGELT 1455; AUSTRIA, PAPP and THENIUS 1354, 1357, 1360; Serbia, LASKAREV 858, 859; Mediterranean, FURON 493; U.S.S.R., BOUSSIAK 165; S. Transcaucasus, LEONTZEV 878; N. China, CHUNG 300; Africa, ARKELL 63; MOTOCCO, ENNOUCHI 433; S. Africa, BROOM 191, BROOM and ROBINSON 199, SAUTER 1202, THRAPP 1368.

Tertiary: New World.—Saskatchewan, L. S. Russell 1183; C. and S. America, Simpson 1272; S. America, Kraglievich 831; Cuba, Aguayo 39; Brazil, Couto 320.

Eocene.—E. Asia, Takai 1334; Japan, Takai 1334; Brazil, Couto 319, Price and Couto 1118.

Oligocene.—S. France, Moret 982; Germany, Dehm 379, Teike and Tobien 1346; S.W. Germany, Tobien 1370; Italy, Leonardi 877; S. Dakota, J. R. Macdonald 909.

Miocene: Old World.—Spain, Crusafont Pairo 330, 333, Crusafont Pairo and Villalta Comella 335, Friant 489, Schaub 1211, Villalta and Crusafont Pairo 1412, Villalta comella 1413; Italy, Fabiani 435; Bavaria, Dehm 378, 380; Austria, Thenius 1358, 1359, 1362; Czechoslovakia, Zapfe 1535, 1536; Serbia, Laskarev 859; Azerbaijan, U.S.S.R., Burtchak-Abramovitch 223; Moldavia, U.S.S.R., Eberzin 407; Baluchistan, Eames 406; E. Africa, Le Gros Clark and Leakey 871; Kenya, Leakey 863, 864; Transvaal, George 519.

Miocene: New World.—U.S.A. Schultz and Falkenbach 1251; Maryland, Gazin and Collins 510; Texas, Hibbard and Wilson 672; Montana, Hibbard and Keenmon 670.

Pliocene: Old World.—Spain, Crusafont Pairo 329, 334, Villalta 1411; France, Schaub 1211, 1212; Viret 1417; Holland, Koenigswald 824; Germany, Bartz 109; W. Germany, Weheli 1452; Samos, Greece. THENIUS 1361; Turkey, THENIUS 1356; Odessa, Havesson 629; Kansu, C. C. Young 1526; Young and Liu 1526A; Shansi, Teilhard de Chardin and Trassaert 1347, Young and Liu 1526A; Tunisia, Arambourg and Arnould 59.

Pliocene: New World.—Kansas. HIBBARD 669; Arizona, REED 1141; Nevada, J. R. MACDONALD 908; Mexico, LANCE 850, STOCK 1313; Argentine, REIG 1142.

Pleistocene: Old World.—Europe. La Baume 847, Thienemann 1365; Kent, Schreuder 1247, 1248; Piltdown, Sussex, Oakley and Hoskins 1019; Yorkshire, FRASER and KING 476; Scotland, RITCHIE 1158; France, BAYOL and PAULUS 113, DENIZOT 385. FONTON 465, FRIANT 485, THEVENIN 1364 : Spain, PAN 1062 : Barcelona. VILLALTA and CRUSAFONT PAIRO 1415 : Balearic Is., VILLALTA COMELLA and CRUSAFONT PAIRO 1414; Italy, VENZO 1404; Sicily, PATA 1066; Switzerland, GERBER 521; Holland, ERDBRINK Gerber 321; Holland, Erdberink 434, Hooljer 697, Pannekoek 1063. Schreuder 1246, Tesch 1349. 1350; Germany, Gross 569. Krumbeck 835, Wagner 1427; N. Germany, Herre 662, 663; W. Germany, Brunner 208; Wurtemberg. Staesche 1292; Sweden, Sandegren 4107; Palacel Wingstreet 244. 1197; Poland, Kulczycki 844; Jugoslavia, Ciric 302; N. Russia, Bibikova 144; Mediterranean, Furon 493; Asia, Hooijer 699; India, Schaub 823; Celebes, Hooijer 700; S.W. Celebes, Hooijer 698; Morocco. Ennouchi 432; Cyrenaica, Bate 111; Khartoum, Bate 110; E. Africa. DIETRICH 392; S. Africa, BROOM and ROBINSON 197, COOKE 313, STRAUS 1323: Transvaal, BROOM and ROBIN-SON 201.

Pleistocene: New World.—E. Canada, Laverdiere 861; Nebraska. Frankforter 470; Florida, Gazin 509; Texas, Stovall and McAnulty 1321; Mexico, Hibbard and Villa 671, Maldonado-Koerdell 924, Stock 1312; Cuba, Aguayo 39; Martinique. Friant 484; S. America, Hoffstetter 690, 691; Venezuela, Schaub 1213; Ecuador, Arauz 60, Hoffstetter 689, 691, Proano and Samaniego 1119.

III.—SYSTEMATIC INDEX

In the arrangement of the Orders of the Mammalia, Simpson's classification and terminology in his "The Principles of Classification and a Classification of Mammalia," 1945, have been adopted.

† Mucrotherium Huene a Tritylodont, probably Oligokyphus, Kuhne 842.

† Uniserium Huene a Tritylodont, probably Oligokyphus, Kuhne 842.

ORDER MONOTREMATA

Development and morphology of egg-tooth and caruncle in monotremes, Hill and de Beer 675.

Dental characters of monotremes, Brazenor 185.

Ornithorhynchus anatinus further notes on habits in captivity, hibernation, gestation, incubation, lactation, FLEAY 461; new light on reproduction in captivity, FLEAY 462; endocrine extract effects on blood pressure, FEAKES and others 437.

†ORDER TRICONODONTA

Triconodont finds in Early Cretaceous of Texas, Zangerl and Denison 1534.

† Morganucodon watsoni new views on tooth structure, Kuhne 843.

†ORDER SYMMETRODONTA

A symmetrodont tooth from the Glamorgan Jurassic, Kuhne 843.

ORDER MARSUPIALIA

Egg-tooth in marsupials, Hill and DE BEER 675.

Dental characters of Australian marsupials, Brazenor 185.

History of W. Australian marsupials, Glauert 536.

Hair tracts in marsupials, Boardman 154, 155.

Introduced marsupials in New Zealand, Wodzicki 1504,

DIDELPHIDAE

Marsupials of Sao Paulo, VIEIRA 1408.

Didelphis review of S. American forms, Krumbiegel 836; superfoetation? Hartman 624; "death-feigning," Hartman 625; D. virginiana status in Colorado, Gruchy 570; ecology in Iowa, Wiseman and Hendrickson 1500.

Lutreolina revision, KRUMBIEGEL 836.

Marmosa review of S. American groups, Krumbiegel 836.

Metachirus revision, KRUMBIEGEL: 836.

Monodelphis tricolor paulensis subsp. nov. Pirituba, City of Sao Paulo, Brazil, p. 359, Vieira 1408.

DASYURIDAE

Antechinus flavipes habits and breeding in captivity, FLEAY 458.

Phascogale tapoatafa habits and breeding in captivity, photos, FLEAY 459.

Sarcophilus ursinus habits and habitat Sharland 1266.

Thylacinus cynocephalus habits and habitat Sharland 1266.

PERAMELIDAE

Bandicoots, popular account, TROUGHTON 1379.

Isoodon obesulus habits in captivity, GLAUERT 537.

PHALANGERIDAE

Cercartetus concinnus habits in captivity, Glauert 537.

Phalanger ursinus, P. celebensis taxonomy and size changes in Celebes, pp. 13, 18, HOOIJER 698.

†Phalanger celebensis callenfelsi subsp. nov. subfossil, Bonthain, S. Celebes, p. 28, HOOIJER 698

Tarsipes spenserae habits in captivity, GLAUERT 537.

Trichosurus caninus status and habits, FLEAY 460.

MACROPODIDAE

Relationships of Potoroidae to Macropodidae, J. Pearson 1069.

Hypsiprymnodon moschatus primitive structure of female urogenital system. J. Pearson 1068

Macropus canguru identified as Captain Cook's kangaroo, photo-lectotype designated, Morrison-Scott and Sawyer 987; M. rufus notes on birth in captivity, Dathe 357.

ORDER INSECTIVORA

Notes on Malayan insectivores, with key, J. L. Harrison 613.

Insectivores of Selangor, Harrison and Traub 618.

Insectivora of Maryland, Cooper 315.

Susceptibility of some insectivores to tularemia, Ölsufyev and Dunaeva 1040.

Oligocene Insectivora from S.W. Germany, Tobien 1370.

POTAMOGALIDAE

Potamogale velox distribution records, habits, characters, map, Cozens 323.

CHRYSOCHLORIDAE

Chlorotalpa shortridgei sp. nov. Sutherland, Cape Province, S. Africa, p. 238, Broom 194.

Chrysochloris asiatica taylori Lamberts Bay, p. 236, C. a. visserae Van Puttens Vlei, p. 237, subspp. nov., C. visagei sp. nov. Gouna, 54 m. E. of Calvinia, p. 238, all Cape Province, S. Africa, Broom 194.

Eremitalpa granti cana subsp. nov. Lamberts Bay, Cape Province, S. Africa, p. 240, Broom 194

ERINACEIDAE

Erinaceidae phylogeny based on tooth characters, FRIANT 486.

Echinosorex gymnurus photo in captivity, J. L. Harrison 615.

Erinaceus europaeus breeding biology STIEVE 1308; physiology of hibernation, P. SUOMALAINEN 1328; introduction and status in New Zealand, Wodzicki 1504.

†Galerix exilis Miocene, Austria, descr. figs, p. 672, Thenius 1357.

†Lantanotherium longirostre sp. nov. Miocene, Leoben, Steiermark, Austria, p. 676, Thenius 1357.

† Palerinaceus vireti Crusafont Pairo and Villalta is an Erinaceus, FRIANT 489.

† Plesiosorex styriacus Miocene, Austria, deser. figs, p. 684, Thenius 1357.

MACROSCELIDIDAE

Elephantulus myurus jamesoni study of placentation, van der Horst 1398; E. rozeti embryonic development, Lange 854; E. rufescens as malaria vector, habits and capture in E. Africa, HOOGSTRAAL 696.

SORICIDAE

Tooth colour unreliable in shrews, proposed union of Crocidurinae with Soricinae, p. 129, HIBBARD 669.

Suggested common names for shrews, Mehl 948.

Shrew toxicity, legend and fact, M. Burton 231.

Submaxillary glands of shrews, comparative toxicity, O. P. Pearson 1071.

Keeping shrews in captivity, O. P. Pearson 1070.

Blarina food habits in captivity, Christian 299; B. brevicauda carnivorous habits, poison gland, McHugh 914; external parasites, Jameson 748.

Crocidura russula breeding habits, NIETHAMMER 1011; C. suaveolens first record Czechoslovakia, Hanzak and Rosicky 601.

†Crocidura leucodon subsp. nov. Pleistocene, Barcelona, p. 276, VILLALTA and CRUSAFONT PAIRO 1415.

Cryptotis zeteki Cerro Punta, 6,500 ft. p. 299, C. endersi Cylindro, p. 300, both Chiriqui Province, Panama, spp. nov., Setzer 1261.

Megasorex gen. nov. for type species Notiosorex gigas Merriam, Hibbard, Contr. Mus. Paleont Univ. Michigan 8 1950, p. 129. Neomys review of E. European forms, morphology, taxonomy, breeding biology, evolution, Dehnel 381; N. fodiens remarkable incisive abnormality, CANTUEL and DIDIER 264.

†Paracryptotis gen. nov. for type species P. rex sp. nov. Pliocene, Fox Canyon, XI Ranch, Meade County, Kansas, HIBBARD Contr. Mus. Paleont. Univ. Michigan 8 1950, p. 121.

†Notiosorex jacksoni sp. nov. Pliocene, Fox Canyon, XI Ranch, Meade County, Kansas, p. 129, Hibbard 669.

Sorex notes on comparative measurements, skull and dental characters of French species, Cantuel 262; S. araneus method of transporting young, Macintyre 916; S. a. bohemicus Stepanek a synonym of S. a. araneus, Kratochvil and Grulich 832; S. c. cinereus altitudinal status Colorado, Beidleman 129, 130; S. dispar ecology and distribution in Pennsylvania, Richmond and Grimm 1152.

Suncus etruscus measurements of a pregnant female, distribution in France, NIORT 1013; occurrence in Charente, France, Petter 1087; S. murinus taxonomy in Indonesia, p. 31, HOOHER 698.

TALPIDAE

Moles and their runs, photos and diagram, M. Burton 232.

Desmana moschata rodents associated with its burrows, BARABASH-NIKIFOROV 98.

Parascalops breweri range extension Ohio, Olive 1035.

Scalopus aquaticus feeding habits in captivity, Christian 299.

Talpa europaea size variation and subspeciation, systematic review, STEIN 1296; biology, STEIN 1297; surface activity, HORNUNG 709; effect of soil freezing on populations in U.S.S.R., LIKHATCHEV 886; T. e. caeca occurrence in Czechoslovakia, HANZAK and ROSICKY 601; T. sp. nov. aff. europaea from Pleistocene, Barcelona, p. 276, VILLALTA and CRUSAFONT PAIRO 1415.

†" Talpa" tomerdingensis sp. nov. Oligocene, Tomerding (Ulmer Alb.), Germany, p. 164, Tobien 1370.

ORDER DERMOPTERA

Cynocephalus with young, habits, E. C. Hunt 722; C. volans habits, care in captivity, Wharton 1466.

ORDER CHIROPTERA

Short review of bat physiology and ecology, Anciaux de Faveaux 50.

Bat distribution as affected by temperature and climate, EISENTRAUT 420.

Bats in legend and fact, Leutscher 882.

Orientation in bats, Mohres 969.

Orientation and homing experiments, Mohres and Oettingen-Spielberg 971.

Bats photographed in captivity, Anon. 6.

Bat flight photos, Cassell 277.

Rarity of albinism in bats, Setzer 1260.

Tensor tympani muscle in bats Wassif 1442.

Reproduction in some Indian bats, IYER 742.

Parturition in two Indian bats, RAMAKRISHNA 1128.

Bats in N.E. Angola, SANBORN 1194.

SUBORDER MEGACHIROPTERA

PTEROPODIDAE

Cynopterus brachyotis feeding on flowers, photo, Berwick 142.

Epomophorus reii sp. nov. Rei Bouba R. Rei (trib. of Bénoué), Garoua, Fr. Cameroons, p. 559, AELLEN 38.

Micropteropus grandis sp. nov. Dundo. Lunda, N.E. Angola, p. 55, Sanborn 1194.

Notopteris macdonaldi neocaledonica taxonomic status, habits, Sanborn and Nicholson 1196.

Pteropus leucotis sp. nov. Singay, Busuanga Island, Calamianes Group, p. 189, P. l. obscurus subsp. nov. Santiago, Iwahig, Palawan Island, p. 190, both Philippines, Sanborn 1193; P. ornatus habits, numbers, breeding data on New Caledonia, P. geddiei, P. anetianus aorensis, P. macmillani, P. rayneri, P. howensis taxonomic notes, habits, Sanborn and Nicholson 1196.

SUBORDER MICROCHIROPTERA

Food habits and adaptations in Microchiroptera, EISENTRAUT 422.

Function of nose-leaves, Möhres 970.

Austrian bat ringing results, ABEL 29.

Bat ringing in Germany, LOHRL 893.

Cave bats in Devon, ringing results, HOOPER and others 706.

Bats breeding in winter quarters, EISENTRAUT 421.

Systematic list of bats of Uruguay, Acosta y Lara 31.

Venezuelan bats as prey of falcon, Beebe 125.

EMBALLONURIDAE

Centronycteris maximiliani centralis first record from Mexico, with key to skulls of N. American Emballonurinae, DALQUEST and others 345.

Diclidurus virgo first Mexican record, VILLA **1410**.

NYCTERIDAE

Nycteris arge, N. nana nana, N. macrotis first Angolan records, p. 57, Sanborn 1194.

MEGADERMATIDAE

Lyroderma lyra placentation, GOPALA-KRISHNA 550.

RHINOLOPHIDAE

Rhinolophus acrotis first Arabian records, p. 417, Hayman and Harrison 634; R. euryale occurrence in Yonne, Caubere 279, R. ferrum-equinum premolar reduction sequence, Friant 482; hibernatory habits in Devon, W. M. Hooper 705; photos, J. H. D. Hooper 704; R. hipposideros distribution and habits W. Germany, Issel 740; ecology in Germany, Kolb 826; photos, J. H. D. Hooper 704; analysis of variability, R. moravicus Kostron a synonym.

GRULICH 571; R. rouxii embryonic noseleaf and skull structure, Sitt 1276.

†Rhinolophus delphinensis Miocene Czechoslovakia, p. 53, R. similis sp. nov. Miocene, Neudorf, Czechoslovakia, p. 55, Zappe 1535.

HIPPOSIDERIDAE

Asellia tridens range extension in Egypt, skeletal characters, WASSIF 1441.

Aselliscus tricuspidatus novehebridensis subsp. nov. Espiritu Santo Island, New Hebrides, p. 331, Sanborn and Nicholson 1196.

Hipposideros caffer centralis first Angolan record, p. 58, Sanborn 1194.

† Paraphyllophora? lugdunensis Miocene, Czechoslovakia, p. 57, ZAPFE 1535.

DESMODONTIDAE

Desmodus technique of blood-sucking (not lapping), Mann 926.

NATALIDAE

Chilonatalus reduced to subgenus of Natalus, DALQUEST 343.

Natalus systematic revision, DAL-QUEST 343.

Nyctiellus reduced to subgenus of Natalus, DALQUEST 343.

Phodotes synonym of Natalus, Dal-QUEST 343.

FURIPTERIDAE

Amorphochilus schnabli first record for Chile, Mann 927.

VESPERTILIONIDAE

Eptesicus fuscus longevity, Banfield 94; eating other bats in captivity. Krutzson 838; E. tenuipinnis ater first Angolan record, p. 58, Sanborn 1194.

Enderma maculata first Montana record, Nicholson 1009.

Glauconycteris argentata, G. variegata papilio first Angolan records, p. 60. Sanborn 1194; G. poensis wide variation in body pattern, G. humeralis, G. alboguttatus J. A. Allen both synonyms, HAYMAN and JONES 635.

Lasiurus borealis migration at sea, Carter 273; L. b. seminolus a valid species, R. H. Coleman 308; L. cinereus unusual habit and habitat California, Orr 1047; wintering in San Francisco, Orr 1048; L. semotus status and habits Hawaii, Baldwin 90.

†Lasiurus fossilis sp. nov. Pliocene, Fox Canyon, XI Ranch, Meade County, Kansas, p. 134, Hibbard 669.

Miniopterus australis, M. macrocneme status and habits New Caledonia, Sanborn and Nicholson 1196; M. schreibersi range extension to mid-France, Abadie 28

† Miniopterus fossilis sp. nov. Miocene, Neudorf, Czechoslovakia, p. 60, Zapfe 1535.

Myotis longevity in Kentucky, Barbour 99; M. bechsteini photos, Leutscher 882; M. emarginatus distribution and status in Europe, ISSEL 741; M. lucifugus winter foetus, Guilday 576; M. myotis ecology in Germany, Kolb 826; M. mystacinus recorded in Derbyshire, Anon. 2; unusual posture, Pill 1096; M. nattereri recorded in Westmorland, Anon. 1; M. subulatus leibii first N. Carolina record, Adams 32; first Virginia record, D. H. Johnson 757.

Nyctalus leisleri milk dentition details, MATTHEWS 941; first Essex record, BURTSAL 241.

† Pareptesicus gen. nov. p. 59, for type species P. priscus sp. nov. p. 59, Miocene, Neudorf, Czechoslovakia, Zapfe Sitz Ber. ost. Akad, Wiss. Abt. 1, 159 1950.

Pipistrellus three species taken together in France, Chanudet 287; photos of flight, Wareham 1440; P. review of N. American forms, P. veracrucis a subspecies of P. subflavus, Hall and Dalquest 589; P. cinnamomeus Miller 1902, referred to Myotis fortidens Miller and Allen, Hall and Dalquest 588; P. kuhlii occurrence in W. France, associating with P. pipistrellus, possible hybrids, Niort 1012.

Pizonyx vivesi fish-eating habits and habitat, Mexico, L. W. WALKER 1432.

Plecotus auritus habits in captivity, THOLLANDER 1366; P. homochrous

first Nepal record, type locality Darieeling, Sanborn 1191.

Scotophilus viridis damarensis first Angolan record, p. 59, Sanborn 1194; S. wroughtoni implantation and early development, GOPALAKRISHNA 548; placentation, GOPALAKRISHNA 549.

MOLOSSIDAE

Chaerephon lancasteri first Angolan record, second specimen known, p. 60, Sanborn 1194.

Mormopterus kalinowskii first record for Chile, Mann 927.

Tadarida cynocephala histology of face glands, Werner and others 1461; T. mexicana composition of cave population, Cagle 249.

Tadarida (Chaerephon) pumilus first record Arabia, p. 418, HAYMAN and HARRISON 634.

ORDER PRIMATES

History of primates, LE GROS CLARK 866.

Relationships of early primates, BARTH 105.

Primate brain external morphology, CONNOLLY 311.

* Relation of nail and toe in primates, GASSER 507.

Pelvis form and function in primates, Kleinschmidt 807.

Anatomy of larynx in primates Kleinschmidt 809.

Annotated catalogue of primates in Royal Scottish Museum, W. C. O. HILL 678.

Craniostat and projector for measuring monkey skulls, Ashton and Pardoe 66.

SUBORDER PROSIMII

TUPATIDAE

Ptilocercus lowi photo in captivity, J. L. Harrison 615; notes on captive specimens, Harrison and Lim 617.

Urogale everetti habits in captivity, Wharton 1467.

LEMURIDAE

Lemur catta habits, food, habitat, HOOGSTRAAL 695.

INDRIDAE

Indris premolar formula, FRIANT 482.

LORISHDAE

Arctocebus calabarensis alimentary system, W. C. O. Hill 676.

TARSHDAE

Tarsius carbonarius care and habits in captivity, Wharton 1465.

SUBORDER ANTHROPOIDEA

CEBIDAE

Brazilian primates immunity to yellow fever, Kumm and Laemmert 845.

Alouatta brain, J. Anthony 55; primitive character of metaconule, Della Serra 382.

Cebus brain, typical for platyrrhines, J. Anthony 55; variations in vomer, Della Serra 384.

CALLITHRICIDAE

Taxonomics of marmosets, Della Serra 383.

Popular account of marmosets, I. T. Sanderson 1200.

Callithrix aurita taxonomic notes and addt. descr., Moojen 976; C. melanoleuca a Tamarin, Della Serra 383.

Leontocebus hololeucus a Tamarin, Della Serra 383.

CERCOPITHECIDAE

Cercopithecus Linnaeus validated, HEMMING 653; C. sp. Mt. Debasien, Uganda, p. 14, PITMAN 1097; C. aethiops sabaeus effect of isolation in W. Indies on tooth variation, etc., ASHTON and ZUCKERMAN 69.

Colobus, popular account of species and habits, HAYMAN 633.

Cynopithecus niger taxonomy and tooth characters, p. 39, Hooijer 698.

Macaca inuua habits on Gibraltar, C. Hunt 721; status and habits on Gibraltar, Sir C. Russell 1184; reactions to electric fences in zoo, Urbain and others 1390; M. maura tooth characters, p. 37, Hooljer 698; M. mulatta sex skin study, Duran-Reynals and others 403; M. radiata kidnapping young, Bullerman 214.

† Macaca maura majuscula subsp. nov. subfossil, Badjo (Barebo dist.), 20 km. S.W. of Watampone, Central Bone, S. Celebes, p. 57, HOOLIER 698

†Parapapio coronatus sp. nov. Pleistocene, Kromdraai, Transvaal, p. 242, Broom and Robinson 201.

PONGIDAE

Anthropoid apes, pocket text book, Urbain and Rode 1394.

Unpublished Huxleyan plates of anthropoid craniology, Keith 790.

The classification of the S. African fossil ape-men, Broom 191.

The "missing link," Broom 192.

Australopithecinae—hominid or anthropoid, Broom and Robinson 195.

Pelves of S. African fossil ape-men, Broom and Robinson 198.

Hominoid affinities of Australopithecines, Le Gros Clark 867.

Comment on recent Australopithecinae find, Le Gros Clark 868.

Hominid characters of Australopithecine milk canine, Le Gros Clark 869.

Anthropoid dental affinities of Australopithecines, Zuckerman 1543, 1544.

Quantitative dental characteristics of the great apes, Ashton and Zucker-Man 67.

Quantitative dental characters of fossil anthropoids, Ashton and Zucker-MAN 68.

Systematic position of Australopithecinae, Sauter 1202.

Hybridism in primates, MONTAGU 974; Comparative anatomy of heart in Chimpanzee and Orang, LEIDEL 873.

Gorilla male external genitalia, HILL and MATTHEWS 679; aorta, KLEINSCHMIDT 808; spleen, liver, stomach and kidney, KLEINSCHMIDT 810; ana-

tomical studies, RAVEN and others 1135; authentic measurements and weights, WILLOUGHBY 1496; G. gorilla early accounts, BOUVEIGNES 178.

Hylobates agilis × hoolock hybrid, Montagu 974; H. lar family habits in captivity, Meyer-Holzapfel 956.

†Indopithecus gen. nov. for type species "Dryopithecus" giganteus Pilgrim, p. 517, SCHAUB, Eclog. geol. Helvet 42 1949 [1950].

†Limnopithecus macinnesi sp. nov. Miocene, Rusinga Island., Kenya, p. 232, Le Gros Clark 870; diagnosis of genus amplified, L. macinnesi addt. descr, p. 262, Le Gros Clark and Leakev 871.

Pan troglodytes growth and development of young in captivity, CATEL 278; birth and development in captivity, SCHNEIDER 1238; development and learning ability in captivity, SCHNEIDER 1239.

†Paranthropus crassidens contemporaneous with man, Broom and Robinson 196; skull and mandible descr. figs, Broom and Robinson 197; characters and figures, Broom and Robinson 199; tooth comparison with Gorilla, Broom and Robinson 200; note, L. King 803.

†Plesianthropus additional structural evidence, brain casts, Broom and others 202 .

Pongo pygmaeus prognathism, Husson 727; habits of circus specimens, Prey 1117; skull deformities in captivity, Scheidegger and Wendnagel 1227.

†Proconsul major Songhor, p. 233, P. nyanzae Rusinga, p. 234, spp. nov. Miocene, Kenya, Le Gros Clark 870; diagnosis of genus amplified, P. nyanzae Rusinga Island, P. major Songhor, Miocene, Kenya addt. deser. Le Gros Clark and Leakey 871; P. possible food fossilised, Leakey 864.

†Sivapithecus africanus sp. nov. Miocene, Rusinga Island, Kenya, p. 261, LE GROS CLARK and LEAKEY 871.

HOMINIDAE

New evidence on evolution of Hominoidea, LE GROS CLARK 870.

Summary of recent work on human evolution, Dawe 370.

New views on evolution of *Homo*, HEBERER **639**.

Taxonomy and human evolution, with critical review of paleontological evidence, Zuckerman 1545.

Human palaeontology, CHARLES 288.

New classification of races of fossil man (names non-Linnean), Frassetto 477.

Evolutionary significance of protostylid in fossil and recent hominidae, A. A. Dahlberg 340.

Note on Piltdown skulls, Broom 193.

Comparative morphology of man and anthropoids, Eggeling 414.

Man's relation to apes, W. C. O. Hill 677.

Relative limb proportions in man and apes, Bemmelen 134.

Relative ages of Piltdown and Swanscombe skulls with special reference to fluorine tests, MARSTON 934.

Recent hominid finds in S. Africa, popular account with diagram, THRAPP 1368.

African pre-history, ARKELL 63.

Textbook introduction to anthropology, Hoebel 687.

† Eoanthropus dawsoni fluorine test for antiquity, Oakley and Hoskins 1019.

Homo supiens morphology compared with other primates, A. H. SCHULTZ 1250.

† Telanthropus capensis doubtfully valid, Straus 1323.

ORDER EDENTATA

Mastication and nutrition in some edentates, Kuhlhorn 840.

Edentates of Sao Paulo, Brazil, VIEIRA 1408.

†Megalonychidae

† Megalonyx brachycephalus sp. nov. Pleistocene, Trinidad, Henderson County, Texas, p. 223, STOVALL and MCANULTY 1321.

†MEGATHERIIDAE

†Megatherium (? Paramegatherium) rusconii addt. finds Pleistocene Venezuela, Schaub 1213.

BRADYPODIDAE

Key to sloths, KRUMBIEGEL 836.

DASYPODIDAE

Armadillo structural locomotive analogies with pangolins, Frechkor 479.

Dasypus novemcinctus spread and habits in U.S.A., Trester 1373; D. n. mexicanus status in Florida, Pournelle 1111.

ORDER PHOLIDOTA

Pangolin structural locomotive analogies with armadillos FRECHKOP 479.

Manis javanica embryonic skull formation, STARCK 1294.

ORDER LAGOMORPHA

A fundamental sex characteristic of lagomorphs, Petrides 1084.

Duplicidentate foot structure, KASYAMENKO 783.

OCHOTONIDAE

Ochotona pallasi ecology in S. Khangay, Russia, Tarasov 1336; O. princeps gestation period, Severaid 1264; O. p. moorei subsp. nov. I mile N.E. of Baldy Ranger Station, Manti National Forest, 10,000 ft., Sanpete County, Utah, p. 344, M. C. Gardner 501.

LEPORIDAE

Introduced rabbits and hares in New Zealand, Wodzicki 1504.

Lepus americanus cycle phases in 1946-48, CHITTY 291; aquatic ability, G. S. HUNT 723; L. a. sectusus subsp. nov. Bighorn Mts., Big Horn County, Wyoming, p. 63, BAKER and HANKINS 88; L. arcticus retention of winter coat in summer in Greenland, Donovan 393; L. capensis nasal region of skull, ELOFF 428; L. europaeus popular account, Myer 993; introduction to Ontario, Allin 49.

Oryctolagus cuniculus structure. physiology, habits, diseases, enemies, control, Lincke 887; control in Gt. Britain, Imrie 733; economic value, F. D. Smith 1284; O. dom. reproduction, genetics, maternal influence on birth weight, Venge 1403; criticism of polyploidy claims, Beatty and Fischberg 117; colchicine-induced polyploidy, Haggqvist and Bane 582; O. huxleyi notes and photos of living animals, E. Mohr 963.

Paludilagus subgen. nov. for type species Sylvilagus palustris, see Sylvilagus.

Sylvilagus review of some S. American forms, Krumbiegel 836; S. brasiliensis, S. floridanus review of S. American forms, S. b. sanctaemartae Colonia Agricola de Caracolicito, Rio Criguani, s. slope Sierra Nevada de Santa Marta, Magdalena, Colombia. p. 353, S. b. peruanus Tingo Maria. Rio Huallaga, Huanuco, Peru, p. 365, subspp. nov., Hershkovitz 666; S. idahoensis range extension in California, Severand 1263.

Sylvilagus (Paludilagus subgen. nov.) for S. (P.) palustris, p. 333, Hershkovitz Proc. U.S. Nat. Mus. 100 1950.

†Sylvilagus palustrellus sp. nov. Pleistocene, Melbourne, Florida, p. 399. GAZIN 509.

ORDER RODENTIA

Rodent cycles, adreno-pituitary exhaustion hypothesis, Christian 298.

Brain of rodents, CARETTE 265.

Pyramidal tract in rodents, Douglas and Barr 396.

Rodents of Germany, Mohr 964.

Notes on some Dutch rodents. Husson 726.

Rodents harmful to grass in U.S.S.R., POLYAKOV 1102.

Rodent plagues in Poland 1946-47, SIMM and SKURATOWICZ 1271.

Rodents of N. Uganda, J. M. Watson 1445

Rodents of Selangor, Harrison and Traub 618.

Water metabolism of desert rodents. SCHMIDT-NIELSEN 1232.

Oligocene rodents from S.W. Germany, Tobien 1370.

SUBORDER SCIUROMORPHA

APLODONTIDAE

†Ameniscomys gen. nov. p. 326 for type species, A. selenoides sp. nov. Miocene, Eichstätt, Bavaria, p. 328, Dehm Abhandl. Neues Jahrb. Min. Geol. Pal 91 (B) 1950.

Aplodontia habits, HERLOCKER 657.

†Sciurodon descendens sp. nov. Miocene, Eichstatt, Bavaria, p. 334, Dehm 378.

†EOMYIDAE

† Eomys lophidens sp. nov. Miocene Eichstatt, Bavaria, p. 407, Dehm 378.

SCIURIDAE

Squirrels in N. Borneo, T. Harrisson 621.

Sciuridae of Nigeria, ROSEVEAR 1173. † Arctomys primigenia Pleistocene France, descr. figs, FRIANT 485.

Callosciurus caniceps, notatus comparative status and distribution Malaya, J. L. Harrison 614.

Citellus soil temperature relation to end of hibernation, WADE 1426; C. harrowensis fat metabolism, WILBER and MUSACCHIA 1490; C. beecheyi feeding on fish eggs, Olson 1039; C. beldingi crebus first Utah record, PORTER 1106; C. citellus ecology in Yugoslavia, Ruzhitch-Petrov 1188; C. pygmaeus as forestry pest in U.S.S.R., STROGANOVA and UDIN 1324; C. suslica physiological effects of light changes, Gerasimenko 520; stomach secretion in hibernation, Person 1079: C. s. volhynensis Olika, Volhynien, Lesostep and Polesie, W. Ukraine, C. s. ognevi Izmailsk area, between Dnester and Dunay Rivers, Ukraine, subspp. nov. p. 107, RESHETNIK 1146; C. townsendii status of name, type locality, T. H. Scheffer 1214.

Heliosciurus (Aethosciurus) cooperi sp., nov. Moababi R., Dikume Balue, Rumpi Hills, Kumba Division, Brit. Cameroons, p. 262, HAYMAN 632. Marmola status and habits in Washington, Crisler 326; M. flaviventer nosophora range extension in Montana, WRIGHT and CONAWAY 1514; M. monax gestation, HOYT 715; polyovular follicles, Christian 297.

†Paenemarmota barbouri addt. deser. figs, p. 136, Hibbard 669.

†Paracitellus gen. nov. p. 351, for type species P. eminens sp. nov. p. 352, and P. spp. nov. A. p. 359 and B. p. 362, all Miocene, Eichstatt, Bavaria, Dehm Abhandl. Neues Jahrb. Min. Geol. Pal. 91 (B) 1950.

Paraxerus vincenti sp. nov. Namuli Mt., P.E. Africa, p. 263, HAYMAN 632.

Pteromys inornatus habits in captivity, OSMASTON 1050.

† Ratufa? obtusidens sp. nov. Miocene, Eichstatt, Bavaria, p. 348, Dehm 378.

†Sciuropterus albanensis quiricensis, subsp. nov., Miocene, Sant Quirze, Vallés-Penedés, Spain, p. 57, VILLALTA COMELLA 1413.

Sciurus black varieties in Europe, WILDASH 1492; S. carolinensis note on introduction to England, FRENCH 481; record in London, 1897, KETTLE-WELL 800; status in Devon, p. 122, WELL 300; status in Devoit, p. 1225; Hurrell 725; Melanism, in Britain, Bedford 118; melanism in Cambs. G. Carr. 268; early breeding date Berks., Nares 997; early breeding record, Derbyshire, Ratcliff 1131; early breeding record in Oxon., Eng-LAND 431; predation on young birds, Dalton 346; introduction and spread in Cape Province, S. Africa, D. H. S. Davis 367; S. niger status as introduced species in Washington, Yocom 1523; S. n. rufiventer longevity, GREENE 562; S. oculatus shawi subsp. nov. Rancho San Francisco, 38 km. E. of San Luis Potosi city, Mexico, p. 4, DALQUEST 344; S. vulgaris as nest robber, Heller 650; S. v. leucourus in Warwickshire, BARRYFORD 104; status in Cheshire, RILEY 1155; local decrease in Shropshire, B. 143; local decrease Wiltshire, Carne 266; decrease in Dorset, W. D. Lang 853; breeding in Norfolk, le STRANGE 880.

†Sciurus costatus wintershofensis subsp. nov. p. 338, S. fissurae sp. nov. p. 341, both Miocene, Eichstatt, Bavaria, Dehm 378.

Tamias striatus eating frog, Hester-Berg 667; T. s. quebecensis subsp. nov. St. Felicien, Lake St. John County, Quebec, p. 347, Cameron 256; T. t. townsendii abnormal colour, SVIHLA and LARRISON 1329.

Tamiasciurus hudsonicus wasatchensis subsp. nov. Wasatch Mts., central Utah, p. 13, R. Hardy 608.

GEOMYIDAE

Geomys breviceps texensis, G. bursarius llanensis taxonomic relationship, Baker 87.

†Grangerimus sellardsi sp. nov. Miocene or Oligocene, Bee County, Texas, p. 622, HIBBARD and WILSON 672.

†Gregorymys montanensis sp. nov. Miocene, Blacktail Deer Creek, Beaverhead County, Montana, p. 198, Hibbard and Keenmon 670.

Thomomys bottue colour variation, INGLES 734; T. talpoides louiei subsp. nov. 12 m. N.N.E. of Cathlamet, Wahkiakum County, Washington, p. 92, Gardner 500.

HETEROMYIDAE

Dipodomys merriami as factor in range vegetation, REYNOLDS 1151.

† Perognathus rexroadensis sp. nov. Pliocene, Fox Canyon, XI Ranch, Meade County, Kansas, p. 140, Hibbard 669.

CASTORIDAE

Castor canadensis endourethral casts, G. F. Jones 766; detailed habits in New York State, Tevis 1852; C. c. repentinus ecology and economic management, Hensley and Fox 655; C. fiber, C. canadensis history, structure, biology, Hinze 683; C. fiber review of history and status, Gut 577; status and habits on Rhone, Urbain 1388; habits S. Norway, Olberg 1033; zoology of burrows, Barabash-Nikiforov 97.

† Procastoroides sweeti Pleistocene Nebraska, figs, Frankforter 470.

ANOMALUBIDAE

Anomaluridae of Nigeria, ROSEVEAR 1173.

†THERIDOMYIDAE

† Trechomys bonduelli generic and specific characters, Dechaseaux 377.

PEDETIDAE

Pedetes caffer birth in captivity, HEDIGER 644.

SUBORDER MYOMORPHA

CRICETIDAE

Notes on Mongolian Cricetinae, Bannikov 96.

Microtines from Arctic Alaska, RAUSCH 1132.

Distribution and evolution of European voles, ZIMMERMANN 1541.

Fossil voles from the Pleistocene of Holland, TESCH 1349.

Biological importance of lemmings in Alaska, N. A. Weber 1449.

Small cricetines from Peru and Bolivia, Sanborn 1192.

Gerbils of Nigeria, ROSEVEAR 1173.

Akodon boliviensis Meyen type locality defined as Pichu-pichuni, Prov. of Chucuito, Huacullani, Peru, p. 12, Sanborn 1192.

Alticola tuvinicus sp. nov. Tuvinsk autonomie district, U.S.S.R., p. 520. Ognev 1029.

Arvicola amphibius function of cheek gland, Ortmann 1049; A. terrestrix facial musculature, MEINERTZ 949.

Clethrionomys skomerensis history. habits, weights and measurements. Phillips (in Buxton and Lookley) 247.

†Cricetodon sp. nov., Miocene, Eichstatt, Bavaria, p. 363, Dehm 378; C. ibericus sp. nov. Miocene, Pierola, Vallés-Panadés, Spain, p. 57, Schaub 1211; C. montisrotundi sp. nov. Pliocene, Montredon, Aude, France, p. 66, Schaub 1211.

Cricetus auratus hibernatory awaking mechanisms, Lyman and Chatfield 902; osteogenesis, Beatty and Hillsmann 116; reproduction physiology. Purdy and Hillemann 1125; haematology and marrow, Trincao and others 1376; C. cricetus habits and

behaviour, Petzsch 1089; facial musculature, Meinertz 949.

Dicrostonyx groenlandicus facial musculature, Meinertz 949.

Hesperomys lepidus montanus subsp. nov. El Cumbre, Bolivia, 15,200 ft. p. 4, Sanborn 1192.

Lemmus lemmus distribution in Finland, Kalela 778; habits and photos in captivity, E. Mohr 965.

Lenoxus apicalis boliviae subsp. nov. Nequejahuira, Unduavi R., Bolivia, 8,000 ft., p. 16, Sanborn 1192.

† Melissiodon dominans sp. nov. Miocene, Eichstatt, Bavaria, p. 366, Dенм 378.

Meriones persicus sylvatic plague, Baltazard and Mofidi 93.

Microtus afghanus balchanensis subsp. nov. Bolshize Balkhany Mts., W. Turkmenia, p. 149, HEPTNER and SHUKUROV 656; M. agrestis chromosomes, MATTHEY 943; occurrence in Moravia, Kratochvil and Grulich 832; M. arvalis 1949 population maximum in Slovakia, Turcek 1383; M. a. incognitus measurements and addt. descr. first record Czechoslovakia, HANZAK and Rosicky 601; M. a. ruthenus Omutninsk region, Kirov district, p. 210, M. a. caspicus Tehanyushkima, south Astrakhan District, p. 215, M. a. kirgisorum Tuyouk, Kirgizki Mts., Khirgiz, p. 219, M. a. innae Lake Issik-Kul, Transilisk Alatau, Khirgiz, p. 221, subspp. nov. U.S.S.R., Ognev 1029; M. californicus canni-balistic habits, Voge 1421; M. mirhanreini Schaefer, addt. descr. supplementary diagnosis based on complete specimens, Hanzak and Rosicky 601; addt. deser., figs, Ehik 415; M. miurus paneaki subsp. nov. Tolugak Lake, Brooks Range, Alaska, p. 135, RAUSCH 1132..

† Microtus cf. agrestis question of geological age, Schreuder 1248.

†M. arvalis-agrestis recorded from Pleistocene, Swanscombe, Kent; notes on other fossil microtines from same locality, Schreuder 1247; M. cyrenae sp. nov. Mesolithic, Ed Dabba cave, N.W. Cyrenaica, p. 982, BATE 111.

Microtus (Chilotus) socialis nikolajevi subsp. nov. Kuyouk-Tuk Island, Sivash, U.S.S.R. p. 387, Ogney 1029.

Microtus (Chionomys) nivalis loginovi subsp. nov. Mt. Atcheshbok, Caucasian State Nature Reserve, U.S.S.R., p. 448, Ognev 1029.

Microtus (Stenocranius) gregalis dukelskiae subsp. nov. Vostotchnoye, 35 km. S.E. of Manusinsk, U.S.S.R., p. 477, Ognev 1029.

Myopus schisticolor habits and photos: in captivity, E. Mohr 965.

Myospalax comparative eye structure, Yu-Ch'uan Tsang 1530.

Neofiber alleni range extension in Georgia, Schantz and Jenkins 1210.

Neotoma cinerea cycle in Wyoming, NEGUS 1001; N. c. macrodon 1 m. S.E. of Ouray, Uintah County, p. 417; N. lepida sanrafaeli Rock Canyon Corral, 5 m. S.E. of Valley City, Grand County, p. 418, both Utah, subspp. nov. Kelson 794; N. floridana floridana status Florida, Pournelle 1111; habits and breeding in captivity, Worth 1510; N. fuscipes monochroura nest fauna, Walters and Roth 1437; N. magister status in N.W. Pennsylvania, Richmond and Roslund 1153.

Ondatra zibethica mating habits, Salinger 1190; reproductive rate, Gashwiller 506; introduction and spread in Europe, Klemm 811; spread and control in post-war Germany, Klemm 812; winter food reserves in Russia, Tcheltzov-Bebutov 1341; backward swimming ability, A. W. Peterson 1081; mussel-eating habit, Riedel 1154; O. z. rivalicia ecology and management in Louisiana, O'Neill 1044.

Oryzomys melanotis a Mexican specimen referred to O. couesi, Villa 1409; O. palustris natator habits and breeding in captivity, WORTH 1510.

Peromyscus ecology and speciation, BLAIR 150; intense ecological study of three species in California, McCabe and BLANCHARD 905; water requirements in breeding season, LINDEBORE 888; P. latirostris sp. nov. Apetseo, near Xilitla, 2700 ft. San Luis Potosi, Mexico, p. 8, Dalquest 344; P. len-

copus noveboracensis winter breeding in captivity, Howard 712; P. maniculatus bairdii ecology in Manitoba, CRIDDLE 325; new records New York and Pennsylvania, W. J. Hamilton 593; P. polionotus variation in laboratory-bred stocks, reliability as samples of wild populations, Hayne 637.

Peromyscus (Megadontomys) not a valid subgenus, p. 9, DALQUEST 344.

Phenacomys intermedius intermedius habitat adaptability in Wyoming, NEGUS 1002.

Phyllotis darwini preliminary note on revision, YEPES 1522; P. nogalaris first record for Chile, MANN 927.

Pitymys subterraneus occurrence in Moravia, Kratochvil and Grulich 832; status and habits S. Germany, Kahmann 775.

† Pliophenacomys primaevus addt. deser., figs, p. 150, HIBBARD 669.

Reithrodontomys cranial musculature affecting skull form, RINKER and HOOPER 1156; R. fulvescens infernatis Teotitlan 3,100 ft., Oaxaca, Mexico, p. 167, R. microdon wagneri, west flanks Cerro San Andres, 9,400 ft., 10 m. N.W. of Ciudad Hidalgo, Michoacan, Mexico, p. 169, subspp. nov., E. T. HOOPER 703; R. humulis humulis, R. fulvescens aurantius range extensions in Tennessee, Kentucky and Mississippi, MILLER and ROBERTSON 959; R. megalotis pectoralis new record Wisconsin, Schorger 1244; R. mexicanus scansor subsp. nov. Villa Flores, 2,000 ft., Chiapas, Mexico, p. 418, E. T. HOOPER 702.

Synaptomys borealis first record Montana, P. L. Wright 1513; S. cooperi local abundance in Illinois, Hoff-MEISTER 688.

MURIDAE

Tracks of rats and mice, Kemper 797.

Rats, mites and scrub-typhus in Batavia, GISPEN 535.

Rats and scrub typhus in Malaya, TRAUB and others 1372.

Survey of rats, fleas and plague in Uganda, Hopkins 707.

Rats as pests, nomenclature and habits, M. Burton 234.

Rats in Hawaii, home range and survival, Spencer and Davis 1290.

Notes and key for Manipur rats, ROONWAL 1170.

Key to Nigerian Muridae, ROSEVEAR 1173.

Introduced murids in New Zealand, Wodzicki 1504,

Apodemus agrarius ecology in U.S.S.R, Sviridenko 1331; A. flaricollis, A. sylvaticus comparative study. Luttschwager 900; A. sylvaticus seasonal breeding activity, Raynaun 1137, 1138; sexual activity affected by external factors, Raynaun 1139.

Bandicota bengulensis growth-rate, mortality rate, HARRISON and WOOD-VILLE 619.

Dendromus pumilio uthmoelleri Bashai Mbulu. T.T., p. 170, D. p. kumasi Kumasi, Gold Coast, p. 170, D. mesomelas kilimandjari Peters Hut, Kilimanjaro, 3,800 m. T.T., p. 171, D. m. hintoni Uluguru Mts., T.T. (7° S., 37° 5° E.) p. 171, subspp. nov. Bohmann [Recorded N.V. 1941 without data] Zool. Anz. Leipzig 127 1939.

Leggada nagarum imphalensis detailed description, p. 53, ROONWAL 1170.

Lenomys meyeri notes on recent and subfossil specimens, p. 75, Hooijer 698.

Micromys minutus status and habits in Germany, photos, Felten 440.

Mus musculus taxonomy and distribution in Europe, Zimmermann 1540; skeletal variations in wild populations, W. Weber 1450; chromosome study technique, Slizynski 1231; indoor home range study, Young and others 1527; ecology in Lawrence, Kansas, O. M. King 804; M. m., M. m. hortulanus age determination by teeth, Varshayski 1401; M. m., M. spicilegus biology, Eibl-Eibesfeldt 417; M. hortulanus, M. spicilegus taxonomic status in Slovakia, Feriang

Otomys typus zinki type locality Peters' Hut, 3,800 m., Kilimanjaro, p. 153; O. denti sungae type locality Sunga, Usambaras, 1900 m., p. 154, both Tanganyika, Bohmann 1943 (Recorded incompletely 1945) Zool. Anz. Leipzig 143.

Rattus notes on Far East species, OGNEV 1030; notes on recent and subfossil Celebes forms, p. 78, HOOIJER 698; albinism in the wild, GIBSON-HILL 527; R. manipulus kekrimus detailed description, p. 45, ROONWAL 1170: R. norvegicus ecology and habits, STEINIGER 1300; sex ratios at all ages, Schein 1228; facial musculature, MEINERTZ 949; skulls showing likeness to those of R. rattus, CANTUEL 263; population study under control, Cal-Houn 254; numbers and destructive-ness on a bird sanctuary, Steiniger 1298, 1299; New York 1949 population, D. E. Davis 363; 1949 Baltimore population, Davis and Fales 365; ecology in Lawrence, Kansas, King 804; R. n., R. rattus comparative study, H. Peters 1080; R. rattus status in London area, J. FISHER 451: reproduction in London and Cyprus, J. S. Watson 1446; habits, population study in Florida, Worth 1509; R. r. alexandrinus occurrence W. R. r. dlexanarinus occurrence W. Virginia, Barbour 100; R. r. bullocki detailed description, p. 20, Roonwal 1170; R. r. jarak characters and population study, Harrison in Audy and Harrison 77; status and habits on Jarak Island, Audy 76; R. r. keelingensis subsp. nov. Pulo Tikus (Direction Island), Cocos-Keeling Is., 276; discussion on puridae of the p. 276; discussion on muridae of the islands and their origin, TATE 1337; R. r. kijabius infected with Spirillum minus in Kenya, Heisch 648.

GLIRIDAE

Histology of tail regeneration in dormice, HAFFNER 579.

Dormice of Nigeria, Rosevear 1173.

Dyromys nitedula carpathica occurrence in Moravia, Kratochvil and Grulich 832.

† Dryomys gregarius sp. nov. Miocene, Eichstatt, Bavaria, p. 379, Dehm 378.

†Glirulus gracilis p. 391, G. modestus p. 396, G. ? sp. nov. p. 399, spp. nov. Miocene, Eichstatt, Bavaria, Dehm 378.

Glis glis history and status in England distribution map, Carrington 269.

†Glis? spectabilis sp. nov. Miocene, Eichstatt, Bavaria, p. 400, Dehm 378.

†Heteromyoxus schlosseri sp. nov. Miocene, Eichstatt, Bavaria, p. 384, Dehm 378.

Muscardinus avellanarius occurrence in Haute-Savoie, Duckert 399; distribution and ecology in Bavarian and Austrian Alps, Kahmann and Frisch 776; occurrence and habits S. Sweden, Neander 1000.

ZAPODIDAE

Sicista taxonomic notes, Pagast 1058; S. betulina ecology, habits, hibernation E. Prussia, GOTTLIEB 551; S. b. montana occurrence in Moravia, Kratochvil and Grulich 832.

Zapus hudsonius additional Georgia records, Jenkins and Johnston 752; Z. h. pallidus subsp. nov. Lawrence, Douglas County, Kansas, p. 1, Cockrum and Baker 305; swimming ability, J. K. Jones 767; Z. princeps first report of tularemia, Nakamura 996.

DIPODIDAE

Allactaga sibirica annulata preliminary study, PAO-SHAN CHENG 1064.

SUBORDER HYSTRICOMORPHA

Hystricomorph evolution and parallelism, A. E. Wood 1506.

HYSTRICIDAE

Old and New World porcupines, comparison, M. Burton 233.

ERETHIZONTIDAE

New and Old World porcupines, comparison, M. Burton 233.

Coendou distribution and key of species, KRUMBIEGEL 836.

Erethizon care and handling in captivity, Shadle 1265; E. dorsatum popular account, photos, Spencer 1289; swimming for food, Dean 378.

CAVIIDAE

Cavia porcellus comparative morphology, Thenius 1363.

Dolichotis, systematics, distribution, key, Krumbiegel 836.

Galea musteloides musteloides first record for Chile, MANN 927.

HYDROCHOERIDAE

Hydrochoerus hydrochoeris snout gland, Rewell 1149; lymphatic system, Ottaviani 1053.

DASYPROCTIDAE

Review of Dasyproctidae, Krum-BIEGEL 836.

Dasyprocta cristata from Pleistocene, Martinique, FRIANT 484.

CHINCHILLIDAE

Chinchilla study of hair formation, WILCOX 1491; myology, Wood and WHITE 1507.

CAPROMYIDAE

†Isomyopotamus albaniri sp. nov. Pliocene, Monte Hermoso, Argentine, p. 110, Reig 1142.

Myocastor coupus ecology in Louisiana Atwood 73; farming in Denmark, Graaf 554.

CTENOMYIDAE

Ctenomys taxonomic notes, KRUM-BIEGEL 836.

ECHIMYIDAE

Echimys (Phyllomys) kerri sp. nov. Ubatuba, S. Paulo, Brazil, p. 489.

ORDER CETACEA

Cetacea linked to Artiodactyla by serology, BOYDEN and GEMEROY 179.

International whaling statistics 1947–49 (Antarctic) and 1948 (other areas), JAHN and others 745.

Whale body weight data, NISHIWAKI 1017.

Cetacean larynx structure and function, Hosokawa 710.

Foetal study of whales, MIZUE and JIMBO 961.

Age changes in whale eye colour, Nishiwaki 1015.

Vol. 87

Pregnancy and parturition in Cetacea, SLIJPER 1279.

Iodine values in whale stocks, Lund 896, 897.

Whale skin diatoms, WERFF 1460.

Diatom infection of antarctic whales, OMURA 1042.

Cetaceans on Tunisian coasts, Heldt 649.

Cetacea stranded on Cocos-Keeling Is., Gibson-Hill 531.

Cetacea of Sarawak, Gibson-Hill. 532.

Whaling in Bonin Island region, MIZUE 960.

Whaling data from Japanese seas, OMURA 1043.

Japanese whaling prior to 1946, TERRY 1348.

Fossil cetacea from E. Canada, LAVERDIERE 861.

SUBORDER ODONTOCETI

Cetacea in captivity, MERTENS 954.

Large assemblies of porpoises in N. Pacific, V. B. Scheffer 1215.

Adaptive features of porpoise head, Sinclair 1273.

†SQUALODONTIDAE

† Neosqualodon Miocene, Italy, Fabiani 435.

ZIPHIIDAE

Hyperoodon rostratus maxillary teeth, Boschma 169.

Mesoplodon grayi maxillary teeth, colour and complete figure of specimen, Boschma 169; M. hectori, skull from Falklands, third known specimen, Fraske 475.

PHYSETERIDAE

Physeter catodon distribution in Pacific Kirptichnikov 806; recent strandings in Italy, Bolognari 156; body weight statistics, Omura 1041; tooth tissue absorption, Boschma 163.

MONODONTIDAE

Delphinapterus leucas status N.W. Greenland, VIBE 1405; first record W. France, Niort 1014.

Monodon monoceros status, habits, ecology N.W. Greenland, VIBE 1405; foetal skull, comparative study, EALES 405; notes on a Vancouver Museum specimen, MENZIES 952.

DELPHINIDAE

Delphinus delphis speed, G. A. Steven 1302.

Globicephala macrorhyncha skulls from Senegal, skull characters and status,, Fraser 473; G. melaena stranded shoal at East Lothian, photos. Anon. 7; notes on a stranded school E. Lothian, D. Steven 1301.

Lagenorhynchus obliquidens summary of N. American records, V. B. Scheffer 1219

Orca gladiator stranded in India, Moses 988.

Stenella frontalis male urinogenital anatomy, L. H. MATTHEWS 942; study of a W. African specimen, taxonomic status, distinctions from S. attenuata, Fraser 474.

Tursiops gillii, T. nuuanu comparative data on specimens from Gulf of California, MAYER 946.

PHOCAENIDAE

Phocaenoides dalli occurrence in N.E. Pacific, Nichols 1008.

SUBORDER MYSTICETI

Age characteristics of baleen, NISHI-WAKI 1016.

BALAENOPTERIDAE

Statistics on Japanese antarctic catch 1947–48, Nishiwaki and Hayashi 1018.

Rorquals recorded from coasts of India and Malaya, GIBSON-HILL 526.

Corpora lutea histology in fin whales, LENNEP 875; Tumours in fin whales, STOLK 1317.

Balaenoptera study of sensory organs of mouth and lips, Ogawa and Shida 1028; notes on foetal anatomy, Radice 1126; B. borealis body weight statistics, Omura 1041; occurrence and food off Gaboon, Budker 211; B. edeni, characters of a Malayan specimen, B. brydei a synonym, comparison with B. borealis, Junge 774; B. musculus decline of Antarctic stocks, Anon. 15; age study, Ottestad 1054; age calculation and distribution, Ruud 1186; age studies, Ruud and Jonsgard 1187; B. physalus embryonic development, Zemski 1538; bone marrow distribution, Ohe 1032; weight of a large female, Winston 1498.

Megaptera nodosa report on Gaboon whaling, Budker 212.

BALAENIDAE

Balaena australis stranded in India, Moses 988.

ORDER CARNIVORA

Some rare carnivores from Kazakstan, Sludski 1282.

Carnivora of N. Uganda, J. M. Watson 1445.

Introduced carnivores in New Zealand, Wodzicki 1504.

Badger-coyote hunting "partner-ship," CAHALANE 250.

Pliocene carnivores from S. France, Schaub 1212.

Miocene carnivores of Bavaria, DEHM 380.

Fossil carnivores of Brazil, Couto 320.

SUBORDER CREODONTA

†ARCTOCYONIDAE

Evolution in teeth and jaws of Arctocyonidae, Weigelt 1454.

†Arctocyonides trouessarti Paleocene Germany, descr. figs, p. 420, Weigelt 1455.

SUBORDER FISSIPEDA

CANIDAE

Breeding biology of Canidae in captivity, SCHNEIDER 1240.

Genetics of sporting dogs, WINGE 1497.

Unidentified canids in Burma, Bos-WELL 170.

Canidae of Chile, Housse 711.

† Alopecodon gaillardi synonym of A. leptorhynchus p. 725, Thenius 1358: A. leptorhynchus Miocene, Austria. descr. figs, p. 723, THENIUS 1358; Miocene, Czechoslovakia, descr. figs, p. 128, ZAPFE 1536.

Alopex lagopus a Cape Breton record. CAMERON 257; farming on Pribilovs, 1947, THOMÖSON 1367.

†Amphicyon maior, A. cf. stein-heimensis Miocene, Czechoslovakia, descr. figs., ZAPFE 1536; A. major serbica subsp. nov. Miocene, Despotovac, Serbia, p. 28, Laskarev 859; A. schlosseri p. 20, A. helbingi p. 23, A. acutidens p. 29, A. dietrichi p. 30, spp. nov. Miocene, Wintershof-West, Eichstatt, Bavaria, Dehm 380; A. steinhemensis Miocene, Austria, descr. figs, p. 716, Thenius 1358.

† Borophagus diversidens descr. and fig. of second specimen, p. 159 HIBBARD 669.

Canis dom. the oldest European domestic animal, LA BAUME 847; C. ingae non-European origin of Inca dog, FRIANT 488; C. latrans study of habits, Fighter 446; C. lupus attacking man in Turkey, Bure 221; C. l. occidentalis no regular runways? DE Vos 388; a census method, Rowan 1177.

†Canis cipio sp. nov. Pliocene, Concud, Spain, p. 47, CRUSAFONT PAIRO 334.

Cuon note on Burmese forms, R. W. BURTON 237; C. javanicus habits, Central India, F. L. ROBERTS 1162

Fennecus zerda habits in captivity, RENSCH 1145.

†Harpaleocyon sansaniensis Miocene, Austria, descr. figs. p. 737, THENIUS 1358.

†Hemicyon sp. nov. 1, p. 36, H. sp. nov. 2, p. 37, Miocene, Wintershof-West, Eichstatt, Bavaria, DEHM 380; H. sansaniensis Miocene,

descr. figs, p. 732, Thenius 1358; Miocene, Czechoslovakia, descr. figs, ZAPFE 1536.

Lycalopex thous flavogriseus subsp. nov. coastal region, Santa Catharina, Brazil, p. 212. Zukowsky 1546.

Lycaon pictus hunting habits, BART-LETT 108; CHALMERS 282; T. 1351; breeding in captivity, Zabinski 1532.

Nyctereutes procyonoides feral Finland, E. SUOMALAINEN 1325, 1326; habits in captivity, FRANZ 472; food in Astrakhan, Rukovski 1180.

Oreocyon gen. nov. for type species O. hagenbecki sp. nov. "Andes," S. America, p. 591, KRUMBIEGEL, America, p. 591, Umschau, 49 19, 1949.

Otocyon megalotis from Karamoja, first Uganda record, p. 16, PITMAN 1097.

† Pseudarctos bavaricus Miocene, Austria, p. 720, Thenius 1358.

†Simocyon systematic position. THENIUS 1360.

Urocyon cinereoargenteus ocythous second N. Dakota record, SCHANTZ 1207.

Vulpes behaviour studies in captivity, SEITZ 1259; V. fulva population cycles and genetics of colour phases, CALHOUN 253; ecology on Montreal Island, PHILIPPE 1091; breeding behaviour, voice and habits on fur farm, J. H. F. STEVENSON 1304; litter sizes, SWITZEN-BERG 1332; V. vulpes crucigera in Hampstead, London, DUNN 400.

URSIDAE

Hybrid polar and Kadiak bears, M. DAVIS 368.

Bacula of Ursidae, DIDTER 391

Pleistocene bears from Mexico, STOCK

Euarctos americanus growth of young, SCHLOTT 1231; preying on man, recent case, WHITLOCK 1484.

†Hyaenarctos ef. schneideri from Pliocene Mexico, STOCK 1313.

†Indarctos comparative study of auditory region, Thenius 1355; I. vireti sp. nov. Miocene Cun Puruli (Villadecaballs), Vallés-Penedés, Spain, VILLALTA and CRUSAFONT PAIEO 1412.

Thalarctos maritimus birth and development in captivity, VLASAK 1420; fat metabolism and lipids, WILBER and MUSACCHIA 1489.

†Tremarctos mexicanus sp. nov. Pleistocene, San Josecito Cave, s. Nuevo Leon, Mexico, p. 317, Stock 1312.

†Ursavus brevirhinus Miocene Austria, descr. figs. p. 742, Thenius 1358; Miocene, Czechoslovakia, descr. figs, ZAPFE 1536; †U. depereti Pliocene, France, p. 469, VIRET 1417.

Ursus arctos and related races, general characters, photos, M. Burton 227; re-introduction to Bialowieza Forest, Poland, Karpinski 780; U. californicus additional specimen records, Orr 1046; U. canadensis recent Washington record, V. B. Scheffer 1216.

†Ursus spelaeus sexual dimorphism in canines, Koby 819; premolar reduction, Koby 820; long bone measurements, Koby 821; metacarpal and phalange proportions, Koby and Fritz 822.

PROCYONIDAE

Bacula of Procyonidae, DIDIER 391.

Bassariscus astutus willetti subsp.

nov. S.E. California, p. , STAGER
1293.

†Bassariscus rexroadensis sp. nov. Pliocene, Fox Canyon, XI Ranch, Meade County, Kansas, p. 161, Hib-Bard 669.

Procyon review of N. American forms, GOLDMAN 543; P. lotor age estimation methods, G. C. SANDERSON 1199; status and habits, ULMER 1387; P. l. psora population analysis, Washington, V. B. SCHEFFER 1218; food habits, Washington, Tyson 1384.

MUSTELIDAE

Stoats and weasels, economic value, Petrie 1086.

Aonyx, food choice, BRYANT 209*
†Baranogale cf. helbingi Pliocene, S.
France, p. 503, Schaub 1212.

†Broiliana gen. nov. p. 80 for type species B. nobilis sp. nov. p. 81, Miocene, Wintershof-West, Eichstatt, Bavaria, Dehm Abh. bayer. Akad. Wiss. N.F. No. 58, 1950.

† Buisnictis gen. nov. for type species, B. meadensis sp. nov. Pliocene, Fox Canyon, XI Ranch, Meade County, Kansas, Hibbard Contr. Paleont. Mus. Univ. Michigan 8 1950, p. 164.

Enhydra lutris photographed on Amchitka Island, Anon 5; recovery, photos, Anon. 26; E. l. nereis not a valid race, Scheffer and Wilke 1225.

†Enhydrictis galictoides status, E. ardea identity, Viret 1418.

Grison revision and key, KRUM-BIEGEL 836.

Gulo luscus past status in Michigan, MANVILLE 931; G. l. luteus recent records in California, F. L. JONES 764.

† Laphyctis? vorax p. 69, L? comitans p. 71, Miocene, Wintershof-West, Bavaria, Dehm 380.

†Limnonyx gen. nov. for type species L. sinerizi sp. nov. Miocene, Can Ponsich, Vallés-Penedés, Spain, p. 140, CRUSAFONT PAIRO Notas Comm. Inst. Geol. Min. Esp. 20 1950.

Lutra lutra general habits, MACINTYRE 915; food choice, G. A. MACKENZIE 917; food habits, WEST COUNTRY 1462.

Lutreola lutreola borealis subsp. nov. nr. Aktubinsk, Upper Ileka River, Kazakstan, p. 11, Sludski 1282.

? Martes in Bedfordshire, Lewis 884; M. americana food habits in Rocky Mts., Cowan and Mackay 322; M. martes recent records in Ireland, B, C. E. 114; status and habits in Lakeland, Clapham 303; M. zibellina breeding in Basguzin Reserve, U.S.S.R., Belishev 132.

†Martes gamlitzensis Miocene, Austria, taxonomic note, Thenius 1859; M. laevidens sp. nov. Miocene, Wintershof-West, Eichstatt, Bavaria, p. 65, Dehm 380.

Meles meles study of habits in captivity, Eibl-Eibesfeldt 416; field notes, Leutscher 881; play habits, Neal 999; habits in Cheshire, J. E. Roberts 1163; habits, photos, sketches, Tinbergen 1369.

Mephitis macroura geographic range; M. m. eximius subsp. nov. 15 kms. W. of Piedras Negras, Veracruz, Mexico, p. 579, Hall and Dalquest 587.

† Miomephitis gen. nov. for type species, M. pilgrimi sp. nov. Miocene, Wintershof-West, Eichstatt, Bavaria, p. 111, Dehm Abh bayer. Akad. Wiss. N.F. No. 58, 1950.

†Mionictis dubia Miocene, Austria, descr. figs., p. 698, Thenius 1358.

Mustela erminea as prey of cat, Dathe 356; M. e. stabilis breeding in bird's nest, Newman 1007; M. furo hermaphroditism, Rose 1172; M. lutreola recent status in S.W. France, Astree 72; M. nigripes first record Oklahoma, Arvey and Glass 65; recent records Montana, Crabb and Watson 324; M. nivalis habits and ecology in Germany, Goethe 542; habits, Sevenster 1262; M. rixosa allegheniensis distribution in Wisconsin, Beer 127.

†Mustela rexroadensis sp. nov. Pliocene, Fox Canyon, Meade County, Kansas, p. 163, Hibbard 669.

† Palaeogale hyaenoides sp. nov. Miocene, Wintershof-West, Eichstatt, Bavaria, p. 75, Dehm 380.

† Pannonictis a valid genus, VIRET 1418; P. ardea Pliocene, S. France, descr. figs., p. 501, SCHAUB 1212.

† Plesictis mayri p. 46, P. vireti p. 50, P. ? humilidens p. 54, spp. nov. Miocene, Wintershof-West, Eichstatt, Bavaria, Dенм 380.

†Plesiogale? postfelina sp. nov. Miocene, Wintershof-West, Eichstatt, Bavaria, p. 79, Dehm 380.

†Proputorius olivolanus Martelli is Enhydrictis, Viret 1418.

Putorius putorius photos, Felten 441; supposed occurrence in Essex, Willis 1495.

† Putorius ardeus Bravard is Enhydrictis, VIRET 1418.

†Stromeriella gen. nov. p. 99 for type species, S. franconica sp. nov., p. 100, Miocene, Wintershof-West, Eichstatt, Bavaria, Dehm Abh. bayer. Akad. Wiss. N.F. No. 58, 1950.

Taxidea taxus fishing habit, Drake and Presnall 398; T. t. kansensis subsp. nov. 4 m. S.E. of McLouth, Leavenworth County, Kansas, p. 346, Schantz 1208; T. t. merriami subsp. nov. Banner, Trego County, Kansas, p. 92, Schantz 1209; T. t. montana subsp. nov. 35 m. S. of Dillon, Beaverhead County, Montana, p. 90, Schantz 1206.

Tayra revision and key, KRUMBIEGEL 836.

†Trocharion albanense Miocene, Czechoslovakia, descr. figs., p. 110, ZAPFE 1536.

† Trochictis depereti Miocene, Austria, descr. figs., p. 709, Thenius 1858.

VIVERRIDAE

†Macrogalidia musschenbroeki meridionalis subsp. nov. subfossil, Badjo (Barebo dist.), 20 km. S.W. of Watampone, Central Bone, S. Celebes, p. 89, HOOIJER 698.

† Progenetta praecurrens sp. nov. Miocene, Wintershof-West, Eichstatt, Bayaria, p. 121, Dehm 380.

†Semigenetta? elegans sp. nov. Miocone, Wintershof-West, Eichstatt, Bavaria, p. 117, Dенм 380.

HYAENIDAE

†Leecyaena gen. nov. for type species, L. lycyaenoides sp. nov. Pliocene, Shansi, China, p. 274, Young and Liu, Contrib. Nat. Res. Inst. Geol. Acad. Sinica 8, 1948.

FELIDAE

Systematics of the large cats, LEYHAUSEN 885.

Genetics of London cats, SEARLE 1258.

Acinonyx jubatus use of dew-claw in hunting, R. W. Burton 240.

†Acinonyx pardinensis Pliocene, S. France, with figs. of type, p. 492, Schaub 1212.

† Ailurictis jourdani Miocene, Czechoslovakia, descr. figs., ZAPFE 1533.

Eremaelurus margarita thinobius in Kazakstan, Sludski 1282.

Felis dom. genetics of Siamese breed, Moutschen 990; origin of tailless breeds, Schwangart 1253; F. concolor coryi habits, voice, R. Allen 47; F. lybica foxi notes on Togoland specimens, colour variability, measurements, Dorst 394; F. margarita? first record Arabia (Rub' al Khali), p. 418, Hayman and Harrison 634; F. uncia schneideri subsp. nov. Sikkim (type a painting), p. 213, Zukowsky 1546.

† Felis toscana sp. nov. Pliocene, Sta. Maria, near Tasso, Italy, p. 499, SCHAUB 1212.

Lynx lynx habits and behaviour, LINDEMANN 889; L. rufus breeding habits in N.E. U.S.A., POLLACK 1101.

Neofelis nebulosa diardi notes on occurrence and habits Borneo; type locality probably Sumatra, range does not include Java, Gibson-Hill 528.

† Nimravus altidens sp. nov. Oligocene, 7 m. E. of Rockyford, Shannon County, S. Dakota, p. 601, J. R. MACDONALD 909.

Panthera sexual dimorphism in skull. BOUCHUD 173; P. leo history of Cape race, appeal for relics, E. M. PALMER 1060; note on extinct Cape race, Anon. 25; the spotted lion legend, FORAN 466; habits in Kruger National Park, Jennings 753; a maned female, Schneider 1235; P. l. persica history and records in India, Gillan 533; census in Kathiawar, WYNTER-BLYTH 1518, 1519; WINTER-BLYTH and DHARMAKUMARSINHJI 1520; P. l. X tigris hybrids, characters and behaviour, LEYHAUSEN 885; P. pardus record weight Rhodesia, James 747; identity of "Panther" and Leopard, MAC-DONALD-TYLER 910; SHEBBEARE 1268; P. tigris × P. leo hybrid in Paris, URBAIN and RINJARD 1393; P. tigris an Indian trapping method, DAVER 359; proved cases of rabies, R. W. Burton 239.

Prionailurus rubiginosus phillipsi description of colour pattern in young, PHILLIPS 1092; P. viverrinus date of breeding, A. St. J. MACDONALD 906.

† Pseudaelurus turnauensis, P. hyaenoides Miocene, Austria, descr., p. 750, Thenius 1358.

SUBORDER PINNIPEDIA

Seals and sea-lions, popular account, DARLING 355.

Techniques and results of marking seals and sea-lions, V. B. Scheffer 1221.

OTARIIDAE

Arctocephalus pusillus status, habits S. Africa, D. H. Davies 360; biological study S. Africa, Rand 1129; milk dentition, Rand 1130; A. townsendi on San Nicolas Island, California, account and photos, Bartholomew 107.

Callorhinus alascanus ecological and population problems, Bertram 139; C. ursinus report for Pribilovs, 1947, Thompson 1367; testes and baculum growth rate, V. B. Scheffer 1217; food habits, V. B. Scheffer 1222, 1223; heavy winter mortality on N.W. Coast, U.S.A., V. B. Scheffer 1224.

Eumetopias jubata in Alaska, status, habits, depredations, control, IMLER and SARBER 732.

Otaria flavescens status in Tierra del Fuego, Lopez 895.

ODOBENIDAE

Odobenus history of exploitation, present status, Matheson 939; O. obesus fat metabolism and lipids, Wilber and Musacchia 1489; O. rosmarus distribution, habits, ecology N.W. Greenland, VIBE 1405.

PHOCIDAE

Hair and bristles in Phocidae, E. Mohr 968.

Anatomy of heart in seals, MULLER 991.

Growth marks on seal teeth, V. B. Scheffer 1220.

Seal habits on Campbell Island, LANGLEY 855.

Cystophora cristata habits, status, structure of "hood," Olds 1034; status in N.W. Greenland, VIBE 1405.

Erignathus barbatus status, habits, ecology, N.W. Greenland, VIBE 1405.

Gypsophoca dorifera, habits, E. Coleman 307.

Halichoerus grypus status and habits on Skomer Island, Buxton and Lock-LEY 247; longevity records, Matheson 940.

Mirounga angustirostris repopulation of Los Coronados Islands, Mexico, Bartholomew 106; M. leonina habits and economic value in S. Orkneys, LIVERSIDGE 891.

Monachus albiventer status in Black Sea, with list of museum specimens known, Caspers 276; status and habits on coast of Rio de Oro, Postel 1109; M. monachus status and habits on Spanish Moroccan coast, Morales-Agacino 981.

Phoca groenlandica, P. vitulina, P. hispida status and ecology N.W. Greenland, VIBE 1405; P. hispida fat metabolism and lipids, WILBER and MUSACCHIA 1489; P. vitulina in Alaska, status, habits, depredations, control, IMLER and SARBER 732; photos on N. German coast, RITTINGHAUS 1159.

†ORDER LITOPTERNA

†MACRAUCHENIIDAE

Phylogeny of Pliocene and Pleistocene Macraucheniidae, KRAGLIEVICH 831.

†ORDER NOTOUNGULATA

†Suborder Notioprogonia

†HENRICOSBORNIDAE

†Henricosbornia magellanica nom. nud. Eocene, Itaborai, Rio de Janeiro, Brazil, p. 213, PRICE and COUTO 1118.

†ORDER ASTRAPOTHERIA

†TRYGONOSTYLOPIDAE

†Trigonostylops apthomasi nom. nud. Eccene, Itaborai, Rio de Janeiro, Brazil, p. 213, PRICE and COUTO 1118.

ORDER TUBULIDENTATA

ORYCTEROPODIDAE

Orycteropus photos in captivity, Anon. 4.

ORDER PROBOSCIDEA

SUBORDER ELEPHANTOIDEA

†GOMPHOTHERIIDAE

†Anancus arvernensis Pleistocene Paderno, Venzo 1404.

†Gomphotherium calvertensis sp. nov. Miocene, 1.1 miles N. of Governor Run Road, Calvert County, Maryland, p. 7, Gazin and Collins 510.

† Haplomastodon subgen. nov. (type Mastodon chimborazi Proano) see Stegomastodon.

†Mastodon chimborazi Proano historical and descriptive note, HOFFS-TETTER 689.

†Stegomastodon (Huplomastodon subgen. nov.) for subgenotype Mastodon chimborazi Proano, p. 6, HOFFSTETTER, Pub. Ex. Polit. nacion. Quito No. 1, 1950.

†Trilophodon elegans Pliocene, Tienshiu, Kansu, p. 284, T. hopwoodi Pliocene, Shansi, p. 282, spp. nov., Young and Liu 1526A.

†MAMMUTIDAE

Mastodonts in Munich, detailed account, Lehmann 872.

History of some Ecuadorean mastodont specimens, ARAUZ 60.

Notes on occurrence of Mastodonts in Ecuador Pleistocene, Proano and Samaniego 1119.

†Mastodon borsoni first record Pliocene, Holland, Koenigswald 824; in Holland, notes, Schreuder 1249; †M. pentelici Pleistocene Jugoslavia, Cirio 302.

ELEPHANTIDAE

History and evolution of Proboscidea in Morocco, Ennouchi 433.

Asiatic Elephants, review of history, distribution, variation, systematics, biology, DEBANIYAGALA 386.

Observations on elephants in captivity, HAGENBECK 580.

Elephants in war and peace, CARVER 274.

Elephants on Lower Congo in 17th century, BOUVEIGNES 177.

Survey of Swedish mammoth finds, SANDEGREN 1197.

†Archidiskodon meridionalis Pleistocene Paderno, VENZO 1404.

Elephas maximus dakhunensis, Travancore, S. India, p. 8, E. m. borneensis Borneo, p. 10, E. m. sondaicus Java (extinct), p. 10, E. m. rubridens China (extinct), p. 10, E. m. persicus Persia (extinct) p. 10 E. m. asurus Mesopotamia (extinct), p. 11, all subspp. nov. Deraniyagala 386; E. maximus external characters of three foetuses, Ayer and Mariappa 79; olfactory nerve system, Koikegami and others 825; heart anatomy Figula 447; anatomy of tongue and throat, Ghetie 522; medulla oblongata, Egawa and Hirokawa 413; fossa rhomboides, Hirokawa and Egawa 684; plexus brachialis, Mayeda and Suzuki 945; longevity, H. A. Ali 45; birth and growth in Rome 200, E. M. Hindle 680; fatal epidemic in Assam, Gee 512, 516; catching methods and control, Assam, Gee 513; training methods, Malay, Kemps 795.

Loxodonta distribution related to geology? Hyde 730; a criticism of Belgian Congo capture and training, HEDIGER 646; habits and hunting in Lake Chad area, OBERJOHANN 1020; 4-tusked, photo, Anon. 3; L. africana morphology, biology, domestication in Congo, Devocht 387; naturally shed molars, E. Mohr 967; status and habits in Addo Bush, Archibald 62; ? record length of a Kivu tusk, Bor-MANS 166; control results Uganda, 1948, PITMAN 1097; control and status Uganda, 1949, p. 6, PITMAN 1098; L. a. cyclotis status, FORAN 467; L. a., L. cyclotis, comparisons photos, STOCKLEY 1316; L. pumilio a distinct species from L. cyclotis in Gaboon, descr. and measurements, BOURDELLE and PETTER 176.

†Mammonteus primigenius remains from Holland, Erdbrink 434; recent find Poland, Kulczycki 844.

†SUBORDER DEINOTHERIOIDEA

†DEINOTHERIIDAE

† Dinotherium report on Serbian material, LASKAREV 858.

ORDER HYRACOIDEA

PROCAVIIDAE

† Pliohyrax rossignoli Pliocene, France descr. figs. and generic status, p. 471. VIRET 1417.

ORDER SIRENIA

DUGONGIDAE

Dugong dugon distribution and habits, GIBSON-HILL 529.

Rhytina gigas piece of skin in Hamburg Museum, descr. figs, E. Mohr 966

TRICHECHIDAE

Manatus, possible early record in Virginia, McAtee 904.

ORDER PERISSODACTYLA

SUBORDER HIPPOMORPHA

Review of Quaternary Perissodactyla of S. Africa, COOKE 313.

†Palaeotheriidae

† Palaeotherium aff. curtum Eocene, Germany, Dehm 379.

EQUIDAE

Revised classification of recent Equidae, BOURDELLE and FRECHKOP 175.

Dental characters of S. Africa Equidae, COOKE 313.

Equidae frontal sinus evolution, Edinger 412.

Feral horses in New Zealand, Wod-zicki 1504.

Zebra hybrids, Antonius 57; Rzasnicki 1189.

Brain evolution in Equidae shown by paleoneurology, EDINGER 411.

Pliocene Equidae of Mexico, LANCE 850.

†Amerhippus gen. nov. for type species, †Equus andium Wagner 1860, p. 426, Hoffstetter, Bol. Inform. Cient. Nacion, Quito 1950, 3.

Equus dom. origins, comparison with wild and fossil forms, changes due to domestication, Lundholm 898; shortening of molar row, Willemse 1493; E. caballus przewalskii in Woburn Park, Bedford 123; E. quagga photo in captivity, M. Burton 228; E. zebra census in Outeniqua Mts., S. Africa, MIDDLEMISS 958; E. z. zebra status and conservation recommendations, Bigalke 146.

† Equus broomi sp. nov. Pleistocene Barkly West, S. Africa, p. 469; E. cawoodi Broom, E. westphali Dreyer synonyms of E. capensis, p. 450; E. fowleri, E. plicatus, E. harrisi, E. zietsmani synonyms of E. kuhni, p. 478, latter closely related to E. grevyi, COOKE 313.

†Hipparion crusafonti sp. nov. Pliocene, Villaroya, Logrono, Ebro valley, Spain, VILLALTA 1411.

†Kolpohippus Van Hoepen synonym of Equus, p. 460, Cooke 313.

† Pliohippus (Astrohippus) stockii sp. nov. Pliocene, Vallé del Rio Papigochic, W. Chihuahua, Mexico, p. 12, Lance 850.

† Pliohippus (Pliohippus) mexicanus sp. nov. Pliocene, Yepomera, Chihuahua, Mexico, p. 35 Lance 850.

†Sterrohippus robustus Van Hoepen invalid, p. 458, COOKE 313.

†CHALICOTHERIDAE

†Chalicotherium goldfussi new finds Pliocene, Rheinhessen, Wehrli 1452.

† Metaschizotherium (?) transvaalensis sp. nov.? Miocene, Potgietersrust, Transvaal, p. 241, George 519.

† Postschizotherium systematic position, p. 474, Viret 1417.

SUBORDER CERATOMORPHA

TAPIRIDAE

Tapirus foot structure, Bressou 188; T. indicus habits in Malaya, Hislop 685; distribution, status and habits in Siam, Sanborn and Watkins 1195.

†AMYNODONTIDAE

†Amynodon watanabei Eocene Japan, addt. descr. figs, with notes on other Asiatic fossil Rhinocerotidae, TAKAI 1334.

RHINOCEROTIDAE

Brain morphology in rhinoceroses and other perissodactyles, Friant 487; Oligocene Rhinocerotidae from Germany, Teike and Tobien 1346.

†Acerotherium filholi Oligocene Savoy, France, descr. figs., Moret 982.

Ceratotherium simum identified as known to Greeks and Romans, Gowers 553; census in Uganda, 1949, p. 26, PITMAN 1098; 1948 census in Natal, Kluge 814; growth and habits in captivity, Bigalke and others 147; a second captive specimen in Pretoria Zoo, Schack 1204; capture of young in Sudan, Ferguson 442.

† Dicerorhinus Pleistocene Württemberg, review of all material, Staesche 1292.

Diceros bicornis precarious status in Ubangui-Shari, French W. Africa, Anna 53; distribution and habits in W. Sudan, P. Z. MACKENZIE 918; habits in E. Africa, explanation of shoulder wound, STOCKLEY 1315; habits in Kenya, STOTT 1319; naturally shed molars, E. Mohr 967; speed, Erle 408.

† Diceros whitei Chubb incorrectly founded, in part synonym of Diceros bicornis, p. 408, COOKE 313.

†Hispanotherium gen. nov. for type species, †Rhinoceros matritensis, CRUSAFONT PAIRO and VILLAUTA COMELLA, Las Ciencias, Madrid, 12 4, 1947, p. 867.

†Opsiceros simplicidens Scott, a synonym of Ceratotherium simum, p. 407, Cooke 313.

Rhinoceros sondaicus cranial and dental characters, revised inventory of museum specimens, FINLAYSON 450; R. unicornis history and threatened extinction in N.E. India, GEE 518; status and conservation in Assam, S. All 44.

† Rhinoceros scotti Hopwood, a synonym of Ceratotherium simum, p. 407, Cooke 818.

ORDER ARTIODACTYLA

106

SUBORDER SUIFORMES

SUIDAE

Feral pigs in New Zealand, Wodzicki 1504.

Babyrousa babyrussa taxonomic notes, p. 117, Hooijer 698.

†Babyrousa babyrussa bolabatuensis subsp. nov. subfossil, Badjo (Barebo dist.), 20 km. S.W. of Watampone, Central Bone, S. Celebes, p. 121, HOOIJER 698.

†Celebochoerus heekereni Pleistocene Celebes, addt. decr., figs of canines, HOOLIER 700.

Hylochoerus meinertzhageni weights and measurements in Kenya, STOCKLEY 1314.

† Postpotamochoerus subgen. nov. (type Sus hypotherioides) see † Potamochoerus.

Potamochoerus measurements and weights in Kenya, Stockley 1314; P. koiropotamus habits in S. Africa, Astley Maberley 71; P. larvatus first description of carpal glands, Doucet 395.

†Potamochoerus (Postpotamochoerus subgen. nov.) for type species Sus hypotherioides Schlosser, Thenius, Sitz. Ber. ost. Akad. Wiss. Abt. 1, 159 1950. p. 25.

Sus barbatus history in Malaya, probably endemic, Gibson-Hill 530; S. celebensis taxonomic notes, p. 92, Hoolier 698; S. scrofa investigation of great increase in Germany, Oloff 1037; past and present status in Solothurn and other parts of Switzerland, Bloch 153; S. s. antiquus origins and characters, Herre 663.

†Sus celebensis sarasinorum subsp. nov. subfossil, Badjo (Barebo dist.), 20 km. S.W. of Watampone, Central Bone, S. Celebes, p. 117, HOOLJER 698.

†ANTHRACOTHERIIDAE

†Anthracotherium sp. Oligocene, Italy, descr. figs., LEONARDI 877.

HIPPOPOTAMIDAE

Hippopotamus amphibius numbers and habits in Pare National Albert, Hoter 692.

†Hippopotamus revision of Asiatic forms; H. sivalensis duboisi Naliwala, Sirmur State, Punjab, p. 54; H. s. soloensis Tinggang, Solo Valley, Java, p. 75, both subspp. nov. Pleistocene, HOODER 699.

†MERYCOIDODONTIDAE

†Hypsiops gen. nov. pp. 100, 113 for type species Ticholeptus brachymelis Douglass; H. luskensis Miocene Niobrara County, Wyoming, pp. 101, 122, H. johndayensis Miocene, John Day Valley, Oregon, pp. 101, 123, spp. nov. Schultz and Falkenbach Bull. Amer. Mus. Nat. Hist. 95 1950.

†Phenacocoelus kayi Miocene, Niobrara County, Wyoming, pp. 100, 106, P. stouti Miocene, Platte County, Wyoming, pp. 100, 107, spp. nov. Schultz and Falkenbach 1251.

† Promerycochoerus (Parapromerycochoerus) barbouri Miocene Montana, descr. figs., p. 202, HIBBARD and KEENMON 670.

†Pseudomesoreodon gen. nov. pp. 100, 128, for type species P. rooneyi sp. nov. Miocene, Beaverhead County, Montana, pp. 100, 130; P. rolli sp. nov. Miocene, Jefferson County, Montana, pp. 100, 131, Schultz and Falkenbach, Bull. Amer. Mus. Nat. Hist. 95 1950.

†Submerycochoerus gen. nov. for type species Ticholeptus bannackensis Douglass, pp. 100, 124, SCHULTZ and FALKENBACH, Bull. Amer. Mus. Nat. Hist. 95 1950.

SUBORDER TYLOPODA

CAMELIDAE

Serological relationship of camel and llama, MASKAR 936.

Camelus ability to exist without water, St. John 1311; urinary system, TAYEB 1340; a mandibular character, Lechner 865; C. bactrianus history of introduction to North America, R. B. GREEN 561.

† Paracamelus alexejevi sp. nov. Pliocene, Odessa, U.S.S.R., p. 918, Havesson 629; P. gigas Pliocene Shansi, descr. figs., p. 2, Teilhard de Chardin and Trassaert 1347.

Vicugna vicugna habits and economic value, Hodge 636.

SUBORDER RUMINANTIA

TRAGULIDAE

Tragulus, noise made with feet, Kempe 796.

CERVIDAE

Deer in Britain, BEDFORD 124.

Deer in Woburn Park, BEDFORD 123.

Deer increase in British Isles, RUFFLE 1178.

Deer parks in Britain, their history and management, WHITEHEAD 1469.

History and status of deer parks in Britain, WHITEHEAD 1483.

Deer of Cranborne Chase, history and status, Carne 266.

Deer in S.W. England, HEWETT 668.

Introduced deer status in Britain, WHITEHEAD 1476.

Suggested closed season for deer, Johnstone 763.

Dental anomalies in European deer, Eidmann 418.

Introduction and status of deer in New Zealand, Wodzicki 1504.

Revision and key of S. American deer, Krumbiegel 836.

Tertiary Cervidae from Styria, THENIUS 1362.

Alces alces status in Gorkov, U.S.S.R., DANILOV 350; birth, development, parasites in Berne Zoo, Hedder 641; A. americana food requirements Brit. Columbia, Cowan and others 321; A. a. andersoni subsp. nov. 15 m. E. of Brandon, Manitoba, p. 1; A. columbae Lydekker note on taxonomic status, p. 6, R. L. Peterson 1082.

Axis axis antlered female, Chur 301

†Axis shansius sp. nov. Pliocene, S.E. Shansi, p. 44, TEILHARD DE CHARDIN and TRASSAERT 1347.

Capreolus specific characters Tegner 1344; taxonomic notes and hybridism, Whitehead 1477; identity of malformed head, Whitehead 1475; Capreolus breeding biology and delayed implantation, Stieve 1309, 1310; "rings" and the ergot theory, Buxton 245; "fairy rings" Buxton 246; seasonal movements, Tegner 1343; status in S.W. England, Johnstone 762; need for conservation in the British Isles, Ruffle 1179; sex difference in coronoid process of mandible, Stieve 1306; unusual head, H. P. Burton 224; Tegner 1345; abnormal antiers, Weich 1457.

†Cervavitus demissus sp. nov. Pliocene S.E. Shansi, p. 39, Teilhard de Chabdin and Trassaert 1347.

†Cervocerus novorossiae Pliocene, S.E. Shansi, descr. figs., p. 30, Teilhard de Chardin and Trassaert 1347.

†Cervulus lacustris p. 21, C. nanus p. 24, spp. nov. Pliocene, S.E. Shansi, TEILHARD DE CHARDIN and TRASSAERT 1347

Cervus canadensis productivity and sex ratio, H. V. Green 560; intersex, G. E. Hudson 716; C. elaphus antler growth and variation in Germany, WEZEL 1464; C. e. hispanicus record heads, F. WALLACE 1434; C. e. scoticus 1949 status and records, WHITEHEAD 1470: status in S.W. England, JOHNSTONE 762; status in Lake District, Moorehouse 979; a case of twinning, MACNAUGHTON 922; further cases of twinning, WHITEHEAD 1474; note on heights, JOHNSTONE 761; habits during and after rut, R. PERRY 1078; albinism at Woburn, BEDFORD 121; WHITEHEAD 1478; C. sika status in S.W. England, JOHN-STONE 762.

†Cervus giganteus a specimen in Vancouver Museum, MENZIES 951.

Dama dama freak antlers, Benzon 137; albinistic herds in Britain Whitehead 1473.

† Dama sericus sp. nov. Pliocene, S.E. Shansi, p. 50, Teilhard de Chardin and Trassaert 1347.

Elaphurus davidianus photo in captivity, M. Burton 228,

†Eostyloceros blainvillei Pliocene Shansi, descr. figs. p. 12, TEILHARD DE CHARDIN and TRASSAERT 1347.

†Eucladoceros boulei Pliocene, S.E. Shansi, descr. p. 52, Teilhard de Chardin and Trassaert 1347.

† Megaloceros systematics, STCHEG-LOVA 1295.

†Metacervulus gen. nov. for type species, M. capreolinus sp. nov. Pliocene S.E. Shansi, p. 13, Teilhard de Chardin and Trassaert, Palaeont. Sinica N.S.C., 1 (whole series 102), 1937.

† Micromeryx styriacus sp. nov. Miccene, Goriach, Styria, Austria, p. 235, Thenius 1362.

Moschus moschiferus status and exploitation, Hawkins 630; history of exploitation, economic value, present status, Matheson 938.

Muntiacus muntjak habits and growth in captivity, Loch 892.

Odocoileus hemionus breeding productivity, Chattin 289; breeding habits in Utah, ROBINETTE and Gashwiller 1166; O. h. californicus ecology in chaparral forests, Cronemiller and Bartholomew 327; food selection, Ferrel and Leach 444; O. virginianus borealis foetal development, Armstrong 64.

†Paracervulus gen. nov. for type species P. bidens sp. nov., p. 15, and P. brevis p. 18, P. attenuatus p. 19, P. simplex p. 20, all spp. nov. Pliocene, S.E. Shansi, P. recorded W. Europe p. 55, Teilhard de Chardin and Trassaert, Palæont. Sinica N.S.C. 1 (whole series 102), 1937.

† Platycemas gen. nov. for type species P. infans sp. nov., p. 25, Pliocene, S.E. Shansi, Teilhard de Chardin and Trassaert, Palaeont. Sinica N.S.C. 1 (whole series 102) 1937.

Rangifer arcticus conservation in Quebec, Rousseau 1176; R. tarandus effect of domestication on colour and form, Herre 661; possibilities of

introduction to Scotland, Prag 1113; history of introduction to Alaska, exploitation and management, Lantis 856; status in Alaska, Scott and others 1257; value of introduction to N. America, E. Roberts 1160; status on Pribilovs, 1947, Thompson 1367; subfossil in E. Prussia, Gross 569. Rucervus eldi platyceros precarious status in Siam, Sanborn and Watkins 1195.

Rusa age-changes in dentition, BEM-MEL 133.

†Rusa cf. elegans Pliocene, S.E. Shansi, p. 42, Teilhard de Chardin and Trassaert 1347.

†LAGOMERYCIDAE

† Lagomeryx parvulus Tertiary, Styria, p. 221, Thenius 1362.

GIRAFFIDAE

Giraffa breeding and growth in captivity, Reventlow 1147; shortening of molar row, WILLEMSE 1493; liver morphology, gall-bladder absent post-natal, CAVE 280; popular account, STOTT 1320; G. camelopardalis unspotted and albinistic, Petzsch 1090.

†? Honanotherium sp. Pliocene Shansi, descr. p. 10, Teilhard de Chardin and Trassaert 1347.

Okapia johnstoni not known to ancient Egyptians, Keimer 789; in captivity, discussion of biological problems, Hediger 645; notes in captivity, Schneider 1237; captivity photos, Caspary 275; transportation methods, Wendragel 1459; eye structure, Bruckner 206; cerebral indices, Portmann and Wirz 1108; clinical observations, E. M. Lang 852; nematodes, Kreis 833; helminths, Baer 81; Scheidegger 1226; bibliography, Bruhin 207.

† Palaeotragus sp. Pliocene Shansi, p. 9, Teilhard de Chardin and Trassaert 1347.

ANTILOCAPRIDAE

Antilocapra americana ecology in Texas, Buechner 213; reproductive potentials, Chattin and Lassen 290; reproductive tract, sexual identity of

twins, TRYON and BUCK 1380; food habits in California, FERREL and LEACH 445.

BOVIDAE

Bovidae in Woburn Park, BEDFORD 123.

History and characters of British cattle, E. J. ROBERTS 1161.

Feral cattle, sheep and goats in New Zealand, WODZICKI 1504.

Buffaloes of Asia and Africa, economic importance, MARSBOOM 933.

Recent and fossil Bovidae of E. Africa, DIETRICH 392.

Review of the small African antelopes, OELCKERS 1027.

Antelopes at London Zoo, BRIGHT-WELL 190.

Dwarf African goat skeletons, CHANG and LANDAUER 286.

Adenota kob pseudo-albinism, URBAIN and BULLIER 1389.

†Aectragus gen. nov. for type species A. garussi sp. nov. Pleistocene, Garussi R., S. Serengeti, Tanganyika, p. 38, DIETRICH Palaeontograph. Stuttgart, 99 (A), 1950.

Anoa taxonomic notes, p. 131, HOOIJER 698.

Antilope cervicapra hagenbecki, A. c. rajputanae Zukowsky, photos of living types, p. 218, Zukowsky 1546.

Bison census in Wood Buffalo Park, Fuller 492; astralagus characters distinguishing from Bos, Lutreschwager 899; B. bison earliest breeding age, Negus 1003; treatment of young by cows in captivity, Bedford 122; B. bonasus, conservation, Burr 222; history of present stocks, aims and methods of restitution, Zabinski 1533.

†Bison structural peculiarities of early forms, Bibikova 144.

†Bison (Platycerobison) chaneyi notes on Mexican specimens, HIBBARD and VILLA 671.

Bos bubalis giant horns artificially produced in Sumba, Wegner 1451; B. gaurus, habits and status in India,

GEE 517; B. grunniens early classical references, PRELL 1115; B. dom. earliest European records, Herre 662; history, breeding and value of polled cattle, Hammond 594; functional anatomy of prostate gland, SCHENKER 1230; B. taurus origins of European domestic cattle, KRUYTZER 839; photo of original Chartley herd, E. HARDY 606; photo of Dynevor herd, W. 1503; reduction of Chillingham herd, PEATFIELD 1072; status of Cadzow herd, MOORHOUSE 980; status of Cadzow type cattle, WHITEHEAD 1472; white herd at Vaynol Park, Caernaryonshire, R. C. B. GARDNER 502; origin of white Colombian breed, Mac-Allister 903; B. t. × B. indicus crossbreed grazing ecology, Barisson Villares 102.

Bubalis caama reduction in Natal, HANDLEY 598.

Capra aegagrus turcmenicus subsp. nov. Khorosan Mts., Turkmenia, U.S.S.R., p. 325, TZALKIN 1385; C. hircus horn development in skulls from Juan Fernandez, KRIEG 834; C. ibex history and status in Switzerland, WYATT 1516; conservation, in N. Italy, HOWELL 713; history and status in Italy, WHITEHEAD 1480; conservation, in history and measurements, WHITEHEAD 1481; conservation in N. Italy, WHITEHEAD 1482; C. lusitanica history and extermination in Portugal, BAETA-NEVES 82.

Cephalophus silvicultrix status N. Rhodesia, Ansell 54; C. s., C. spadix habitat, habits, description and measurements, IONIDES 735.

†Connochaetes taurinus major subsp. nov. Pleistocene, Garussi, S. Serengeti, Tanganyika, p. 33, Dietrich 392.

Damaliscus lunatus jimela albinism, FRECHKOP 480.

†Gazella hennigi, G. janenschi, G. kohllarseni Pleistocene, S. Serengeti, Tanganyika, spp. nov. p. 25, DIETRICH 392.

Gorgon johnstoni rufijianus de Beaux, G. albojubatus schulzi Zukowsky, photos of living types, p. 216, Zukowsky **1546**.

Hemitragus jemlaicus introduction and status in New Zealand, Wodzicki 1504; H. j. schaeferi habits, habitat, photos, Schafer 1205. Hippotragus niger last survivors in N. Transvaal, ELOFF 426; H. n. variani variability of facial markings HENDERSON 654; ? record head, photographs, YEBES 1521.

Limnotragus spekei selousi habits and habitat, E. Davison 369.

Onotragus smithemanni habits and habitat N. Rhodesia, Poles 1100.

Ovis dom. Algerian breeds, BOYER 180; O. canadensis associating with cattle, HALLORAN and BLANCHARD 591; O. c. dalli status in Alaska, SCOTT and others 1257; O. c. californiana history, distribution, status, habits, conservation, F. L. JONES 765; O. ophion status on Cyprus, WATERER 1443.

†Parestigorgon gen. nov. for type species P. gadjingeri sp. nov. Pleistocene, Gadjingero R., S. Serengeti, Tanganyika, p. 30, DIETRICH Palaeontograph. Stuttgart 99 (A) 1950.

† Praedamalis gen. nov. for type species P. deturi sp. nov. Pleistocene, Detur R., S. Serengeti, Tanganyika, p. 30. Dietrich Palaeontograph. Stuttgart 99 (A) 1950.

† Praemadoqua gen. nov. for type species P. avifluminis sp. nov. Pleistocene, Vogelfluss, S. Serengeti, Tanganyika, p. 34, DIETRICH Palaeontograph. Stuttgart 99 (A) 1950.

Rupicapra rupicapra introduction and status in New Zealand, WODZICKI 1504; method of measuring horns, WHITEHEAD 1471.

Strepsiceros strepsiceros a case of locked horns, Glynn-Baker 540.

Syncerus nanus in S. Sudan, DANIELL 349.

Taurotragus derbianus status in Uganda, p. 24, PITMAN 1098.

†Urmiabos gen. nov. for type species U. azerbaidzanicus sp. nov. Miocene, Maraga, Azerbaijan, U.S.S.R., p. 876, BURTCHAK-ABRAMOVITCH C. R. Acad. Sci. Moscow N.S. 70 1950.